

KEDW

Edwards AFB Rogers Dry Lake


KPSP

Palm Springs Intl

2024/05/05 0104Z

KEDW GARNE KPSP

93.52 nm / 173.20 km



Notes

Basic altitude profile:

- Ascent Rate: 1900ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 12000ft
- Cruise Speed: 340kts
- Descent Rate: 1300ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KEDW	-	34.91400	0 ft	-	Edwards AFB Rogers Dry Lake
APT	-	-117.86000	0 m		
GARNE	-	33.87670	900 ft	89	-
FIX	-	-116.57000	274 m		
KPSP	-	33.82970	0 ft	4	Palm Springs Intl
APT	-	-116.50600	0 m		

KEDW

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 14

Elevation: 2,300 ft / 701 m
Location: 34.914000 -117.860000
Magnetic Var: 11.504 E

METAR

KEDW 042355Z 23021G29KT 40SM FEW030 SCT150 BKN200 17/07 A2978 RMK A02A PK WND 23034/14 SLP074 T01690067 10227 2016

TAF

UNKNOWN

Frequencies

REC - 149.87 MHz - ATIS
TWR - 120.70 MHz -

GND - 121.80 MHz -
APP - 132.75 MHz - SPORT APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04C	300 ft	9,597 ft	58.11	LAKEBED	0 ft	0 ft
	91 m	2,925 m	46.61		0 m	0 m
22C	300 ft	9,597 ft	238.13	LAKEBED	0 ft	0 ft
	91 m	2,925 m	226.62		0 m	0 m
04L	142 ft	11,980 ft	58.11	ASPHALT	0 ft	1,010 ft
	43 m	3,652 m	46.61		0 m	308 m
22R	142 ft	11,980 ft	238.13	ASPHALT	0 ft	1,001 ft
	43 m	3,652 m	226.63		0 m	305 m
04R	300 ft	15,003 ft	58.10	ASPHALT	0 ft	1,001 ft
	91 m	4,573 m	46.60		0 m	305 m
22L	300 ft	15,003 ft	238.13	ASPHALT	0 ft	1,781 ft
	91 m	4,573 m	226.62		0 m	543 m
05L	300 ft	22,143 ft	64.27	LAKEBED	0 ft	0 ft
	91 m	6,749 m	52.77		0 m	0 m
23R	300 ft	22,143 ft	244.31	LAKEBED	0 ft	0 ft
	91 m	6,749 m	232.81		0 m	0 m
05R	300 ft	14,948 ft	64.29	LAKEBED	0 ft	0 ft
	91 m	4,556 m	52.79		0 m	0 m
23L	300 ft	14,948 ft	244.31	LAKEBED	0 ft	0 ft
	91 m	4,556 m	232.81		0 m	0 m
06R	99 ft	6,979 ft	77.25	ASPHALT	0 ft	1,201 ft
	30 m	2,127 m	65.75		0 m	366 m
24L	99 ft	6,979 ft	257.27	ASPHALT	0 ft	0 ft
	30 m	2,127 m	245.76		0 m	0 m
06C	210 ft	10,168 ft	77.25	LAKEBED	0 ft	0 ft
	64 m	3,099 m	65.75		0 m	0 m
24C	210 ft	10,168 ft	257.27	LAKEBED	0 ft	0 ft
	64 m	3,099 m	245.77		0 m	0 m
03	300 ft	7,185 ft	58.10	LAKEBED	0 ft	0 ft
	91 m	2,190 m	46.60		0 m	0 m
21	300 ft	7,185 ft	238.12	LAKEBED	0 ft	0 ft
	91 m	2,190 m	226.61		0 m	0 m
17	900 ft	39,133 ft	191.21	LAKEBED	0 ft	0 ft
	274 m	11,928 m	179.70		0 m	0 m
35	900 ft	39,133 ft	11.19	LAKEBED	0 ft	0 ft
	274 m	11,928 m	359.69		0 m	0 m
15	300 ft	29,587 ft	167.64	LAKEBED	0 ft	2,349 ft
	91 m	9,018 m	156.13		0 m	716 m

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
33	300 ft	29,587 ft	347.65	LAKEBED	0 ft	0 ft
	91 m	9,018 m	336.15		0 m	0 m
07	300 ft	23,122 ft	83.88	LAKEBED	0 ft	0 ft
	91 m	7,048 m	72.37		0 m	0 m
25	300 ft	23,122 ft	263.92	LAKEBED	0 ft	0 ft
	91 m	7,048 m	252.42		0 m	0 m
18	900 ft	23,176 ft	199.15	LAKEBED	0 ft	0 ft
	274 m	7,064 m	187.65		0 m	0 m
36	900 ft	23,176 ft	19.14	LAKEBED	0 ft	0 ft
	274 m	7,064 m	7.63		0 m	0 m
09	300 ft	9,999 ft	109.89	LAKEBED	0 ft	0 ft
	91 m	3,048 m	98.39		0 m	0 m
27	300 ft	9,999 ft	289.91	LAKEBED	0 ft	0 ft
	91 m	3,048 m	278.41		0 m	0 m
12	600 ft	9,235 ft	135.61	LAKEBED	0 ft	0 ft
	183 m	2,815 m	124.11		0 m	0 m
30	600 ft	9,235 ft	315.62	LAKEBED	0 ft	0 ft
	183 m	2,815 m	304.12		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22L	LOC-ILS	IEDW	110.10 MHz	18 nm	238.12	-	2,300 ft
				33 km	226.62		2,300 m
22L	GS	IEDW	110.10 MHz	10 nm	238.12	2.50	2,300 ft
				19 km	226.62		2,300 m