


2024/05/12 0049Z

RJSA YACHI RJSK

71.07 nm / 131.62 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
RJSA	-	40.73327	0 ft	-	AOMORI
APT	-	140.68859	0 m		
YACHI	-	40.49040	5,200 ft	14	-
FIX	-	140.66805	1,585 m		
RJSK	-	39.61564	0 ft	56	AKITA
APT	-	140.21867	0 m		

RJSA

Region: JAPAN
Timezone: ASIA/TOKYO
Runways: 1

Elevation: 664 ft / 202 m
Location: 40.733300 140.689000
Magnetic Var: 9.238 W

METAR

RJSA 120000Z 27003KT 190V320 CAVOK 21/12 Q1013

TAF

TAF RJSA 112305Z 1200/1306 22014KT 9999 FEW020 SCT050 TEMPO 1201/1206 23020G30KT TEMPO 1215/1300 4000 SHRA BR FEW

Frequencies

TWR - 118.30 MHz - AOMORI TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	200 ft	9,866 ft	51.78	ASPHALT	0 ft	177 ft
	61 m	3,007 m	61.02		0 m	54 m
24	200 ft	9,866 ft	231.80	ASPHALT	0 ft	184 ft
	61 m	3,007 m	241.04		0 m	56 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24	DME	IMR	111.90 MHz	18 nm	-	-	676 ft
				33 km	-		676 m
24	LOC-ILS	IMR	111.90 MHz	18 nm	231.78	-	664 ft
				33 km	241.02		664 m
24	GS	IMR	111.90 MHz	10 nm	232.60	3.00	664 ft
				19 km	241.84		664 m

RJSK

Region: JAPAN
Timezone: ASIA/TOKYO
Runways: 1

Elevation: 312 ft / 95 m
Location: 39.615600 140.219000
Magnetic Var: 8.986 W

METAR

RJSK 120000Z VRB04KT 9999 FEW040 BKN/// 20/14 Q1015

TAF

TAF RJSK 112305Z 1200/1306 14006KT 9999 FEW030 BECMG 1203/1205 27006KT BECMG 1208/1210 12004KT TEMPO 1215/1300 20

Frequencies

REC - 127.10 MHz - SAPPORO INFO
TWR - 118.60 MHz -

TWR - 126.20 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	197 ft 60 m	8,184 ft 2,494 m	96.62 105.61	ASPHALT	0 ft 0 m	200 ft 61 m
28	197 ft 60 m	8,184 ft 2,494 m	276.64 285.62	ASPHALT	0 ft 0 m	200 ft 61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	DME	IUW	108.90 MHz	18 nm 33 km	- -	-	328 ft 328 m
28	LOC-ILS	IUW	108.90 MHz	18 nm 33 km	276.62 285.60	-	286 ft 286 m
28	GS	IUW	108.90 MHz	10 nm 19 km	277.26 286.24	3.00	300 ft 300 m