


2024/05/07 0405Z

RCSS SANAS RCYU

65.26 nm / 120.86 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
RCSS	-	25.06959	0 ft	-	Sungshan
APT	-	121.55257	0 m		
SANAS	-	24.89694	4,500 ft	12	-
FIX	-	121.69222	1,372 m		
RCYU	-	24.02710	0 ft	52	HUALIEN
APT	-	121.61644	0 m		

RCSS

Region: REPUBLIC OF CHINA (TAIWAN)
Timezone: ASIA/TAIPEI
Runways: 1

Elevation: 18 ft / 5 m
Location: 25.069600 121.553000
Magnetic Var: 5.029 W

METAR

RCSS 070330Z 06012KT 010V080 9999 FEW025 BKN180 29/20 Q1014 NOSIG RMK A2996

TAF

TAF RCSS 062300Z 0700/0724 09010KT 9999 FEW012 BKN032 TEMPO 0703/0709 08017KT

Frequencies

REC - 127.40 MHz - ATIS	REC - 431.00 MHz - ATIS
CLD - 121.20 MHz - CLEARANCE DELIVERY	GND - 121.90 MHz - SONGSHAN GROUND
TWR - 118.10 MHz - SONGSHAN TOWER	APP - 119.70 MHz - TAIPEI APPROACH
APP - 119.60 MHz - TAIPEI APPROACH	APP - 123.50 MHz - TAIPEI APPROACH
APP - 130.10 MHz - TAIPEI APPROACH	APP - 129.60 MHz - TAIPEI APPROACH
APP - 125.10 MHz - TAIPEI APPROACH	APP - 128.50 MHz - TAIPEI APPROACH
APP - 124.20 MHz - TAIPEI APPROACH	APP - 120.40 MHz - TAIPEI APPROACH
APP - 125.60 MHz - TAIPEI APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	197 ft	8,555 ft	92.21	ASPHALT	0 ft	197 ft
	60 m	2,607 m	97.24		0 m	60 m
28	197 ft	8,555 ft	272.22	ASPHALT	0 ft	764 ft
	60 m	2,607 m	277.25		0 m	233 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	ITSG	108.90 MHz	18 nm	-	-	18 ft
				33 km	-		18 m
28	DME	ITLU	108.10 MHz	18 nm	-	-	18 ft
				33 km	-		18 m
10	LOC-ILS	ITSG	108.90 MHz	18 nm	92.22	-	18 ft
				33 km	97.25		18 m
10	GS	ITSG	108.90 MHz	10 nm	92.22	3.00	18 ft
				19 km	97.25		18 m

RCYU

Region: REPUBLIC OF CHINA (TAIWAN)
Timezone: ASIA/TAIPEI
Runways: 2

Elevation: 50 ft / 15 m
Location: 24.024900 121.604000
Magnetic Var: 4.803 W

METAR

UNKNOWN

TAF

UNKNOWN

Frequencies

GND - 121.90 MHz -
TWR - 126.25 MHz -
APP - 119.10 MHz - TAIPEI APPROACH

TWR - 118.10 MHz -
APP - 124.00 MHz - TAIPEI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	9,053 ft	26.19	ASPHALT	0 ft	1,089 ft
	45 m	2,759 m	31.00		0 m	332 m
21	148 ft	9,053 ft	206.20	ASPHALT	0 ft	758 ft
	45 m	2,759 m	211.00		0 m	231 m
03L	148 ft	8,008 ft	26.17	CONCRETE	0 ft	482 ft
	45 m	2,441 m	30.97		0 m	147 m
21R	148 ft	8,008 ft	206.18	CONCRETE	0 ft	476 ft
	45 m	2,441 m	210.98		0 m	145 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
21	DME	IHLN	110.30 MHz	18 nm	-	-	52 ft
				33 km	-		52 m
03	LOC-LOC	IHUA	109.90 MHz	18 nm	26.20	-	50 ft
				33 km	31.00		50 m
03	GS	IHUA	109.90 MHz	10 nm	26.20	3.00	50 ft
				19 km	31.00		50 m