


2024/05/15 0507Z

EGLL DET DVR **L9** KONAN AMASI **UM149** BOMBI **UL984** OSBIT **UZ205** LULAR **Z205** BUDEX **Z37** GIMBO BEGLA PTB
TEGRI **L605** NEKUL ARTAT **UP975** SIDAD TATLA OMDB

2995.43 nm / 5547.54 km



Notes

Requested: EGLL DET UL6 DVR L9 KONAN UL607 AMASI UM149 BOMBI UL984 OSBIT UZ205 LULAR Z205 BUDEX Z37 GIMBO BEGLA PTB

Unmatched points: UL6 VUTEB

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGLL APT	-	51.47120 -0.46088	0 ft 0 m	-	London Heathrow
DET DME	-	51.30390 0.59722	0 ft 0 m	40	DETLING VOR-DME
DVR VOR	-	51.16260 1.35909	0 ft 0 m	29	DOVER
KONAN FIX	L9 AWY-LO	51.13080 2.00000	0 ft 0 m	24	-
AMASI FIX	-	50.24030 7.60611	0 ft 0 m	219	-
BOMBI FIX	UM149 AWY-HI	50.05670 8.80028	0 ft 0 m	47	-
ESATI FIX	UL984 AWY-HI	50.06310 9.19000	0 ft 0 m	15	-
LOHRE FIX	UL984 AWY-HI	50.06690 9.48639	0 ft 0 m	11	-
OSBIT FIX	UL984 AWY-HI	50.07010 9.78307	0 ft 0 m	11	-
EKSOS FIX	UZ205 AWY-HI	49.65420 11.40750	0 ft 0 m	67	-
LULAR FIX	UZ205 AWY-HI	49.36580 12.75890	0 ft 0 m	55	-
ABUDO FIX	Z205 AWY-HI	48.99650 14.24010	0 ft 0 m	62	-
BUDEX FIX	Z205 AWY-HI	48.94830 14.33600	0 ft 0 m	4	-
GIMBO FIX	Z37 AWY-HI	48.72540 14.77580	0 ft 0 m	21	-
BEGLA FIX	-	47.83070 17.11440	0 ft 0 m	107	-
PTB NDB	-	47.15250 18.74280	0 ft 0 m	77	PUSZTASZABOLCS
TEGRI FIX	-	46.26280 21.10450	0 ft 0 m	110	-
GESBA FIX	L605 AWY-HI	45.92280 21.79000	0 ft 0 m	35	-
NEKUL FIX	L605 AWY-HI	45.51680 22.58680	0 ft 0 m	41	-
ARTAT FIX	-	42.36390 29.62420	0 ft 0 m	358	-
ERMUP FIX	UP975 AWY-HI	42.00060 31.02280	0 ft 0 m	65	-
ROKVA FIX	UP975 AWY-HI	41.82920 31.65720	0 ft 0 m	30	-
UNVUS FIX	UP975 AWY-HI	41.69500 32.14140	0 ft 0 m	23	-
ASMOB FIX	UP975 AWY-HI	41.66940 32.23280	0 ft 0 m	4	-
RELTU FIX	UP975 AWY-HI	41.64420 32.32330	0 ft 0 m	4	-
APTOX FIX	UP975 AWY-HI	41.59310 32.50420	0 ft 0 m	8	-
TEPKI	UP975	41.45330	0 ft	23	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	32.99280	0 m		
PIPUR	UP975	41.35110	0 ft	12	-
FIX	AWY-HI	33.23890	0 m		
ORMAN	UP975	41.29190	0 ft	7	-
FIX	AWY-HI	33.38580	0 m		
ERGUN	UP975	40.74640	0 ft	69	-
FIX	AWY-HI	34.73890	0 m		
SIV	UP975	39.78940	0 ft	114	SIVAS
VOR	AWY-HI	36.89330	0 m		
ARPUT	UP975	38.84220	0 ft	110	-
FIX	AWY-HI	38.94190	0 m		
EZS	UP975	38.70690	0 ft	15	ELAZIG
VOR	AWY-HI	39.22440	0 m		
DYB	UP975	37.87080	0 ft	68	DIYARBAKIR
VOR	AWY-HI	40.20860	0 m		
LEKRO	UP975	37.27740	0 ft	50	-
FIX	AWY-HI	40.97150	0 m		
LESRI	UP975	37.07220	0 ft	17	-
FIX	AWY-HI	41.23030	0 m		
SIDNA	UP975	36.56610	0 ft	37	-
FIX	AWY-HI	41.68310	0 m		
TUBEN	UP975	35.29000	0 ft	97	-
FIX	AWY-HI	42.90940	0 m		
MUTAG	UP975	34.50080	0 ft	59	-
FIX	AWY-HI	43.64280	0 m		
SOGUM	UP975	34.20330	0 ft	22	-
FIX	AWY-HI	43.91500	0 m		
PUTSI	UP975	33.53330	0 ft	53	-
FIX	AWY-HI	44.61670	0 m		
SINKA	UP975	33.36030	0 ft	13	-
FIX	AWY-HI	44.79810	0 m		
NOLDO	UP975	32.82560	0 ft	42	-
FIX	AWY-HI	45.35810	0 m		
KATUT	UP975	32.62690	0 ft	16	-
FIX	AWY-HI	45.57750	0 m		
DENKI	UP975	32.37440	0 ft	20	-
FIX	AWY-HI	45.85610	0 m		
ILMAP	UP975	31.35920	0 ft	82	-
FIX	AWY-HI	46.95060	0 m		
PEBAD	UP975	30.83970	0 ft	42	-
FIX	AWY-HI	47.49940	0 m		
SIDAD	UP975	29.87530	0 ft	77	-
FIX	AWY-HI	48.49560	0 m		
TATLA	-	25.79810	0 ft	409	-
FIX	-	54.66890	0 m		
OMDB	-	25.25110	0 ft	50	Dubai Intl
APT	-	55.37110	0 m		

EGLL

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 2

Elevation: 83 ft / 25 m
Location: 51.471200 -0.460881
Magnetic Var: 0.379 E

METAR

EGLL 150420Z AUTO 11006KT 9999 BKN014 13/12 Q1003 TEMPO SCT014

TAF

TAF EGLL 142255Z 1500/1606 15007KT 9999 FEW015 PROB40 TEMPO 1500/1507 BKN008 PROB30 1602/1606 6000 BKN005

Frequencies

REC - 128.07 MHz - HEATHROW INFORMATION	REC - 121.92 MHz - HEATHROW INFORMATION
CLD - 121.97 MHz - HEATHROW DELIVERY	GND - 121.70 MHz - HEATHROW GROUND
GND - 121.85 MHz - HEATHROW GROUND	GND - 121.90 MHz - HEATHROW GROUND
TWR - 118.50 MHz - HEATHROW TOWER	TWR - 118.70 MHz - HEATHROW TOWER
TWR - 124.47 MHz - HEATHROW TOWER	APP - 119.72 MHz - HEATHROW DIRECTOR
APP - 120.40 MHz - HEATHROW DIRECTOR	APP - 134.97 MHz - HEATHROW DIRECTOR
APP - 125.62 MHz - HEATHROW RADAR	APP - 127.52 MHz - HEATHROW RADAR
DEP - 120.52 MHz - HEATHROW DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	164 ft	12,770 ft	89.66	ASPHALT	1,007 ft	0 ft
	50 m	3,892 m	89.28		307 m	0 m
27R	164 ft	12,770 ft	269.70	ASPHALT	0 ft	177 ft
	50 m	3,892 m	269.33		0 m	54 m
09R	164 ft	11,975 ft	89.68	ASPHALT	1,004 ft	0 ft
	50 m	3,650 m	89.30		306 m	0 m
27L	164 ft	11,975 ft	269.72	ASPHALT	0 ft	95 ft
	50 m	3,650 m	269.34		0 m	29 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	IAA	110.30 MHz	18 nm	-	-	89 ft
				33 km	-		89 m
09R	DME	IBB	109.50 MHz	18 nm	-	-	84 ft
				33 km	-		84 m
27L	DME	ILL	109.50 MHz	18 nm	-	-	84 ft
				33 km	-		84 m
27R	DME	IRR	110.30 MHz	18 nm	-	-	89 ft
				33 km	-		89 m
09L	LOC-ILS	IAA	110.30 MHz	18 nm	89.68	-	83 ft
				33 km	89.30		83 m
09R	LOC-ILS	IBB	109.50 MHz	18 nm	89.70	-	83 ft
				33 km	89.32		83 m
27L	LOC-ILS	ILL	109.50 MHz	18 nm	269.70	-	83 ft
				33 km	269.32		83 m
27R	LOC-ILS	IRR	110.30 MHz	18 nm	269.68	-	83 ft
				33 km	269.30		83 m
09L	GS	IAA	110.30 MHz	10 nm	89.68	3.00	83 ft
				19 km	89.30		83 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09R	GS	IBB	109.50 MHz	10 nm	89.70	3.00	83 ft
				19 km	89.32		83 m
27L	GS	ILL	109.50 MHz	10 nm	269.70	3.00	83 ft
				19 km	269.32		83 m
27R	GS	IRR	110.30 MHz	10 nm	269.68	3.00	83 ft
				19 km	269.30		83 m

OMDB

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 62 ft / 19 m
Location: 25.251100 55.371100
Magnetic Var: 2.353 E

METAR

OMDB 150400Z 18009KT 160V250 CAVOK 34/12 Q1009 NOSIG

TAF

TAF TAF OMDB 142300Z 1500/1606 10007KT CAVOK BECMG 1502/1504 18012KT BECMG 1507/1509 24007KT BECMG 1509/1511 3201

Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.17		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.15		302 m	115 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m