LEPA - EDDB

Palma De Mallorca — Berlin Schoenefeld

2024/03/29 0810Z

LEPA MEROS **UN853** LUMAS **UM976** SOFFY SONOM TEDGO LOHRE **UN746** ROBEL RUDAK EDDB

928.60 nm / 1719.76 km





Notes

Requested: LEPA MEROS UN853 LUMAS UM976 SOFFY UQ208 SONOM UQ222 TEDGO UN851 LOHRE UN746 ROBEL T200 RUDAK EDDB
Unmatched points: UQ208 UQ222 UN851 T200

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LEPA APT	- -	39.55254 2.73496	0 ft 0 m	-	Palma De Mallorca
MEROS FIX	- -	40.50000 4.36733	0 ft 0 m	94	-
CHELY FIX	UN853 AWY-HI	41.07496 4.50546	0 ft 0 m	35	-
LUMAS FIX	UN853 AWY-HI	41.73322 4.66667	0 ft 0 m	40	-
SOSUR FIX	UM976 AWY-HI	42.56028 4.99750	0 ft 0 m	51	-
SOFFY FIX	UM976 AWY-HI	43.02056 5.18056	0 ft 0 m	28	-
SONOM FIX	- -	47.78417 8.89611	0 ft 0 m	326	-
TEDGO FIX	- -	48.61841 9.25921	0 ft 0 m	52	-
LOHRE FIX	- -	50.06694 9.48639	0 ft 0 m	87	-
TIKNI FIX	UN746 AWY-HI	50.40972 9.87333	0 ft 0 m	25	-
ROBEL FIX	UN746 AWY-HI	50.89753 10.43367	0 ft 0 m	36	-
RUDAK FIX	- -	51.72722 12.94639	0 ft 0 m	106	-
EDDB APT	- -	52.37854 13.52063	0 ft 0 m	44	Berlin Schoenefeld

LEPA

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 2

Elevation: 24 ft / 7 m
Location: 39.551700 2.738890
Magnetic Var: 1.665 E

METAR

LEPA 290800Z 16004KT 100V190 9999 FEW020 18/12 Q1003 NOSIG

TAF

TAF LEPA 290500Z 2906/3006 17006KT 9999 FEW020 TX21/2913Z TN12/2906Z BECMG 2909/2911 18012KT TEMPO 2912/2917 1801

Frequencies

APP - 118.95 MHz - PALMA APPROACH
APP - 119.40 MHz - PALMA APPROACH
TWR - 118.30 MHz - PALMA TOWER
TWR - 122.10 MHz - PALMA MILITARY TOWER
GND - 121.90 MHz - PALMA GROUND
CLD - 123.80 MHz - PALMA DELIVERY
APP - 119.15 MHz - PALMA APPROACH
APP - 369.42 MHz - PALMA MILITARY
TWR - 118.45 MHz - PALMA TOWER
GND - 121.70 MHz - PALMA GROUND
REC - 119.25 MHz - PALMA ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06R	148 ft 45 m	9,829 ft 2,996 m	58.48 56.82	ASPHALT	1,332 ft 406 m	0 ft 0 m
24L	148 ft 45 m	9,829 ft 2,996 m	238.50 236.84	ASPHALT	0 ft 0 m	0 ft 0 m
06L	148 ft 45 m	10,713 ft 3,265 m	58.46 56.80	ASPHALT	0 ft 0 m	256 ft 78 m
24R	148 ft 45 m	10,713 ft 3,265 m	238.48 236.82	ASPHALT	226 ft 69 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	PLM	110.90 MHz	18 nm 33 km	- -	-	23 ft 23 m
24L	DME	IPAL	109.30 MHz	18 nm 33 km	- -	-	56 ft 56 m
06L	LOC-ILS	PLM	110.90 MHz	18 nm 33 km	58.47 56.80	-	24 ft 24 m
24L	LOC-ILS	IPAL	109.30 MHz	18 nm 33 km	238.50 236.83	-	24 ft 24 m
24R	LOC-ILS	PAA	109.90 MHz	18 nm 33 km	238.47 236.80	-	24 ft 24 m
06L	GS	PLM	110.90 MHz	10 nm 19 km	58.47 56.80	3.00	24 ft 24 m
24L	GS	IPAL	109.30 MHz	10 nm 19 km	238.50 236.83	3.00	24 ft 24 m
24R	GS	PAA	109.90 MHz	10 nm 19 km	238.47 236.80	3.00	24 ft 24 m

EDDB

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 2

Elevation: 157 ft / 48 m
Location: 52.362300 13.500700
Magnetic Var: 4.640 E

METAR

EDDB 290750Z AUTO 20009KT CAVOK 09/03 Q1001 NOSIG

TAF

TAF TAF EDDB 290500Z 2906/3006 18011KT CAVOK PROB30 TEMPO 2908/2910 18015G25KT TEMPO 2912/2916 18015G25KT BECMG 2

Frequencies

REC - 123.77 MHz - ATIS
GND - 129.50 MHz - BERLIN GROUND A
GND - 121.85 MHz - BERLIN APRON SOUTH
TWR - 118.80 MHz - BERLIN TOWER SOUTH
APP - 121.12 MHz - BERLIN DIRECTOR
CLD - 121.60 MHz - BERLIN DELIVERY
APP - 120.62 MHz - BREMEN RADAR
APP - 119.50 MHz - BREMEN RADAR
GND - 121.70 MHz - BERLIN GROUND E
GND - 129.60 MHz - BERLIN APRON NORTH
TWR - 120.02 MHz - BERLIN TOWER NORTH
TWR - 118.85 MHz - BERLIN TOWER ALTERNATE
APP - 136.10 MHz - BERLIN DIRECTOR
APP - 119.62 MHz - BREMEN RADAR
APP - 126.42 MHz - BREMEN RADAR
APP - 134.42 MHz - BREMEN RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	197 ft 60 m	13,088 ft 3,989 m	68.74 64.10	CONCRETE	0 ft 0 m	0 ft 0 m
25L	197 ft 60 m	13,088 ft 3,989 m	248.78 244.15	CONCRETE	0 ft 0 m	0 ft 0 m
07L	148 ft 45 m	11,780 ft 3,591 m	68.75 64.11	ASPHALT	981 ft 299 m	0 ft 0 m
25R	148 ft 45 m	11,780 ft 3,591 m	248.79 244.15	ASPHALT	981 ft 299 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	LOC-ILS	IBNE	110.70 MHz	18 nm 33 km	68.77 64.13	-	157 ft 157 m
07R	LOC-ILS	IBSE	109.70 MHz	18 nm 33 km	68.77 64.13	-	157 ft 157 m
25L	LOC-ILS	IBSW	109.50 MHz	18 nm 33 km	248.77 244.13	-	157 ft 157 m
25R	LOC-ILS	IBNW	109.90 MHz	18 nm 33 km	248.77 244.13	-	157 ft 157 m
07L	GS	IBNE	110.70 MHz	10 nm 19 km	68.77 64.13	3.00	157 ft 157 m
07R	GS	IBSE	109.70 MHz	10 nm 19 km	68.77 64.13	3.00	157 ft 157 m
25L	GS	IBSW	109.50 MHz	10 nm 19 km	248.77 244.13	3.00	157 ft 157 m
25R	GS	IBNW	109.90 MHz	10 nm 19 km	248.77 244.13	3.00	157 ft 157 m