

WICC

Bandun Husein Sastranegara


RJAA

NARITA INTL

2024/05/13 1847Z

WICC DENDY **W38** AMBOY **B592** VJN **B348** TOKON **M767** JOM **A590** MJE **A1** BAFFY RJAA

3193.77 nm / 5914.87 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
WICC	-	-6.90063	0 ft	-	Bandun Husein Sastranegara
APT	-	107.57629	0 m		
DENDY	-	-5.19707	35,000 ft	102	-
FIX	-	107.60659	10,668 m		
AMBOY	W38	-4.13333	35,000 ft	72	-
FIX	AWY-HI	108.16667	10,668 m		
AKULA	B592	-3.11988	35,000 ft	76	-
FIX	AWY-HI	108.95092	10,668 m		
KIBON	B592	-1.83333	35,000 ft	99	-
FIX	AWY-HI	110.00000	10,668 m		
OSUKA	B592	-1.29167	35,000 ft	40	-
FIX	AWY-HI	110.41167	10,668 m		
OMEGA	B592	-0.38333	35,000 ft	69	-
FIX	AWY-HI	111.12000	10,668 m		
OKADA	B592	1.56667	35,000 ft	148	-
FIX	AWY-HI	112.63333	10,668 m		
ALEMO	B592	2.76250	35,000 ft	91	-
FIX	AWY-HI	113.57222	10,668 m		
UDERO	B592	3.93056	35,000 ft	89	-
FIX	AWY-HI	114.49444	10,668 m		
BUTAX	B592	4.43694	35,000 ft	38	-
FIX	AWY-HI	114.87556	10,668 m		
VJN80	B592	4.85139	35,000 ft	31	-
FIX	AWY-HI	115.21111	10,668 m		
VJN	B592	5.89967	35,000 ft	79	KOTA KINABALU VOR-DME
VOR	AWY-HI	116.02994	10,668 m		
OSANU	B348	7.69000	35,000 ft	131	-
FIX	AWY-HI	117.29333	10,668 m		
PR	B348	9.74133	35,000 ft	150	PUERTO PRINCESA VOR-DME
VOR	AWY-HI	118.75294	10,668 m		
TELMO	B348	9.96919	35,000 ft	15	-
FIX	AWY-HI	118.85948	10,668 m		
GAMAN	B348	10.04513	35,000 ft	5	-
FIX	AWY-HI	118.89503	10,668 m		
TOKON	B348	11.70054	35,000 ft	109	-
FIX	AWY-HI	119.67469	10,668 m		
TELEN	M767	12.88828	35,000 ft	93	-
FIX	AWY-HI	120.71380	10,668 m		
TAPAP	M767	13.25155	35,000 ft	28	-
FIX	AWY-HI	121.03427	10,668 m		
GALER	M767	13.53778	35,000 ft	22	-
FIX	AWY-HI	121.28769	10,668 m		
LABAY	M767	14.38725	35,000 ft	67	-
FIX	AWY-HI	122.04486	10,668 m		
JOM	M767	14.70486	35,000 ft	25	JOMALIG VOR-DME
VOR	AWY-HI	122.32997	10,668 m		
MUPOB	A590	15.63661	35,000 ft	69	-
FIX	AWY-HI	123.05497	10,668 m		
SKATE	A590	17.36977	35,000 ft	130	-
FIX	AWY-HI	124.42682	10,668 m		
LAMOL	A590	20.06255	35,000 ft	204	-
FIX	AWY-HI	126.62770	10,668 m		
GURAG	A590	21.00000	35,000 ft	71	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	127.41667	10,668 m		
TUNTO	A590	23.00436	35,000 ft	151	-
FIX	AWY-HI	129.08133	10,668 m		
AVLAS	A590	24.35565	35,000 ft	99	-
FIX	AWY-HI	130.12093	10,668 m		
MD	A590	25.84058	35,000 ft	108	MINAMI DAITO NDB
NDB	AWY-HI	131.24583	10,668 m		
BIXAK	A590	27.88061	35,000 ft	159	-
FIX	AWY-HI	133.13756	10,668 m		
DOVAG	A590	28.58389	35,000 ft	55	-
FIX	AWY-HI	133.81417	10,668 m		
OLDUP	A590	30.12542	35,000 ft	122	-
FIX	AWY-HI	135.34233	10,668 m		
BUBDO	A590	31.43197	35,000 ft	103	-
FIX	AWY-HI	136.65383	10,668 m		
GULEG	A590	32.87600	35,000 ft	115	-
FIX	AWY-HI	138.16728	10,668 m		
MJE	A590	34.11903	23,000 ft	100	MIYAKEJIMA VOR-DME
VOR	AWY-HI	139.49847	7,010 m		
BAFFY	A1	34.47393	17,300 ft	30	-
FIX	AWY-HI	139.95069	5,273 m		
RJAA	-	35.77655	0 ft	81	NARITA INTL
APT	-	140.38277	0 m		

RJAA

Region: JAPAN
Timezone: ASIA/TOKYO
Runways: 2

Elevation: 135 ft / 41 m
Location: 35.777200 140.382000
Magnetic Var: 7.778 W

METAR

RJAA 131830Z AUTO 01005KT 340V050 9999 FEW040 BKN060 OVC140 14/12 Q1014 NOSIG

TAF

TAF RJAA 131705Z 1318/1500 02010KT 9999 FEW030

Frequencies

REC - 128.25 MHz - ATIS	TWR - 122.70 MHz - NARITA TOWER
TWR - 126.20 MHz - NARITA TOWER	TWR - 118.35 MHz - NARITA TOWER
TWR - 118.20 MHz - NARITA TOWER	GND - 121.85 MHz - NARITA GROUND
GND - 121.95 MHz - NARITA GROUND	GND - 121.60 MHz - NARITA GROUND
GND - 121.75 MHz - NARITA GROUND	APP - 125.20 MHz - NARITA APPROACH
APP - 124.40 MHz - NARITA APPROACH	APP - 121.27 MHz - NARITA APPROACH
APP - 125.80 MHz - NARITA APPROACH	APP - 127.70 MHz - NARITA APPROACH
DEP - 120.60 MHz - NARITA DEPARTURE	DEP - 127.50 MHz - NARITA DEPARTURE
DEP - 119.60 MHz - NARITA DEPARTURE	DEP - 125.52 MHz - NARITA DEPARTURE
DEP - 124.20 MHz - NARITA DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16R	197 ft	13,146 ft	149.63	ASPHALT	0 ft	407 ft
	60 m	4,007 m	157.41		0 m	124 m
34L	197 ft	13,146 ft	329.64	ASPHALT	0 ft	404 ft
	60 m	4,007 m	337.42		0 m	123 m
16L	197 ft	8,210 ft	149.61	ASPHALT	0 ft	197 ft
	60 m	2,503 m	157.39		0 m	60 m
34R	197 ft	8,210 ft	329.62	ASPHALT	0 ft	0 ft
	60 m	2,503 m	337.40		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	DME	ITM	110.70 MHz	18 nm	-	-	145 ft
				33 km	-		145 m
16R	DME	IKF	111.50 MHz	18 nm	-	-	145 ft
				33 km	-		145 m
34L	DME	IYQ	111.90 MHz	18 nm	-	-	153 ft
				33 km	-		153 m
34R	DME	ITJ	110.90 MHz	18 nm	-	-	148 ft
				33 km	-		148 m
16L	LOC-ILS	ITM	110.70 MHz	18 nm	149.64	-	135 ft
				33 km	157.42		135 m
16R	LOC-ILS	IKF	111.50 MHz	18 nm	149.62	-	135 ft
				33 km	157.40		135 m
34L	LOC-ILS	IYQ	111.90 MHz	18 nm	329.62	-	135 ft
				33 km	337.40		135 m
34R	LOC-ILS	ITJ	110.90 MHz	18 nm	329.64	-	135 ft
				33 km	337.42		135 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	GS	ITM	110.70 MHz	10 nm	149.64	3.00	135 ft
				19 km	157.42		135 m
16R	GS	IKF	111.50 MHz	10 nm	149.62	3.00	135 ft
				19 km	157.40		135 m
34L	GS	IYQ	111.90 MHz	10 nm	329.62	3.00	135 ft
				19 km	337.40		135 m
34R	GS	ITJ	110.90 MHz	10 nm	329.64	3.00	135 ft
				19 km	337.42		135 m