

# EGKK

London Gatwick


# LEPA

Palma de Mallorca

2024/05/06 1725Z

EGKK ETRAT **UQ203** PUMAL **UN859** GARBI LEPA

708.21 nm / 1311.61 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGKK APT	-	51.14880 -0.19185	0 ft 0 m	-	London Gatwick
ETRAT FIX	-	49.68330 0.16333	31,800 ft 9,693 m	89	-
PUMAL FIX	UQ203 AWY-HI	42.36680 2.00847	35,000 ft 10,668 m	446	-
XEPLA FIX	UN859 AWY-HI	41.68720 2.07256	28,300 ft 8,626 m	40	-
BCN VOR	UN859 AWY-HI	41.30710 2.10781	23,400 ft 7,132 m	22	BARCELONA
GARBI FIX	UN859 AWY-HI	40.80290 2.28675	16,700 ft 5,090 m	31	-
LEPA APT	-	39.55170 2.73889	0 ft 0 m	77	Palma de Mallorca

## EGKK

Region: UNITED KINGDOM  
Timezone: EUROPE/LONDON  
Runways: 2

Elevation: 187 ft / 57 m  
Location: 51.148800 -0.191923  
Magnetic Var: 0.494 E

## METAR

EGKK 061720Z 36007KT 340V090 9999 -RA FEW013 BKN029CB 14/13 Q1009

## TAF

TAF EGKK 061055Z 0612/0718 01009KT 9999 SCT020 TEMPO 0612/0624 6000 RA SHRA BKN012 PROB30 TEMPO 0612/0624 4000 +RA

## Frequencies

REC - 136.52 MHz - GATWICK INFORMATION	GND - 121.80 MHz - GATWICK GROUND
TWR - 124.22 MHz - GATWICK TOWER	TWR - 134.22 MHz - GATWICK TOWER
CLD - 121.95 MHz - GATWICK DELIVERY	APP - 118.95 MHz - GATWICK DIRECTOR
APP - 126.82 MHz - GATWICK DIRECTOR	APP - 129.02 MHz - GATWICK DIRECTOR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08R	148 ft	10,851 ft	77.60	ASPHALT	1,289 ft	0 ft
	45 m	3,308 m	77.10		393 m	0 m
26L	148 ft	10,851 ft	257.63	ASPHALT	1,388 ft	102 ft
	45 m	3,308 m	257.14		423 m	31 m
08L	148 ft	8,382 ft	77.59	ASPHALT	1,047 ft	0 ft
	45 m	2,555 m	77.09		319 m	0 m
26R	148 ft	8,382 ft	257.61	ASPHALT	1,358 ft	0 ft
	45 m	2,555 m	257.12		414 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	IGG	110.90 MHz	18 nm	-	-	274 ft
				33 km	-		274 m
26L	DME	IWW	110.90 MHz	18 nm	-	-	274 ft
				33 km	-		274 m
08R	LOC-ILS	IGG	110.90 MHz	18 nm	77.62	-	187 ft
				33 km	77.13		187 m
26L	LOC-ILS	IWW	110.90 MHz	18 nm	257.62	-	187 ft
				33 km	257.13		187 m
08R	GS	IGG	110.90 MHz	10 nm	77.62	3.00	187 ft
				19 km	77.13		187 m
26L	GS	IWW	110.90 MHz	10 nm	257.62	3.00	187 ft
				19 km	257.13		187 m

## LEPA

Region: SPAIN  
Timezone: EUROPE/MADRID  
Runways: 2

Elevation: 24 ft / 7 m  
Location: 39.551700 2.738890  
Magnetic Var: 1.677 E

## METAR

LEPA 061700Z VRB02KT 9999 -RA FEW040 23/16 Q1011 NOSIG

## TAF

TAF LEPA 061100Z 0612/0712 23010KT 9999 FEW040 TX25/0612Z TN12/0705Z BECMG 0617/0619 06008KT PROB40 TEMPO 0617/07

## Frequencies

APP - 118.95 MHz - PALMA APPROACH	APP - 119.15 MHz - PALMA APPROACH
APP - 119.40 MHz - PALMA APPROACH	APP - 369.42 MHz - PALMA MILITARY
TWR - 118.30 MHz - PALMA TOWER	TWR - 118.45 MHz - PALMA TOWER
TWR - 122.10 MHz - PALMA MILITARY TOWER	GND - 121.70 MHz - PALMA GROUND
GND - 121.90 MHz - PALMA GROUND	REC - 119.25 MHz - PALMA ATIS
CLD - 123.80 MHz - PALMA DELIVERY	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06R	148 ft	9,829 ft	58.48	ASPHALT	1,332 ft	0 ft
	45 m	2,996 m	56.81		406 m	0 m
24L	148 ft	9,829 ft	238.50	ASPHALT	0 ft	0 ft
	45 m	2,996 m	236.83		0 m	0 m
06L	148 ft	10,713 ft	58.46	ASPHALT	0 ft	256 ft
	45 m	3,265 m	56.78		0 m	78 m
24R	148 ft	10,713 ft	238.48	ASPHALT	226 ft	0 ft
	45 m	3,265 m	236.81		69 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	PLM	110.90 MHz	18 nm	-	-	23 ft
				33 km	-		23 m
24L	DME	IPAL	109.30 MHz	18 nm	-	-	56 ft
				33 km	-		56 m
06L	LOC-ILS	PLM	110.90 MHz	18 nm	58.47	-	24 ft
				33 km	56.79		24 m
24L	LOC-ILS	IPAL	109.30 MHz	18 nm	238.50	-	24 ft
				33 km	236.82		24 m
24R	LOC-ILS	PAA	109.90 MHz	18 nm	238.47	-	24 ft
				33 km	236.79		24 m
06L	GS	PLM	110.90 MHz	10 nm	58.47	3.00	24 ft
				19 km	56.79		24 m
24L	GS	IPAL	109.30 MHz	10 nm	238.50	3.00	24 ft
				19 km	236.82		24 m
24R	GS	PAA	109.90 MHz	10 nm	238.47	3.00	24 ft
				19 km	236.79		24 m