

NTAA

Faaa Int'l


PMDY

Henderson Field - Midway Atoll

2024/05/23 0325Z

NTAA NOBUG T1 NOMIS -1500S-15300W -1400S-15400W -1200S-15500W -1000S-15600W -900S-15700W
-700S-15800W -600S-15900W RAMIZ **B596** RAYOR 300N-16100W 500N-16200W 600N-16300W 800N-16400W
1000N-16500W CROBY 1100N-16600W 1300N-16700W 1400N-16700W 1600N-16800W 1700N-16900W 1900N-17000W
2000N-17100W SYSTA 2200N-17300W 2300N-17400W 2500N-17500W 2600N-17600W PMDY

3366.17 nm / 6234.15 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes

- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
NTAA	-	-17.55380	0 ft	-	Faaa Int'l
APT	-	-149.60700	0 m		
NOBUG	-	-16.57390	35,000 ft	99	-
FIX	-	-151.00700	10,668 m		
NOMIS	T1	-16.24300	35,000 ft	53	-
FIX	AWY-LO	-151.87100	10,668 m		
-1500S-15300W	-	-15.00000	35,000 ft	99	-
LATLON	-	-153.00000	10,668 m		
-1400S-15400W	-	-14.00000	35,000 ft	83	-
LATLON	-	-154.00000	10,668 m		
-1200S-15500W	-	-12.00000	35,000 ft	133	-
LATLON	-	-155.00000	10,668 m		
-1000S-15600W	-	-10.00000	35,000 ft	133	-
LATLON	-	-156.00000	10,668 m		
-900S-15700W	-	-9.00000	35,000 ft	84	-
LATLON	-	-157.00000	10,668 m		
-700S-15800W	-	-7.00000	35,000 ft	134	-
LATLON	-	-158.00000	10,668 m		
-600S-15900W	-	-6.00000	35,000 ft	84	-
LATLON	-	-159.00000	10,668 m		
RAMIZ	-	-5.00000	35,000 ft	60	-
FIX	-	-159.08700	10,668 m		
RAYOR	B596	2.41750	35,000 ft	446	-
FIX	AWY-HI	-158.65200	10,668 m		
300N-16100W	-	3.00000	35,000 ft	145	-
LATLON	-	-161.00000	10,668 m		
500N-16200W	-	5.00000	35,000 ft	134	-
LATLON	-	-162.00000	10,668 m		
600N-16300W	-	6.00000	35,000 ft	84	-
LATLON	-	-163.00000	10,668 m		
800N-16400W	-	8.00000	35,000 ft	134	-
LATLON	-	-164.00000	10,668 m		
1000N-16500W	-	10.00000	35,000 ft	133	-
LATLON	-	-165.00000	10,668 m		
CROBY	-	10.27170	35,000 ft	20	-
FIX	-	-165.20400	10,668 m		
1100N-16600W	-	11.00000	35,000 ft	64	-
LATLON	-	-166.00000	10,668 m		
1300N-16700W	-	13.00000	35,000 ft	133	-
LATLON	-	-167.00000	10,668 m		
1400N-16700W	-	14.00000	35,000 ft	60	-
LATLON	-	-167.00000	10,668 m		
1600N-16800W	-	16.00000	35,000 ft	133	-
LATLON	-	-168.00000	10,668 m		
1700N-16900W	-	17.00000	35,000 ft	83	-
LATLON	-	-169.00000	10,668 m		
1900N-17000W	-	19.00000	35,000 ft	133	-
LATLON	-	-170.00000	10,668 m		
2000N-17100W	-	20.00000	35,000 ft	82	-
LATLON	-	-171.00000	10,668 m		
SYSTA	-	21.09420	35,000 ft	86	-
FIX	-	-171.98900	10,668 m		
2200N-17300W	-	22.00000	35,000 ft	78	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-173.00000	10,668 m		
2300N-17400W	-	23.00000	35,000 ft	81	-
LATLON	-	-174.00000	10,668 m		
2500N-17500W	-	25.00000	35,000 ft	132	-
LATLON	-	-175.00000	10,668 m		
2600N-17600W	-	26.00000	32,400 ft	80	-
LATLON	-	-176.00000	9,876 m		
PMDY	-	28.20150	0 ft	151	Henderson Field - Midway Atoll
APT	-	-177.38200	0 m		

NTAA

Region: FRENCH POLYNESIA
Timezone: PACIFIC/TAHITI
Runways: 1

Elevation: 5 ft / 2 m
Location: -17.553700 -149.607000
Magnetic Var: 12.883 E

METAR

NTAA 230300Z AUTO 03009KT 9999 FEW044 28/23 Q1012 NOSIG

TAF

TAF NTAA 222300Z 2300/2406 VRB05KT 9999 FEW025 SCT050 TEMPO 2300/2303 30010KT PROB30 TEMPO 2300/2302 05012KT PROB

Frequencies

REC - 128.80 MHz - ATIS
TWR - 118.10 MHz - TAHITI TOWER

GND - 121.90 MHz - TAHITI GROUND
APP - 121.30 MHz - TAHITI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	11,238 ft	54.10	ASPHALT	1,037 ft	0 ft
	45 m	3,425 m	41.22		316 m	0 m
22	148 ft	11,238 ft	234.10	ASPHALT	577 ft	0 ft
	45 m	3,425 m	221.21		176 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	PT	109.90 MHz	18 nm	-	-	59 ft
				33 km	-		59 m
04	LOC-ILS	PT	109.90 MHz	18 nm	54.05	-	20 ft
				33 km	41.17		20 m
04	GS	PT	109.90 MHz	10 nm	54.06	3.00	59 ft
				19 km	41.18		59 m