


2024/05/04 2205Z

PACD ELFEE **V603** DLG BUGPE **V453** BET PASM

502.41 nm / 930.46 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
PACD	-	55.20381	0 ft	-	Cold Bay
APT	-	-162.72304	0 m		
ELFEE	-	55.29607	2,100 ft	5	-
FIX	-	-162.78907	640 m		
DLG	V603	58.99422	17,000 ft	261	DILLINGHAM VOR-DME
VOR	AWY-LO	-158.55222	5,182 m		
BUGPE	-	59.14720	34,000 ft	14	-
FIX	-	-158.93475	10,363 m		
ALTEY	V453	59.58006	18,000 ft	42	-
FIX	AWY-LO	-160.05214	5,486 m		
EDUCE	V453	60.25140	18,000 ft	49	-
FIX	AWY-LO	-161.01925	5,486 m		
BET	V453	60.78483	18,000 ft	39	BETHEL VORTAC
VOR	AWY-LO	-161.82433	5,486 m		
PASM	-	62.05818	0 ft	87	ST MARYS
APT	-	-163.30311	0 m		

## PACD

Region: USA (ALASKA)  
Timezone: AMERICA/NOME  
Runways: 2

Elevation: 101 ft / 31 m  
Location: 55.203800 -162.723000  
Magnetic Var: 9.260 E

## METAR

PACD 042132Z 28022KT 10SM FEW010 BKN020 OVC050 05/03 A2929 RMK A02 PK WND 26030/2054 RAE26 P0000 T00500028

## TAF

PACD 041723Z 0418/0518 26015KT P6SM -RA OVC030 FM042300 27020KT 4SM -RA OVC010 FM050500 28020KT P6SM -RA OVC020 FM051200 28015KT P6SM -RA OVC030

## Frequencies

REC - 135.75 MHz - ASOS

COM - 123.60 MHz - CTAF

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	150 ft	10,190 ft	158.36	ASPHALT	0 ft	0 ft
	46 m	3,106 m	149.10		0 m	0 m
32	150 ft	10,190 ft	338.38	ASPHALT	0 ft	0 ft
	46 m	3,106 m	329.12		0 m	0 m
08	151 ft	6,241 ft	94.73	ASPHALT	1,001 ft	0 ft
	46 m	1,902 m	85.47		305 m	0 m
26	151 ft	6,241 ft	274.75	ASPHALT	1,001 ft	0 ft
	46 m	1,902 m	265.49		305 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	LOC-ILS	ICDB	110.30 MHz	18 nm	158.42	-	98 ft
				33 km	149.16		98 m
14	GS	ICDB	110.30 MHz	10 nm	158.80	2.80	69 ft
				19 km	149.54		69 m

## PASM

Region: USA (ALASKA)  
Timezone: AMERICA/NOME  
Runways: 2

Elevation: 312 ft / 95 m  
Location: 62.058200 -163.304000  
Magnetic Var: 8.927 E

## METAR

PASM 042141Z AUTO 13006KT 10SM SCT009 OVC060 03/00 A2931 RMK A02

## TAF

UNKNOWN

## Frequencies

REC - 128.70 MHz - AWOS-3

COM - 122.30 MHz - CTAF

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	150 ft	6,014 ft	182.45	GRAVEL	0 ft	0 ft
	46 m	1,833 m	173.52		0 m	0 m
35	150 ft	6,014 ft	2.44	GRAVEL	0 ft	0 ft
	46 m	1,833 m	353.52		0 m	0 m
06	60 ft	1,521 ft	76.86	GRAVEL	0 ft	0 ft
	18 m	464 m	67.93		0 m	0 m
24	60 ft	1,521 ft	256.86	GRAVEL	0 ft	0 ft
	18 m	464 m	247.94		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17	DME	ISMA	109.10 MHz	18 nm	-	-	311 ft
				33 km	-		311 m
17	LOC-LOC	ISMA	109.10 MHz	18 nm	182.45	-	311 ft
				33 km	173.52		311 m