


2024/05/12 2219Z

SLCB SISER SLVR

175.18 nm / 324.43 km



## Notes

Basic altitude profile:

- Ascent Rate: 1900ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 27000ft
- Cruise Speed: 420kts
- Descent Rate: 1600ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SLCB	-	-17.42039	0 ft	-	JORGE WILSTERMAN
APT	-	-66.17717	0 m		
SISER	-	-17.65215	17,300 ft	94	-
FIX	-	-64.54896	5,273 m		
SLVR	-	-17.64476	0 ft	80	VIRU VIRU INTL
APT	-	-63.13536	0 m		

## SLCB

Region: BOLIVIA  
Timezone: AMERICA/LA\_PAZ  
Runways: 2

Elevation: 8,359 ft / 2,548 m  
Location: -17.420400 -66.177200  
Magnetic Var: 10.664 W

## METAR

SLCB 122200Z 25008KT 220V300 9999 NSC 24/07 Q1018

## TAF

TAF TAF SLCB 121600Z 1218/1318 22010KT 9999 NSC TX32/1219Z TN09/1310Z BECMG 1223/1301 00000KT

## Frequencies

TWR - 123.50 MHz -  
GND - 121.90 MHz -

REC - 129.00 MHz - RDO  
APP - 119.30 MHz - COCHABAMBA APP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	148 ft	12,485 ft	132.10	ASPHALT	335 ft	200 ft
	45 m	3,805 m	142.77		102 m	61 m
32	148 ft	12,485 ft	312.10	ASPHALT	984 ft	200 ft
	45 m	3,805 m	322.76		300 m	61 m
04	148 ft	8,718 ft	37.26	ASPHALT	0 ft	0 ft
	45 m	2,657 m	47.93		0 m	0 m
22	148 ft	8,718 ft	217.26	ASPHALT	732 ft	0 ft
	45 m	2,657 m	227.92		223 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32	DME	ILCO	110.50 MHz	18 nm	-	-	8,360 ft
				33 km	-		8,360 m
32	LOC-ILS	ILCO	110.50 MHz	18 nm	311.99	-	8,360 ft
				33 km	322.65		8,360 m
32	GS	ILCO	110.50 MHz	10 nm	312.20	3.30	8,360 ft
				19 km	322.86		8,360 m

## SLVR

Region: BOLIVIA  
Timezone: AMERICA/LA\_PAZ  
Runways: 1

Elevation: 1,224 ft / 373 m  
Location: -17.644800 -63.135400  
Magnetic Var: 13.141 W

## METAR

SLVR 122200Z 17008KT 3500 -RADZ SCT006 BKN012 17/16 Q1010

## TAF

TAF SLVR 121600Z 1218/1318 16008KT 9999 BKN015 OVC070 TX19/1219Z TN13/1211Z BECMG 1303/1305 18010G25KT BKN010 OVC020

## Frequencies

GND - 121.90 MHz - VIRU VIRU GROUND  
APP - 119.70 MHz - VIRU VIRU APPROACH  
TWR - 118.60 MHz - VIRU VIRU TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	148 ft	11,516 ft	147.35	CONCRETE	0 ft	197 ft
	45 m	3,510 m	160.49		0 m	60 m
34	148 ft	11,516 ft	327.34	CONCRETE	0 ft	197 ft
	45 m	3,510 m	340.48		0 m	60 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34	LOC-ILS	VCZ	110.90 MHz	18 nm	327.34	-	1,224 ft
				33 km	340.48		1,224 m
34	GS	VCZ	110.90 MHz	10 nm	327.69	3.00	1,224 ft
				19 km	340.83		1,224 m