


2024/05/10 1011Z

EGAA PAVLO LONGA R2253 LEMG

1081.84 nm / 2003.56 km



Notes

Generated

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGAA	-	54.65792	0 ft	-	-
APT	-	-6.22862	0 m		
PAVLO	-	50.93472	0 ft	223	-
FIX	-	-5.89556	0 m		
LONGA	-	40.43636	0 ft	631	-
FIX	-	-4.87293	0 m		
R2253	-	36.68453	0 ft	225	-
FIX	-	-4.51259	0 m		
LEMG	-	36.68453	0 ft	0	-
APT	-	-4.51259	0 m		

EGAA

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 2

Elevation: 268 ft / 82 m
Location: 54.653900 -6.219940
Magnetic Var: 2.158 W

METAR

EGAA 100950Z AUTO 18008KT 140V230 9999 NCD 18/11 Q1022

TAF

TAF EGAA 100531Z 1006/1106 15005KT 9999 FEW030 PROB30 1006/1008 6000 PROB30 1102/1106 6000

Frequencies

REC - 128.20 MHz - ATIS
TWR - 118.30 MHz -

GND - 121.75 MHz -
APP - 128.50 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	147 ft	9,124 ft	65.01	ASPHALT	0 ft	0 ft
	45 m	2,781 m	67.17		0 m	0 m
25	147 ft	9,124 ft	245.05	ASPHALT	0 ft	0 ft
	45 m	2,781 m	247.21		0 m	0 m
17	148 ft	5,909 ft	161.99	ASPHALT	525 ft	0 ft
	45 m	1,801 m	164.15		160 m	0 m
35	148 ft	5,909 ft	342.00	ASPHALT	502 ft	0 ft
	45 m	1,801 m	344.16		153 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17	DME	IFT	110.90 MHz	18 nm	-	-	253 ft
				33 km	-		253 m
25	DME	IAG	109.90 MHz	18 nm	-	-	305 ft
				33 km	-		305 m
17	LOC-ILS	IFT	110.90 MHz	18 nm	162.00	-	258 ft
				33 km	164.15		258 m
25	LOC-ILS	IAG	109.90 MHz	18 nm	245.01	-	206 ft
				33 km	247.17		206 m
17	GS	IFT	110.90 MHz	10 nm	162.97	3.00	253 ft
				19 km	165.13		253 m
25	GS	IAG	109.90 MHz	10 nm	245.06	3.00	305 ft
				19 km	247.22		305 m

LEMG

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 2

Elevation: 52 ft / 16 m
Location: 36.680200 -4.496650
Magnetic Var: 0.155 W

METAR

LEMG 101000Z 12007KT 080V170 CAVOK 21/09 Q1018 NOSIG

TAF

TAF LEMG 100500Z 1006/1106 29004KT CAVOK TX25/1014Z TN14/1006Z BECMG 1007/1009 12010KT BECMG 1019/1021 29004KT

Frequencies

REC - 124.47 MHz - ATIS	CLD - 121.80 MHz - CLEARANCE DELIVERY
TWR - 118.15 MHz - MALAGA TOWER	TWR - 118.77 MHz - MALAGA TOWER
GND - 121.70 MHz - MALAGA GROUND	GND - 121.95 MHz - MALAGA GROUND
APP - 118.45 MHz - MALAGA APPROACH	APP - 123.95 MHz - MALAGA APPROACH
APP - 128.80 MHz - MALAGA APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	148 ft	10,498 ft	131.69	ASPHALT	0 ft	0 ft
	45 m	3,200 m	131.84		0 m	0 m
31	148 ft	10,498 ft	311.70	ASPHALT	0 ft	0 ft
	45 m	3,200 m	311.86		0 m	0 m
12	148 ft	9,020 ft	117.69	ASPHALT	0 ft	0 ft
	45 m	2,749 m	117.85		0 m	0 m
30	148 ft	9,020 ft	297.71	ASPHALT	0 ft	0 ft
	45 m	2,749 m	297.86		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	IMG	110.55 MHz	18 nm	-	-	52 ft
				33 km	-		52 m
13	DME	GMM	109.50 MHz	18 nm	-	-	69 ft
				33 km	-		69 m
31	DME	GAA	109.90 MHz	18 nm	-	-	56 ft
				33 km	-		56 m
12	LOC-ILS	IMG	110.55 MHz	18 nm	117.69	-	52 ft
				33 km	117.85		52 m
13	LOC-ILS	GMM	109.50 MHz	18 nm	131.70	-	52 ft
				33 km	131.86		52 m
31	LOC-ILS	GAA	109.90 MHz	18 nm	311.70	-	52 ft
				33 km	311.86		52 m
12	GS	IMG	110.55 MHz	10 nm	117.69	3.00	52 ft
				19 km	117.85		52 m
13	GS	GMM	109.50 MHz	10 nm	131.70	3.20	52 ft
				19 km	131.86		52 m
31	GS	GAA	109.90 MHz	10 nm	311.70	3.00	52 ft
				19 km	311.86		52 m