


2024/06/06 0911Z

LFQQ PERON LFPG

95.76 nm / 177.35 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 18000ft
- Cruise Speed: 350kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFQQ APT	-	50.56630 3.09539	0 ft 0 m	-	Lille Lesquin
PERON FIX	-	49.91250 2.84000	14,200 ft 4,328 m	40	-
LFPG APT	-	49.00970 2.56262	0 ft 0 m	55	Paris Charles De Gaulle

## LFQQ

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 2

Elevation: 154 ft / 47 m  
Location: 50.566300 3.095390  
Magnetic Var: 1.597 E

## METAR

LFQQ 060900Z AUTO 29009KT 9999 SCT041 BKN056 BKN068 17/05 Q1017 TEMPO 4500 SHRA SCT040TCU

## TAF

TAF TAF LFQQ 060500Z 0606/0712 21004KT CAVOK PROB30 TEMPO 0610/0613 4500 SHRA SCT040TCU

## Frequencies

REC - 119.32 MHz - LILLE ATIS  
TWR - 118.55 MHz - LILLE TWR  
COM - 123.50 MHz - LILLE UNICOM

GND - 121.85 MHz - LILLE GND  
APP - 126.47 MHz - LILLE APP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	146 ft	9,250 ft	77.36	ASPHALT	0 ft	0 ft
	45 m	2,819 m	75.76		0 m	0 m
26	146 ft	9,250 ft	257.39	ASPHALT	919 ft	0 ft
	45 m	2,819 m	255.79		280 m	0 m
02	98 ft	5,172 ft	14.83	ASPHALT	0 ft	0 ft
	30 m	1,576 m	13.23		0 m	0 m
20	98 ft	5,172 ft	194.84	ASPHALT	0 ft	0 ft
	30 m	1,576 m	193.24		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	LOC-ILS	LL	110.10 MHz	18 nm	77.13	-	135 ft
				33 km	75.53		135 m
26	LOC-ILS	LIL	110.75 MHz	18 nm	257.13	-	157 ft
				33 km	255.53		157 m
26	GS	LIL	110.75 MHz	10 nm	257.00	3.00	129 ft
				19 km	255.40		129 m

## LFPG

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 4

Elevation: 392 ft / 119 m  
Location: 49.009700 2.562570  
Magnetic Var: 1.505 E

## METAR

LFPG 060900Z 32004KT 270V010 CAVOK 16/07 Q1018 NOSIG

## TAF

TAF LFPG 060500Z 0606/0712 36005KT CAVOK TX20/0615Z TN07/0704Z BECMG 0611/0613 30010KT BECMG 0621/0624 36005KT BE

## Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.80		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.85		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.81		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.84		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.82		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.85		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.79		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.84		597 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.82		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.83		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.82		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.81		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.83		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.82		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.81		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.82		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.82		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.83		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.82		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.81		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.83		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.82		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.81		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.82		392 m