


2024/05/03 2249Z

VVTS AC W1 BU VVBM

152.49 nm / 282.41 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VVTS	-	10.81875	0 ft	-	TAN SON NHAT INTL
APT	-	106.65173	0 m		
AC	-	10.93917	11,500 ft	32	ANLOC NDB
NDB	-	107.18833	3,505 m		
BU	W1	12.67028	9,000 ft	115	BUON MA THUOT NDB
NDB	AWY-LO	108.04222	2,743 m		
VVBM	-	12.66831	0 ft	4	BUON MA THUOT
APT	-	108.12027	0 m		

VVTS

Region: VIETNAM
Timezone: ASIA/HO_CHI_MINH
Runways: 2

Elevation: 33 ft / 10 m
Location: 10.818700 106.652000
Magnetic Var: 0.665 W

METAR

VVTS 032230Z VRB03KT 8000 SHRA SCT017 FEW020CB SCT050 30/27 Q1009 TEMPO TL2255 12015G26KT 4000 TSRA

TAF

TAF AMD VVTS 032208Z 0322/0424 17006KT 9999 SCT017 TEMPO 0322/0324 12015G26KT 4000 TSRA SCT015 FEW017CB

Frequencies

REC - 128.00 MHz - TAN SON NHAT ATIS	TWR - 118.70 MHz - TAN SON NHAT TOWER
TWR - 130.00 MHz - TAN SON NHAT TOWER	GND - 121.60 MHz - TAN SON NHAT GROUND
GND - 121.75 MHz - TAN SON NHAT GROUND	GND - 121.90 MHz - TAN SON NHAT GROUND
GND - 121.97 MHz - TAN SON NHAT GROUND	CLD - 123.60 MHz -
CLD - 121.80 MHz -	TAN SON NHAT CLEARANCE DELIVERY
TAN SON NHAT CLEARANCE DELIVERY	APP - 126.35 MHz - TAN SON NHAT APPROACH
APP - 125.50 MHz - TAN SON NHAT APPROACH	GND - 125.50 MHz -
GND - 124.07 MHz -	TAN SON NHAT TERMINAL CONTROL AREA
TAN SON NHAT TERMINAL CONTROL AREA	APP - 127.72 MHz - TAN SON NHAT ARRIVAL
APP - 126.35 MHz - TAN SON NHAT ARRIVAL	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	148 ft	12,541 ft	68.98	CONCRETE	2,513 ft	853 ft
	45 m	3,822 m	69.64		766 m	260 m
25L	148 ft	12,541 ft	248.98	CONCRETE	0 ft	1,030 ft
	45 m	3,822 m	249.65		0 m	314 m
07L	148 ft	10,009 ft	68.96	CONCRETE	0 ft	1,030 ft
	45 m	3,051 m	69.63		0 m	314 m
25R	148 ft	10,009 ft	248.97	CONCRETE	0 ft	1,033 ft
	45 m	3,051 m	249.63		0 m	315 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25L	DME	SGN	108.30 MHz	18 nm	-	-	33 ft
				33 km	-		33 m
25R	DME	HCM	110.50 MHz	18 nm	-	-	33 ft
				33 km	-		33 m
07R	LOC-ILS	ITS	111.70 MHz	18 nm	68.98	-	33 ft
				33 km	69.65		33 m
25L	LOC-ILS	SGN	108.30 MHz	18 nm	248.98	-	33 ft
				33 km	249.65		33 m
25R	LOC-ILS	HCM	110.50 MHz	18 nm	248.97	-	33 ft
				33 km	249.64		33 m
07R	GS	ITS	111.70 MHz	10 nm	68.98	3.00	33 ft
				19 km	69.65		33 m
25L	GS	SGN	108.30 MHz	10 nm	248.98	3.00	33 ft
				19 km	249.65		33 m
25R	GS	HCM	110.50 MHz	10 nm	248.97	3.00	33 ft
				19 km	249.64		33 m

VVBM

Region: VIETNAM
Timezone: ASIA/HO_CHI_MINH
Runways: 1

Elevation: 1,722 ft / 525 m
Location: 12.668300 108.120000
Magnetic Var: 1.008 W

METAR

UNKNOWN

TAF

UNKNOWN

Frequencies

TWR - 118.30 MHz - BUON ME THUOT TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	151 ft	9,828 ft	90.98	ASPHALT	0 ft	331 ft
	46 m	2,996 m	91.99		0 m	101 m
27	151 ft	9,828 ft	270.99	ASPHALT	0 ft	331 ft
	46 m	2,996 m	271.99		0 m	101 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	LOC-ILS	IBM	109.70 MHz	18 nm	90.98	-	1,722 ft
				33 km	91.99		1,722 m
09	GS	IBM	109.70 MHz	10 nm	90.98	3.00	1,722 ft
				19 km	91.99		1,722 m