

LSGG

Geneva


OMAA

ABU DHABI INTL

2024/05/09 2217Z

LSGG GARLO **UL612** ADOSA **UL615** VIC **UL613** AKADO **UL615** GONAR **UN131** NISVA **UL614** ADORU **UA4** YAVRU **UA17**
BELSU **UM861** NISAP **UB402** ALE **W4** DRZ ELEXI **UL602** TASMI **G795** FALKA **UL602** KURSI **B419** ALVON **UL768**
PIMAL **G462** BALUS **N563** ATBEX OMAA

2712.80 nm / 5024.10 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 310kts
- Cruise Altitude: 35000ft
- Cruise Speed: 553kts
- Descent Rate: 1500ft/min
- Descent Speed: 270kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LSGG	-	46.23775	0 ft	-	Geneva
APT	-	6.10617	0 m		
GARLO	-	45.87444	25,600 ft	71	-
FIX	-	7.75028	7,803 m		
SRN	UL612	45.64667	35,000 ft	55	SARONNO NDB
NDB	AWY-HI	9.02278	10,668 m		
DESIP	UL612	45.64583	35,000 ft	4	-
FIX	AWY-HI	9.12583	10,668 m		
ELTAR	UL612	45.64750	35,000 ft	63	-
FIX	AWY-HI	10.62778	10,668 m		
ADOSA	UL612	45.64444	35,000 ft	16	-
FIX	AWY-HI	11.02639	10,668 m		
VIC	UL615	45.63720	35,000 ft	27	VICENZA VOR-DME
VOR	AWY-HI	11.67638	10,668 m		
LAPAB	UL613	45.52944	35,000 ft	13	-
FIX	AWY-HI	11.97167	10,668 m		
AKADO	UL613	45.33333	35,000 ft	25	-
FIX	AWY-HI	12.50000	10,668 m		
ROTAR	UL615	45.26278	35,000 ft	21	-
FIX	AWY-HI	12.99556	10,668 m		
NAKIT	UL615	45.18806	35,000 ft	19	-
FIX	AWY-HI	13.44778	10,668 m		
OBALA	UL615	44.92028	35,000 ft	66	-
FIX	AWY-HI	14.97250	10,668 m		
KOREX	UL615	44.77111	35,000 ft	35	-
FIX	AWY-HI	15.76917	10,668 m		
SUDIM	UL615	44.66722	35,000 ft	23	-
FIX	AWY-HI	16.30556	10,668 m		
BOSNA	UL615	44.37056	35,000 ft	64	-
FIX	AWY-HI	17.75972	10,668 m		
VEBAR	UL615	44.13581	35,000 ft	62	-
FIX	AWY-HI	19.17942	10,668 m		
KUKUN	UL615	44.07083	35,000 ft	16	-
FIX	AWY-HI	19.56028	10,668 m		
KOSIV	UL615	44.02686	35,000 ft	11	-
FIX	AWY-HI	19.80908	10,668 m		
GONAR	UL615	43.85467	35,000 ft	42	-
FIX	AWY-HI	20.75311	10,668 m		
NIS	UN131	43.34647	35,000 ft	55	NIS VOR-DME
VOR	AWY-HI	21.82706	10,668 m		
NISVA	UN131	42.97278	35,000 ft	48	-
FIX	AWY-HI	22.79750	10,668 m		
BLO	UL614	42.66722	35,000 ft	48	BAILOVO VOR-DME
VOR	AWY-HI	23.81389	10,668 m		
GERGI	UL614	42.18333	35,000 ft	81	-
FIX	AWY-HI	25.52194	10,668 m		
ADORU	UL614	41.87167	35,000 ft	50	-
FIX	AWY-HI	26.56833	10,668 m		
SERCE	UA4	41.59889	35,000 ft	36	-
FIX	AWY-HI	27.30778	10,668 m		
GOTAN	UA4	41.13639	35,000 ft	55	-
FIX	AWY-HI	28.38417	10,668 m		
BKZ	UA4	41.12694	35,000 ft	34	BEYKOZ VOR-DME

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VOR	AWY-HI	29.14278	10,668 m		
GAYEM	UA4	41.04694	35,000 ft	22	-
FIX	AWY-HI	29.62861	10,668 m		
ERSEN	UA4	40.86556	35,000 ft	48	-
FIX	AWY-HI	30.66611	10,668 m		
YAVRU	UA4	40.58222	35,000 ft	55	-
FIX	AWY-HI	31.83278	10,668 m		
KIZIK	UA17	40.41833	35,000 ft	17	-
FIX	AWY-HI	32.14944	10,668 m		
BAG	UA17	40.06953	35,000 ft	36	BAGLUM VOR-DME
VOR	AWY-HI	32.81039	10,668 m		
YUCEL	UA17	39.58000	35,000 ft	46	-
FIX	AWY-HI	33.58584	10,668 m		
BELSU	UA17	39.13083	35,000 ft	42	-
FIX	AWY-HI	34.28639	10,668 m		
TEVDA	UM861	38.37278	35,000 ft	58	-
FIX	AWY-HI	35.06667	10,668 m		
MILBA	UM861	36.95139	35,000 ft	108	-
FIX	AWY-HI	36.47944	10,668 m		
NISAP	UM861	36.78444	35,000 ft	12	-
FIX	AWY-HI	36.64139	10,668 m		
ALE	UB402	36.17925	35,000 ft	45	ALEPPO VOR-DME
VOR	AWY-HI	37.20956	10,668 m		
TABQA	W4	35.78235	35,000 ft	70	-
FIX	AWY-HI	38.56642	10,668 m		
DRZ	W4	35.28921	35,000 ft	84	DEIR ZZOR NDB
NDB	AWY-HI	40.18742	10,668 m		
ELEXI	-	34.69167	35,000 ft	59	-
FIX	-	41.15000	10,668 m		
ASNOT	UL602	33.49988	35,000 ft	114	-
FIX	AWY-HI	42.95462	10,668 m		
DELM	UL602	33.32175	35,000 ft	17	-
FIX	AWY-HI	43.22433	10,668 m		
LOVEK	UL602	32.36900	35,000 ft	92	-
FIX	AWY-HI	44.66700	10,668 m		
MUTLO	UL602	32.17194	35,000 ft	18	-
FIX	AWY-HI	44.95079	10,668 m		
ALPET	UL602	31.20528	35,000 ft	90	-
FIX	AWY-HI	46.31222	10,668 m		
TASMI	UL602	30.02222	35,000 ft	109	-
FIX	AWY-HI	47.91806	10,668 m		
FALKA	G795	29.43639	35,000 ft	40	-
FIX	AWY-HI	48.30528	10,668 m		
DASTI	UL602	28.36139	35,000 ft	75	-
FIX	AWY-HI	49.04972	10,668 m		
KURSI	UL602	27.96194	35,000 ft	27	-
FIX	AWY-HI	49.32167	10,668 m		
MURBI	B419	27.62472	35,000 ft	25	-
FIX	AWY-HI	49.60444	10,668 m		
ALVON	B419	27.00250	35,000 ft	46	-
FIX	AWY-HI	50.11972	10,668 m		
PIMAL	UL768	26.44139	35,000 ft	74	-
FIX	AWY-HI	51.36833	10,668 m		
URITO	G462	26.26778	35,000 ft	26	-
FIX	AWY-HI	51.81306	10,668 m		
DASKU	G462	26.21111	35,000 ft	8	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	51.95694	10,668 m		
KASET	G462	25.96889	31,500 ft	35	-
FIX	AWY-HI	52.56694	9,601 m		
BALUS	G462	25.76500	25,100 ft	29	-
FIX	AWY-HI	53.07333	7,650 m		
ATBEX	N563	25.12750	13,000 ft	56	-
FIX	AWY-HI	53.83861	3,962 m		
OMAA	-	24.43305	0 ft	60	ABU DHABI INTL
APT	-	54.65118	0 m		

LSGG

Region: SWITZERLAND
Timezone: EUROPE/ZURICH
Runways: 1

Elevation: 1,411 ft / 430 m
Location: 46.238100 6.109010
Magnetic Var: 2.510 E

METAR

LSGG 092150Z AUTO VRB01KT CAVOK 11/08 Q1021 NOSIG

TAF

TAF LSGG 092025Z 0921/1103 VRB02KT CAVOK TX22/1015Z TN07/1005Z BECMG 1008/1010 04008KT

Frequencies

REC - 124.75 MHz - ATIS	REC - 135.57 MHz - ATIS
GND - 121.75 MHz - GENEVA APRON	GND - 121.85 MHz - GENEVA APRON
GND - 121.67 MHz - GENEVA GROUND	GND - 119.70 MHz - GENEVA GROUND
TWR - 118.70 MHz - GENEVA TOWER	TWR - 119.90 MHz - GENEVA TOWER
DEP - 131.32 MHz - GENEVA DEPARTURE	DEP - 119.52 MHz - GENEVA DEPARTURE
APP - 136.45 MHz - GENEVA TRANSIT	APP - 136.25 MHz - GENEVA ARRIVAL
APP - 130.55 MHz - GENEVA APPROACH	APP - 120.30 MHz - GENEVA FINAL

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	164 ft	12,806 ft	45.42	CONCRETE	1,076 ft	0 ft
	50 m	3,903 m	42.91		328 m	0 m
22	164 ft	12,806 ft	225.45	CONCRETE	0 ft	0 ft
	50 m	3,903 m	222.94		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	LOC-ILS	INE	110.90 MHz	18 nm	45.44	-	1,411 ft
				33 km	42.93		1,411 m
22	LOC-ILS	ISW	109.90 MHz	18 nm	225.44	-	1,411 ft
				33 km	222.93		1,411 m
04	GS	INE	110.90 MHz	10 nm	45.44	3.00	1,411 ft
				19 km	42.93		1,411 m
22	GS	ISW	109.90 MHz	10 nm	225.44	3.00	1,411 ft
				19 km	222.93		1,411 m

OMAA

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 83 ft / 25 m
Location: 24.443400 54.652700
Magnetic Var: 2.281 E

METAR

OMAA 092200Z 29013KT CAVOK 27/20 Q1007 NOSIG

TAF

TAF OMAA 091700Z 0918/1100 33013KT 8000 NSC BECMG 1019/1021 26008KT

Frequencies

APP - 124.40 MHz -	APP - 124.62 MHz -
ABU DHABI RADAR CENTRAL PRIMARY	ABU DHABI RADAR CENTRAL SECONDARY
APP - 128.10 MHz - ABU DHABI RADAR WEST PRIMARY	APP - 124.65 MHz - ABU DHABI RADAR WEST SECONDARY
APP - 135.15 MHz - ABU DHABI RADAR NORTH PRIMARY	APP - 135.35 MHz -
APP - 118.42 MHz -	ABU DHABI RADAR NORTH SECONDARY
ABU DHABI DIRECTOR NORTH PRIMARY	APP - 121.15 MHz -
APP - 118.00 MHz -	ABU DHABI DIRECTOR NORTH SECONDARY
ABU DHABI DIRECTOR SOUTH PRIMARY	APP - 121.15 MHz -
APP - 133.55 MHz - ABU DHABI RADAR EAST PRIMARY	ABU DHABI DIRECTOR SOUTH SECONDARY
APP - 135.35 MHz - ABU DHABI RADAR EAST SECONDARY	APP - 132.67 MHz - ABU DHABI RADAR EAST PRIMARY
REC - 124.62 MHz -	REC - 127.50 MHz - ABU DHABI INFORMATION PRIMARY
ABU DHABI INFORMATION SECONDARY	TWR - 119.20 MHz - ABU DHABI TOWER SOUTH PRIMARY
TWR - 120.42 MHz -	TWR - 118.67 MHz - ABU DHABI TOWER NORTH PRIMARY
ABU DHABI TOWER SOUTH SECONDARY	GND - 121.95 MHz - ABU DHABI GROUND NORTH
GND - 123.97 MHz - ABU DHABI GROUND SOUTH	CLD - 125.10 MHz - ABU DHABI DELIVERY
GND - 119.42 MHz - ABU DHABI GROUND SECONDARY	REC - 119.67 MHz - ABU DHABI ATIS (DEP)
REC - 119.97 MHz - ABU DHABI ATIS (ARR)	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	197 ft	13,478 ft	127.99	ASPHALT	0 ft	394 ft
	60 m	4,108 m	125.71		0 m	120 m
31L	197 ft	13,478 ft	308.01	ASPHALT	0 ft	397 ft
	60 m	4,108 m	305.73		0 m	121 m
13L	197 ft	13,460 ft	127.99	ASPHALT	0 ft	397 ft
	60 m	4,103 m	125.71		0 m	121 m
31R	197 ft	13,460 ft	308.01	ASPHALT	0 ft	387 ft
	60 m	4,103 m	305.73		0 m	118 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	DME	IAE	108.90 MHz	18 nm	-	-	98 ft
				33 km	-		98 m
31R	DME	IAW	109.30 MHz	18 nm	-	-	96 ft
				33 km	-		96 m
13R	DME	IAE	108.90 MHz	18 nm	-	-	98 ft
				33 km	-		98 m
31L	DME	IAW	109.30 MHz	18 nm	-	-	96 ft
				33 km	-		96 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	LOC-ILS	IAS	110.30 MHz	18 nm	128.00	-	83 ft
				33 km	125.72		83 m
13R	LOC-ILS	IAE	109.15 MHz	18 nm	128.00	-	83 ft
				33 km	125.72		83 m
31L	LOC-ILS	IAW	109.30 MHz	18 nm	308.00	-	83 ft
				33 km	305.72		83 m
31R	LOC-ILS	IAN	108.75 MHz	18 nm	308.00	-	83 ft
				33 km	305.72		83 m
13L	GS	IAS	110.30 MHz	10 nm	128.00	3.00	83 ft
				19 km	125.72		83 m
13R	GS	IAE	109.15 MHz	10 nm	128.00	3.00	83 ft
				19 km	125.72		83 m
31L	GS	IAW	109.30 MHz	10 nm	308.00	3.00	83 ft
				19 km	305.72		83 m
31R	GS	IAN	108.75 MHz	10 nm	308.00	3.00	83 ft
				19 km	305.72		83 m