

OISS

SHIRAZ SHAHID DASTGHAIB INTL


RKSI

Incheon International Airport

2024/05/11 0915Z

OISS RIKAS **G452** DAVUT RAF **Z5** DAR **W148** BJD **UP567** KAMAR **G202** DILAM **G206** PURPA **W112** AKTOB **V6** CHW
B215 YBL **A596** KM **W80** HUR AMVIK **V9** PAMDA **A326** DONVO **G597** GONAV RKSI

3772.86 nm / 6987.34 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OISS APT	-	29.53910 52.58990	0 ft 0 m	-	SHIRAZ SHAHID DASTGHAIB INTL
RIKAS FIX	-	29.89360 54.54000	35,000 ft 10,668 m	103	-
DAVUT FIX	G452 AWY-HI	30.03720 55.38360	35,000 ft 10,668 m	44	-
RAF NDB	-	30.30270 56.05560	35,000 ft 10,668 m	38	RAFSANJAN
MIRER FIX	Z5 AWY-HI	30.99530 56.49060	35,000 ft 10,668 m	47	-
DAR VOR	Z5 AWY-HI	31.78320 56.99460	35,000 ft 10,668 m	53	DARBAND
NADSA FIX	W148 AWY-HI	32.24390 57.83390	35,000 ft 10,668 m	50	-
IMPAT FIX	W148 AWY-HI	32.41420 58.14890	35,000 ft 10,668 m	18	-
BJD VOR	W148 AWY-HI	32.97240 59.20010	35,000 ft 10,668 m	62	BIRJAND
KAMAR FIX	UP567 AWY-HI	32.65000 60.73330	35,000 ft 10,668 m	79	-
FARAH FIX	G202 AWY-LO	32.36670 62.15830	35,000 ft 10,668 m	74	-
DILAM FIX	G202 AWY-LO	32.17500 63.40000	35,000 ft 10,668 m	64	-
SELPI FIX	G206 AWY-LO	32.52560 64.20920	35,000 ft 10,668 m	46	-
BURTA FIX	G206 AWY-LO	32.62500 64.44170	35,000 ft 10,668 m	13	-
RIKAD FIX	G206 AWY-LO	33.46170 66.45830	35,000 ft 10,668 m	113	-
NEVIV FIX	G206 AWY-LO	33.98000 67.78330	35,000 ft 10,668 m	73	-
SIBLO FIX	G206 AWY-LO	34.19220 68.31110	35,000 ft 10,668 m	29	-
TAPIS FIX	G206 AWY-HI	34.51670 69.15000	35,000 ft 10,668 m	45	-
IMGES FIX	G206 AWY-HI	34.98390 70.15250	35,000 ft 10,668 m	56	-
SURVI FIX	G206 AWY-HI	35.10170 70.42000	35,000 ft 10,668 m	14	-
SABAR FIX	G206 AWY-HI	35.61640 71.51610	35,000 ft 10,668 m	61	-
PURPA FIX	G206 AWY-HI	36.94140 75.40750	35,000 ft 10,668 m	204	-
HTN VOR	W112 AWY-HI	37.03670 79.87170	35,000 ft 10,668 m	214	HOTAN
QIM VOR	W112 AWY-HI	38.14960 85.53490	35,000 ft 10,668 m	277	QIEMO
NOLEP FIX	W112 AWY-HI	38.57500 88.70830	35,000 ft 10,668 m	151	-
ADMUX FIX	W112 AWY-HI	38.87670 90.95000	35,000 ft 10,668 m	106	-
TUSLI	W112	39.08330	35,000 ft	64	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	92.30000	10,668 m		
AKTOB	W112	39.58170	35,000 ft	186	-
FIX	AWY-HI	96.26670	10,668 m		
IKAGA	V6	39.72000	35,000 ft	47	-
FIX	AWY-HI	97.28500	10,668 m		
CHW	V6	39.85620	35,000 ft	49	JIAYUGUAN VOR-DME
DME	AWY-HI	98.34770	10,668 m		
YBL	B215	39.42830	35,000 ft	206	YABRAI
VOR	AWY-HI	102.77200	10,668 m		
DKO	A596	40.31500	35,000 ft	202	DENGKOU
VOR	AWY-HI	107.00000	10,668 m		
BAV	A596	40.56000	35,000 ft	137	BAOTOU
VOR	AWY-HI	109.99500	10,668 m		
REPEP	A596	40.54000	35,000 ft	54	-
FIX	AWY-HI	111.18300	10,668 m		
DOTOS	A596	40.52830	35,000 ft	34	-
FIX	AWY-HI	111.94800	10,668 m		
SZ	A596	40.52500	35,000 ft	24	LIANGCHENG
NDB	AWY-HI	112.49200	10,668 m		
AKUKI	A596	40.50330	35,000 ft	11	-
FIX	AWY-HI	112.73300	10,668 m		
SELGO	A596	40.47830	35,000 ft	16	-
FIX	AWY-HI	113.08700	10,668 m		
TZH	A596	40.41170	35,000 ft	44	TIANZHEN
VOR	AWY-HI	114.05000	10,668 m		
KM	A596	40.39330	35,000 ft	65	HUAILAI
NDB	AWY-HI	115.49200	10,668 m		
HUR	W80	40.33000	35,000 ft	57	HUAIROU VOR-DME
DME	AWY-HI	116.74800	10,668 m		
AMVIK	-	40.06670	35,000 ft	19	-
FIX	-	116.99200	10,668 m		
TONIL	V9	39.90000	35,000 ft	20	-
FIX	AWY-HI	117.38800	10,668 m		
PAMDA	V9	38.80330	35,000 ft	101	-
FIX	AWY-HI	119.06200	10,668 m		
ANRAT	A326	38.65830	35,000 ft	42	-
FIX	AWY-HI	119.95700	10,668 m		
UNSEK	A326	38.61330	35,000 ft	13	-
FIX	AWY-HI	120.23500	10,668 m		
ALARA	A326	38.56170	35,000 ft	15	-
FIX	AWY-HI	120.55200	10,668 m		
MAKNO	A326	38.46330	35,000 ft	28	-
FIX	AWY-HI	121.14800	10,668 m		
DOBGA	A326	38.41330	35,000 ft	14	-
FIX	AWY-HI	121.45800	10,668 m		
POVAG	A326	38.27830	35,000 ft	38	-
FIX	AWY-HI	122.25200	10,668 m		
SANKO	A326	38.25000	35,000 ft	9	-
FIX	AWY-HI	122.45300	10,668 m		
DONVO	A326	37.56670	33,800 ft	58	-
FIX	AWY-HI	123.33300	10,302 m		
AGAVO	G597	37.16670	25,300 ft	39	-
FIX	AWY-HI	124.00000	7,711 m		
GONAV	G597	37.18010	21,000 ft	19	-
FIX	AWY-HI	124.41500	6,401 m		
RKSI	-	37.46540	0 ft	98	Incheon International Airport

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
APT	-		126.44300	0 m		

OISS

Region: IRAN
Timezone: ASIA/TEHRAN
Runways: 2

Elevation: 4,925 ft / 1,501 m
Location: 29.539100 52.589900
Magnetic Var: 3.484 E

METAR

OISS 110900Z 14006KT CAVOK 28/01 Q1020 A3015

TAF

TAF OISS 110510Z 1106/1212 13008KT 8000 NSC

Frequencies

REC - 127.00 MHz - ATIS
TWR - 118.10 MHz -
APP - 131.40 MHz -
APP - 125.40 MHz -
TWR - 121.90 MHz -
APP - 134.10 MHz -
APP - 119.00 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11L	148 ft	14,209 ft	114.59	ASPHALT	0 ft	1,444 ft
	45 m	4,331 m	111.11		0 m	440 m
29R	148 ft	14,209 ft	294.61	ASPHALT	0 ft	1,161 ft
	45 m	4,331 m	291.13		0 m	354 m
11R	148 ft	14,009 ft	114.58	ASPHALT	0 ft	1,122 ft
	45 m	4,270 m	111.10		0 m	342 m
29L	148 ft	14,009 ft	294.60	ASPHALT	0 ft	988 ft
	45 m	4,270 m	291.12		0 m	301 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
29L	DME	ISYZ	109.90 MHz	18 nm	-	-	4,868 ft
				33 km	-		4,868 m
29L	LOC-ILS	ISYZ	109.90 MHz	18 nm	294.40	-	4,933 ft
				33 km	290.92		4,933 m
29L	GS	ISYZ	109.90 MHz	10 nm	294.83	3.00	4,864 ft
				19 km	291.35		4,864 m

RKSI

Region: SOUTH KOREA
Timezone: UNKNOWN
Runways: 3

Elevation: 22 ft / 7 m
Location: 37.465400 126.443000
Magnetic Var: 8.783 W

METAR

RKSI 110900Z 20015KT 7000 -RA SCT004 BKN025 OVC070 15/14 Q1008 NOSIG

TAF

TAF RKSI 110500Z 1106/1212 23020G35KT 6000 -RA FEW012 BKN025 OVC070 TN10/1121Z TX19/1205Z BECMG 1109/1111 25015G2500

Frequencies

REC - 128.40 MHz - INCHEON ATIS
TWR - 118.20 MHz - INCHEON TOWER
DEP - 121.40 MHz - SEOUL DEPARTURE

GND - 121.75 MHz - INCHEON GROUND
APP - 119.75 MHz - SEOUL APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	197 ft	13,131 ft	144.75	ASPHALT	0 ft	394 ft
	60 m	4,002 m	153.54		0 m	120 m
34	197 ft	13,131 ft	324.77	ASPHALT	0 ft	394 ft
	60 m	4,002 m	333.55		0 m	120 m
15R	197 ft	12,311 ft	144.78	ASPHALT	0 ft	397 ft
	60 m	3,752 m	153.56		0 m	121 m
33L	197 ft	12,311 ft	324.79	ASPHALT	0 ft	394 ft
	60 m	3,752 m	333.57		0 m	120 m
15L	197 ft	12,312 ft	144.77	ASPHALT	0 ft	397 ft
	60 m	3,753 m	153.56		0 m	121 m
33R	197 ft	12,312 ft	324.79	ASPHALT	0 ft	394 ft
	60 m	3,753 m	333.57		0 m	120 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15L	DME	ISLL	111.90 MHz	18 nm	-	-	11 ft
				33 km	-		11 m
15R	DME	ISRR	109.10 MHz	18 nm	-	-	11 ft
				33 km	-		11 m
33L	DME	INLL	109.30 MHz	18 nm	-	-	11 ft
				33 km	-		11 m
33R	DME	INRR	108.90 MHz	18 nm	-	-	11 ft
				33 km	-		11 m
15L	LOC-ILS	ISLL	111.90 MHz	18 nm	144.79	-	22 ft
				33 km	153.57		22 m
15R	LOC-ILS	ISRR	109.10 MHz	18 nm	144.79	-	22 ft
				33 km	153.57		22 m
16	LOC-ILS	IRKS	110.35 MHz	18 nm	144.77	-	22 ft
				33 km	153.55		22 m
33L	LOC-ILS	INLL	109.30 MHz	18 nm	324.79	-	22 ft
				33 km	333.57		22 m
33R	LOC-ILS	INRR	108.90 MHz	18 nm	324.79	-	22 ft
				33 km	333.57		22 m
34	LOC-ILS	IRKN	108.10 MHz	18 nm	324.77	-	22 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	333.55		22 m
15L	GS	ISLL	111.90 MHz	10 nm	144.79	3.00	22 ft
				19 km	153.57		22 m
15R	GS	ISRR	109.10 MHz	10 nm	144.79	3.00	22 ft
				19 km	153.57		22 m
16	GS	IRKS	110.35 MHz	10 nm	144.77	3.00	22 ft
				19 km	153.55		22 m
33L	GS	INLL	109.30 MHz	10 nm	324.79	3.00	22 ft
				19 km	333.57		22 m
33R	GS	INRR	108.90 MHz	10 nm	324.79	3.00	23 ft
				19 km	333.57		23 m
34	GS	IRKN	108.10 MHz	10 nm	324.77	3.00	22 ft
				19 km	333.55		22 m