LLHA 105 LLBG

Haifa | Tel Aviv Ben Gurion

2024/03/29 1215Z

LLHA KANER LLBG

48.70 nm / 90.19 km



Notes

Basic altitude profile:
- Ascent Rate: 250ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 15000ft
- Cruise Speed: 300kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LLHA APT	- -	32.81113 35.04414	0 ft 0 m	-	Haifa
KANER FIX	- -	32.20839 34.92829	2,500 ft 762 m	36	-
LLBG APT	- -	32.01147 34.88506	0 ft 0 m	12	Tel Aviv Ben Gurion

LLBG

Region: ISRAEL
Timezone: ASIA/JERUSALEM
Runways: 3

Elevation: 134 ft / 41 m
Location: 32.009900 34.884000
Magnetic Var: 5.199 E

METAR

LLBG 291150Z 29006KT 250V330 CAVOK 25/17 Q1011 NOSIG

TAF

TAF LLBG 291104Z 2912/3012 31008KT CAVOK BECMG 2915/2917 VRB03KT 8000 SCT010 BECMG 2919/2921 18005KT 3000 BR BKN0

Frequencies

REC - 132.50 MHz - ATIS
GND - 118.05 MHz - BEN GURION GROUND
TWR - 119.35 MHz - BEN GURION TOWER
TWR - 134.60 MHz - BEN GURION TOWER
DEP - 119.35 MHz - BEN GURION DEPARTURE
APP - 119.35 MHz - BEN GURION APPROACH
APP - 131.10 MHz - BEN GURION ARRIVAL
REC - 132.80 MHz - ATIS
GND - 129.20 MHz - BEN GURION GROUND
TWR - 132.10 MHz - BEN GURION TOWER
CLD - 118.30 MHz - CLEARANCE DELIVERY
DEP - 120.50 MHz - BEN GURION DEPARTURE
APP - 120.50 MHz - BEN GURION APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	197 ft 60 m	9,120 ft 2,780 m	28.62 23.42	ASPHALT	0 ft 0 m	810 ft 247 m
21	197 ft 60 m	9,120 ft 2,780 m	208.62 203.42	ASPHALT	0 ft 0 m	955 ft 291 m
08	148 ft 45 m	13,304 ft 4,055 m	79.76 74.56	ASPHALT	1,440 ft 439 m	971 ft 296 m
26	148 ft 45 m	13,304 ft 4,055 m	259.78 254.58	ASPHALT	2,051 ft 625 m	180 ft 55 m
12	148 ft 45 m	10,222 ft 3,116 m	121.50 116.30	ASPHALT	0 ft 0 m	968 ft 295 m
30	148 ft 45 m	10,222 ft 3,116 m	301.51 296.31	ASPHALT	266 ft 81 m	761 ft 232 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	BG	110.30 MHz	18 nm 33 km	- -	-	135 ft 135 m
08	LOC-ILS	BC	110.90 MHz	18 nm 33 km	79.77 74.57	-	134 ft 134 m
12	LOC-ILS	BG	110.30 MHz	18 nm 33 km	121.51 116.31	-	134 ft 134 m
21	LOC-ILS	BN	109.70 MHz	18 nm 33 km	208.62 203.42	-	134 ft 134 m
26	LOC-ILS	BA	108.70 MHz	18 nm 33 km	259.77 254.57	-	134 ft 134 m
30	LOC-ILS	BD	111.90 MHz	18 nm 33 km	301.51 296.31	-	134 ft 134 m
08	GS	BC	110.90 MHz	10 nm 19 km	79.77 74.57	3.00	134 ft 134 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	GS	BG	110.30 MHz	10 nm 19 km	121.51 116.31	3.00	134 ft 134 m
21	GS	BN	109.70 MHz	10 nm 19 km	208.62 203.42	3.00	134 ft 134 m
26	GS	BA	108.70 MHz	10 nm 19 km	259.77 254.57	3.00	134 ft 134 m
30	GS	BD	111.90 MHz	10 nm 19 km	301.51 296.31	3.20	134 ft 134 m