


2024/06/01 1223Z

CYKA WL **B22** YQZ CYXS

212.37 nm / 393.31 km



Notes

Basic altitude profile:

- Ascent Rate: 1500ft/min
- Ascent Speed: 195kts
- Cruise Altitude: 20000ft
- Cruise Speed: 195kts
- Descent Rate: 1500ft/min
- Descent Speed: 195kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYKA	-	50.70220	0 ft	-	Kamloops
APT	-	-120.44500	0 m		
WL	-	52.13670	20,000 ft	103	WILLIAMS
NDB	-	-121.97300	6,096 m		
YQZ	B22	52.96060	20,000 ft	52	QUESNEL
NDB	AWY-LO	-122.48600	6,096 m		
CYXS	-	53.88690	0 ft	56	PRINCE GEORGE
APT	-	-122.67400	0 m		

CYKA

Region: CANADA

Timezone: AMERICA/VANCOUVER

Runways: 2

Elevation: 1,131 ft / 345 m

Location: 50.702200 -120.445000

Magnetic Var: 15.033 E

METAR

CYKA 011200Z 09013KT 40SM BKN065 OVC100 11/08 A2986 RMK SC6AC2 SLP116

TAF

TAF CYKA 010640Z 0107/0119 09010KT P6SM BKN100 TEMPO 0107/0116 P6SM -SHRA BKN060 RMK NXT FCST BY 011300Z

Frequencies

TWR - 123.00 MHz - SHELL AERO CNTR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	7,967 ft	103.28	ASPHALT	0 ft	102 ft
	45 m	2,429 m	88.25		0 m	31 m
27	148 ft	7,967 ft	283.31	ASPHALT	0 ft	0 ft
	45 m	2,429 m	268.27		0 m	0 m
04	49 ft	2,779 ft	61.01	ASPHALT	686 ft	0 ft
	15 m	847 m	45.98		209 m	0 m
22	49 ft	2,779 ft	241.02	ASPHALT	0 ft	0 ft
	15 m	847 m	225.99		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	LOC-ILS	IKA	109.30 MHz	18 nm	103.29	-	1,131 ft
				33 km	88.26		1,131 m
27	LOC-LOC	XPP	109.90 MHz	18 nm	283.29	-	1,131 ft
				33 km	268.26		1,131 m
09	GS	IKA	109.30 MHz	10 nm	103.29	3.10	1,131 ft
				19 km	88.26		1,131 m

CYXS

Region: CANADA
Timezone: AMERICA/VANCOUVER
Runways: 3

Elevation: 2,267 ft / 691 m
Location: 53.886900 -122.674000
Magnetic Var: 16.096 E

METAR

CYXS 011200Z AUTO 26005KT 4SM -RA BR SCT009 OVC150 09/08 A2982 RMK SLP111

TAF

TAF AMD TAF AMD CYXS 011106Z 0111/0119 VRB03KT P6SM FEW007 OVC080 TEMPO 0111/0118 2SM -RA BR OVC007 FM011800 27008

Frequencies

GND - 121.90 MHz -

TWR - 118.30 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	150 ft	11,479 ft	170.59	ASPHALT	0 ft	0 ft
	46 m	3,499 m	154.50		0 m	0 m
33	150 ft	11,479 ft	350.60	ASPHALT	531 ft	0 ft
	46 m	3,499 m	334.51		162 m	0 m
06	150 ft	5,376 ft	80.60	ASPHALT	0 ft	0 ft
	46 m	1,639 m	64.50		0 m	0 m
24	150 ft	5,376 ft	260.62	ASPHALT	171 ft	0 ft
	46 m	1,639 m	244.52		52 m	0 m
01	75 ft	3,389 ft	30.69	ASPHALT	991 ft	0 ft
	23 m	1,033 m	14.60		302 m	0 m
19	75 ft	3,389 ft	210.70	ASPHALT	0 ft	0 ft
	23 m	1,033 m	194.60		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
33	LOC-ILS	IXS	109.50 MHz	18 nm	350.59	-	11,467 ft
				33 km	334.49		11,467 m
33	GS	IXS	109.50 MHz	10 nm	350.59	3.00	11,467 ft
				19 km	334.49		11,467 m