

LIMF

Torino Caselle


OMDB

DUBAI INTL

2024/05/11 0459Z

LIMF OSKOR **UL615** ELTAR **UL612** ADOSA **UL615** VIC **UL613** AKADO **UL615** OBLAK **L615** DOLAP **UL615** LUKOV **UL610**
VADEN **UL615** BKZ **UA4** YAVRU **UA17** BELSU **UM861** NISAP **UB402** ALE **W4** DRZ ELEXI **UL602** TASMI ALSAN SIDAD
R784 IMDAT **B416** ORSAR OMDB

2629.43 nm / 4869.71 km



Notes

Basic altitude profile:

- Ascent Rate: 2400ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 36000ft
- Cruise Speed: 573kts
- Descent Rate: 2000ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIMF APT	-	45.20076 7.64963	0 ft 0 m	-	Torino Caselle
OSKOR FIX	-	45.64917 10.11667	35,000 ft 10,668 m	107	-
ELTAR FIX	UL615 AWY-HI	45.64750 10.62778	35,000 ft 10,668 m	21	-
ADOSA FIX	UL612 AWY-HI	45.64444 11.02639	35,000 ft 10,668 m	16	-
VIC VOR	UL615 AWY-HI	45.63720 11.67638	35,000 ft 10,668 m	27	VICENZA VOR-DME
LAPAB FIX	UL613 AWY-HI	45.52944 11.97167	35,000 ft 10,668 m	13	-
AKADO FIX	UL613 AWY-HI	45.33333 12.50000	35,000 ft 10,668 m	25	-
ROTAR FIX	UL615 AWY-HI	45.26278 12.99556	35,000 ft 10,668 m	21	-
NAKIT FIX	UL615 AWY-HI	45.18806 13.44778	35,000 ft 10,668 m	19	-
OBALA FIX	UL615 AWY-HI	44.92028 14.97250	35,000 ft 10,668 m	66	-
KOREX FIX	UL615 AWY-HI	44.77111 15.76917	35,000 ft 10,668 m	35	-
SUDIM FIX	UL615 AWY-HI	44.66722 16.30556	35,000 ft 10,668 m	23	-
BOSNA FIX	UL615 AWY-HI	44.37056 17.75972	35,000 ft 10,668 m	64	-
VEBAR FIX	UL615 AWY-HI	44.13581 19.17942	35,000 ft 10,668 m	62	-
KUKUN FIX	UL615 AWY-HI	44.07083 19.56028	35,000 ft 10,668 m	16	-
KOSIV FIX	UL615 AWY-HI	44.02686 19.80908	35,000 ft 10,668 m	11	-
GONAR FIX	UL615 AWY-HI	43.85467 20.75311	35,000 ft 10,668 m	42	-
RAVAK FIX	UL615 AWY-HI	43.68742 21.62697	35,000 ft 10,668 m	39	-
OBLAK FIX	UL615 AWY-HI	43.48683 22.36394	35,000 ft 10,668 m	34	-
DOLAP FIX	L615 AWY-LO	43.37417 22.76833	27,500 ft 8,382 m	18	-
RESLA FIX	UL615 AWY-HI	43.32861 23.31278	35,000 ft 10,668 m	23	-
LUKOV FIX	UL615 AWY-HI	43.28472 23.80611	35,000 ft 10,668 m	21	-
GOL VOR	UL610 AWY-HI	43.09500 24.22056	35,000 ft 10,668 m	21	GOLYAMA VOR-DME
VADEN FIX	UL610 AWY-HI	42.06556 27.21611	35,000 ft 10,668 m	146	-
BKZ VOR	UL615 AWY-HI	41.12694 29.14278	35,000 ft 10,668 m	103	BEYKOZ VOR-DME
GAYEM FIX	UA4 AWY-HI	41.04694 29.62861	35,000 ft 10,668 m	22	-
ERSEN	UA4	40.86556	35,000 ft	48	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	30.66611	10,668 m		
YAVRU	UA4	40.58222	35,000 ft	55	-
FIX	AWY-HI	31.83278	10,668 m		
KIZIK	UA17	40.41833	35,000 ft	17	-
FIX	AWY-HI	32.14944	10,668 m		
BAG	UA17	40.06953	35,000 ft	36	BAGLUM VOR-DME
VOR	AWY-HI	32.81039	10,668 m		
YUCEL	UA17	39.58000	35,000 ft	46	-
FIX	AWY-HI	33.58584	10,668 m		
BELSU	UA17	39.13083	35,000 ft	42	-
FIX	AWY-HI	34.28639	10,668 m		
TEVDA	UM861	38.37278	35,000 ft	58	-
FIX	AWY-HI	35.06667	10,668 m		
MILBA	UM861	36.95139	35,000 ft	108	-
FIX	AWY-HI	36.47944	10,668 m		
NISAP	UM861	36.78444	35,000 ft	12	-
FIX	AWY-HI	36.64139	10,668 m		
ALE	UB402	36.17925	35,000 ft	45	ALEPPO VOR-DME
VOR	AWY-HI	37.20956	10,668 m		
TABQA	W4	35.78235	35,000 ft	70	-
FIX	AWY-HI	38.56642	10,668 m		
DRZ	W4	35.28921	35,000 ft	84	DEIR ZZOR NDB
NDB	AWY-HI	40.18742	10,668 m		
ELEXI	-	34.69167	35,000 ft	59	-
FIX	-	41.15000	10,668 m		
ASNOT	UL602	33.49988	35,000 ft	114	-
FIX	AWY-HI	42.95462	10,668 m		
DELM	UL602	33.32175	35,000 ft	17	-
FIX	AWY-HI	43.22433	10,668 m		
LOVEK	UL602	32.36900	35,000 ft	92	-
FIX	AWY-HI	44.66700	10,668 m		
MUTLO	UL602	32.17194	35,000 ft	18	-
FIX	AWY-HI	44.95079	10,668 m		
ALPET	UL602	31.20528	35,000 ft	90	-
FIX	AWY-HI	46.31222	10,668 m		
TASMI	UL602	30.02222	35,000 ft	109	-
FIX	AWY-HI	47.91806	10,668 m		
ALSAN	-	29.95194	35,000 ft	17	-
FIX	-	48.24889	10,668 m		
SIDAD	-	29.87528	35,000 ft	13	-
FIX	-	48.49556	10,668 m		
DESLU	R784	29.46667	35,000 ft	37	-
FIX	AWY-HI	49.03056	10,668 m		
NANPI	R784	29.08250	35,000 ft	34	-
FIX	AWY-HI	49.53250	10,668 m		
OBMOR	R784	28.97056	35,000 ft	9	-
FIX	AWY-HI	49.67000	10,668 m		
ALNIN	R784	28.67861	35,000 ft	25	-
FIX	AWY-HI	50.02722	10,668 m		
IMDAT	R784	27.68333	35,000 ft	85	-
FIX	AWY-HI	51.18333	10,668 m		
DURSI	B416	27.20528	35,000 ft	53	-
FIX	AWY-HI	52.02889	10,668 m		
EGMID	B416	26.60417	31,700 ft	66	-
FIX	AWY-HI	53.06694	9,662 m		
ORSAR	B416	26.07500	19,400 ft	57	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	53.95833	5,913 m		
OMDB	-	25.25491	0 ft	90	DUBAI INTL
APT	-	55.36426	0 m		

LIMF

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 987 ft / 301 m
Location: 45.200800 7.649640
Magnetic Var: 2.866 E

METAR

LIMF 110420Z VRB01KT 9999 SCT040 16/12 Q1020

TAF

TAF LIMF 102300Z 1100/1124 VRB05KT 9999 SCT050

Frequencies

REC - 120.47 MHz - ATIS
TWR - 118.50 MHz - TORINO TOWER
APP - 129.27 MHz - TORINO APPROACH
GND - 121.70 MHz - TORINO GROUND
APP - 121.10 MHz - TORINO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	197 ft	10,837 ft	182.56	ASPHALT	2,372 ft	1,647 ft
	60 m	3,303 m	179.69		723 m	502 m
36	197 ft	10,837 ft	2.56	ASPHALT	1,135 ft	0 ft
	60 m	3,303 m	359.69		346 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36	DME	ITOC	108.70 MHz	25 nm	-	-	989 ft
				46 km	-		989 m
36	GS	ITOC	108.70 MHz	10 nm	2.56	3.00	988 ft
				19 km	359.69		988 m

OMDB

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 62 ft / 19 m
Location: 25.251100 55.371100
Magnetic Var: 2.353 E

METAR

OMDB 110400Z 18006KT 120V240 CAVOK 25/21 Q1009 NOSIG

TAF

TAF OMDB 102300Z 1100/1206 18005KT 8000 NSC PROB30 1101/1105 3000 BR BKN005 BECMG 1106/1108 33013KT BECMG 1117/11

Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.17		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.15		302 m	115 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m