


2024/05/06 1838Z

NZRO TAMIS **H313** FOXTN **H467** PP **H364** WN **H221** KI NZCH

370.32 nm / 685.83 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
NZRO	-	-38.10560	0 ft	-	Rotorua
APT	-	176.31800	0 m		
TAMIS	-	-39.63800	34,700 ft	97	-
FIX	-	175.65000	10,577 m		
OH	H313	-40.20960	35,000 ft	36	OHAKA
VOR	AWY-HI	175.39200	10,668 m		
FOXTN	H313	-40.49630	35,000 ft	18	-
FIX	AWY-HI	175.21900	10,668 m		
SUSBA	H467	-40.60180	35,000 ft	6	-
FIX	AWY-HI	175.15800	10,668 m		
KAMET	H467	-40.66820	35,000 ft	4	-
FIX	AWY-HI	175.12000	10,668 m		
PP	H467	-40.90300	35,000 ft	15	PARAPARAUMU
NDB	AWY-HI	174.98300	10,668 m		
WN	H364	-41.33720	35,000 ft	27	WELLINGTON
VOR	AWY-HI	174.81700	10,668 m		
KAMES	H221	-41.76510	28,200 ft	32	-
FIX	AWY-HI	174.38000	8,595 m		
WAIMA	H221	-41.88130	26,300 ft	8	-
FIX	AWY-HI	174.26000	8,016 m		
KI	H221	-42.42040	17,500 ft	40	KAIKOURA
NDB	AWY-HI	173.69600	5,334 m		
NZCH	-	-43.48660	0 ft	81	Christchurch Intl
APT	-	172.53400	0 m		

NZCH

Region: NEW ZEALAND AND ANTARCTICA
Timezone: PACIFIC/AUCKLAND
Runways: 3

Elevation: 121 ft / 37 m
Location: -43.486600 172.534000
Magnetic Var: 24.291 E

METAR

NZCH 061800Z AUTO 27002KT 1100 R02/P2000N R20/P2000N BCFG NCD 00/00 Q1026

TAF

TAF AMD NZCH 061831Z 0618/0800 30005KT 9999 FEW030 TEMPO 0618/0620 1500 BR BECMG 0623/0701 04010KT BECMG 0711/0713 1500 BR

Frequencies

REC - 127.20 MHz - ATIS
TWR - 118.40 MHz -
APP - 126.10 MHz -
COM - 122.80 MHz - UNICOM NZCC
GND - 121.90 MHz -
DEP - 120.90 MHz -
CLD - 128.20 MHz - DEL

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	10,799 ft	39.98	ASPHALT	0 ft	0 ft
	45 m	3,291 m	15.69		0 m	0 m
20	148 ft	10,799 ft	219.97	ASPHALT	0 ft	0 ft
	45 m	3,291 m	195.67		0 m	0 m
11	148 ft	5,717 ft	130.17	ASPHALT	131 ft	0 ft
	45 m	1,743 m	105.88		40 m	0 m
29	148 ft	5,717 ft	310.16	ASPHALT	0 ft	0 ft
	45 m	1,743 m	285.87		0 m	0 m
02L	197 ft	1,785 ft	40.00	GRASS	0 ft	0 ft
	60 m	544 m	15.71		0 m	0 m
20R	197 ft	1,785 ft	220.00	GRASS	0 ft	0 ft
	60 m	544 m	195.71		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	DME	ICH	109.90 MHz	18 nm	-	-	123 ft
				33 km	-		123 m
20	DME	IHW	110.30 MHz	18 nm	-	-	123 ft
				33 km	-		123 m
02	LOC-ILS	ICH	109.90 MHz	18 nm	39.68	-	123 ft
				33 km	15.39		123 m
20	LOC-ILS	IHW	110.30 MHz	18 nm	220.31	-	123 ft
				33 km	196.02		123 m
02	GS	ICH	109.90 MHz	10 nm	40.97	3.00	123 ft
				19 km	16.68		123 m
20	GS	IHW	110.30 MHz	10 nm	220.97	3.00	123 ft
				19 km	196.68		123 m