EGSS
London Stansted


-

LFMK
Salvaza

2024/03/19 0622Z

EGSS SITET **UN859** NARAK LFMK

535.15 nm / 991.11 km



Notes

Basic altitude profile:
- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 37000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:
- Use NATs: no
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGSS APT	-	51.88510 0.23496	0 ft 0 m	-	London Stansted
SITET FIX	-	50.10000 0.00000	34,000 ft 10,363 m	107	-
ETRAT FIX	UN859 AWY-HI	49.68333 0.16333	35,000 ft 10,668 m	25	-
DVL VOR	UN859 AWY-HI	49.31075 0.31272	35,000 ft 10,668 m	23	DEAUVILLE SAINT GATIEN VOR
LGL VOR	UN859 AWY-HI	48.79061 0.53028	35,000 ft 10,668 m	32	L AIGLE VOR
SORAP FIX	UN859 AWY-HI	48.52222 0.63528	35,000 ft 10,668 m	16	-
BENAR FIX	UN859 AWY-HI	48.25306 0.74444	35,000 ft 10,668 m	16	-
VANAD FIX	UN859 AWY-HI	47.83722 0.90722	35,000 ft 10,668 m	25	-
AMB VOR	UN859 AWY-HI	47.42892 1.06444	35,000 ft 10,668 m	25	AMBOISE VOR-DME
BALAN FIX	UN859 AWY-HI	46.51611 1.03333	34,000 ft 10,363 m	54	-
BEBIX FIX	UN859 AWY-HI	45.94917 1.39972	35,000 ft 10,668 m	37	-
OBUBA FIX	UN859 AWY-HI	45.57944 1.47972	31,500 ft 9,601 m	22	-
TUGLI FIX	UN859 AWY-HI	45.37722 1.52444	27,800 ft 8,473 m	12	-
NARAK FIX	UN859 AWY-HI	44.29528 1.74889	19,500 ft 5,944 m	65	-
LFMK APT	-	43.21612 2.30550	0 ft 0 m	69	Salvaza

EGSS

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 348 ft / 106 m
Location: 51.885100 0.234989
Magnetic Var: 0.557 E

METAR

EGSS 190550Z AUTO 20010KT 9999 OVC025 11/08 Q1013

TAF

TAF EGSS 190503Z 1906/2012 21011KT 9999 BKN017 BECMG 1906/1909 OVC008 TEMPO 1908/1911 8000 -RADZ PROB30 TEMPO 1908

Frequencies

DEP - 120.62 MHz - ESSEX RADAR
APP - 132.05 MHz - STANSTED APPROACH
GND - 121.72 MHz - STANSTED GROUND
TWR - 125.55 MHz - STANSTED TOWER
REC - 114.55 MHz - ATIS

APP - 120.62 MHz - ESSEX RADAR
CLD - 121.95 MHz - STANSTED CLEARANCE DELIVERY
TWR - 123.80 MHz - STANSTED TOWER
APP - 136.20 MHz - STANSTED DIRECT
REC - 127.17 MHz - ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	151 ft 46 m	9,984 ft 3,043 m	42.78 42.23	ASPHALT	974 ft 297 m	0 ft 0 m
22	151 ft 46 m	9,984 ft 3,043 m	222.81 222.25	ASPHALT	0 ft 0 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	ISED	110.50 MHz	18 nm 33 km	- -	-	348 ft 348 m
22	DME	ISX	110.50 MHz	18 nm 33 km	- -	-	348 ft 348 m
04	LOC-ILS	ISED	110.50 MHz	18 nm 33 km	42.80 42.24	-	348 ft 348 m
22	LOC-ILS	ISX	110.50 MHz	18 nm 33 km	222.80 222.24	-	348 ft 348 m
04	GS	ISED	110.50 MHz	10 nm 19 km	42.80 42.24	3.00	348 ft 348 m
22	GS	ISX	110.50 MHz	10 nm 19 km	222.80 222.24	3.00	348 ft 348 m

LFMK

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 433 ft / 132 m
Location: 43.216400 2.308000
Magnetic Var: 1.569 E

METAR

LFMK 190600Z AUTO 17004KT 130V200 CAVOK 08/08 Q1017 NOSIG

TAF

TAF LFMK 190200Z 1903/2003 VRB03KT CAVOK BECMG 1907/1909 26008KT BECMG 1915/1917 VRB03KT BECMG 1922/1924 09010KT

Frequencies

APP - 123.85 MHz - CARCASSONNE APPROACH
REC - 120.02 MHz - CARCASSONNE ATIS

TWR - 121.00 MHz - CARCASSONNE TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10L	98 ft 30 m	2,627 ft 801 m	96.33 94.77	GRASS	0 ft 0 m	0 ft 0 m
28R	98 ft 30 m	2,627 ft 801 m	276.34 274.77	GRASS	0 ft 0 m	0 ft 0 m
10	148 ft 45 m	6,732 ft 2,052 m	96.29 94.72	ASPHALT	344 ft 105 m	0 ft 0 m
28	148 ft 45 m	6,732 ft 2,052 m	276.31 274.74	ASPHALT	492 ft 150 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	CS	111.10 MHz	27 nm 50 km	- -	-	433 ft 433 m
10	LOC-ILS	CS	111.10 MHz	18 nm 33 km	96.30 94.73	-	433 ft 433 m
10	GS	CS	111.10 MHz	10 nm 19 km	96.30 94.73	3.00	433 ft 433 m