

LHBP

Ferihegy (Budapest)


BIKF

Keflavik

2024/05/10 2232Z

LHBP ABITU **UP41** LEMBI **UY444** HDO **UM748** BKD **UL619** AMLUH **UM852** HAM **TB2** SWG **TB1** LECKY **UP992** VES **UP613**
VALDI **G3** METIL BIKF

1727.98 nm / 3200.21 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LHBP	-	47.43529	0 ft	-	Ferihegy (Budapest)
APT	-	19.26579	0 m	-	
ABITU	-	48.33333	22,500 ft	65	-
FIX	-	18.32472	6,858 m	-	-
MAVOR	UP41	48.82139	34,000 ft	42	-
FIX	AWY-HI	17.53750	10,363 m	-	-
BABUS	UP41	48.98031	34,000 ft	13	-
FIX	AWY-HI	17.30125	10,363 m	-	-
BULEK	UP41	50.41324	34,000 ft	122	-
FIX	AWY-HI	15.06531	10,363 m	-	-
LEMBI	UP41	50.55079	34,000 ft	10	-
FIX	AWY-HI	14.88128	10,363 m	-	-
HDO	UY444	50.92815	34,000 ft	29	HERMSDORF VOR-DME
VOR	AWY-HI	14.36880	10,363 m	-	
ESLOR	UM748	51.06583	34,000 ft	10	-
FIX	AWY-HI	14.17944	10,363 m	-	-
REND0	UM748	51.27806	34,000 ft	16	-
FIX	AWY-HI	13.88472	10,363 m	-	-
OSKAN	UM748	51.46083	34,000 ft	14	-
FIX	AWY-HI	13.62778	10,363 m	-	-
OLBIK	UM748	51.66250	34,000 ft	16	-
FIX	AWY-HI	13.34111	10,363 m	-	-
BOLBO	UM748	51.79472	34,000 ft	10	-
FIX	AWY-HI	13.15111	10,363 m	-	-
MOSEX	UM748	51.91917	34,000 ft	10	-
FIX	AWY-HI	12.97083	10,363 m	-	-
ESIKA	UM748	52.12389	34,000 ft	16	-
FIX	AWY-HI	12.67139	10,363 m	-	-
SOBLU	UM748	52.39222	34,000 ft	21	-
FIX	AWY-HI	12.27278	10,363 m	-	-
SOGMA	UM748	52.63528	34,000 ft	19	-
FIX	AWY-HI	11.90528	10,363 m	-	-
GARMA	UM748	52.73528	34,000 ft	6	-
FIX	AWY-HI	11.81611	10,363 m	-	-
BKD	UM748	53.03453	34,000 ft	20	BRUNKENDORF VOR-DME
VOR	AWY-HI	11.54622	10,363 m	-	
AMLUH	UL619	53.42889	34,000 ft	49	-
FIX	AWY-HI	10.32250	10,363 m	-	-
HAM	UM852	53.68558	34,000 ft	15	HAMBURG VORTAC
VOR	AWY-HI	10.20500	10,363 m	-	
SWG	TB2	54.45367	34,000 ft	52	-
VOR	AWY-HI	9.50150	10,363 m	-	-
LECKY	TB1	54.79233	34,000 ft	28	-
FIX	AWY-HI	8.94209	10,363 m	-	-
ATTUS	UP992	54.89972	34,000 ft	8	-
FIX	AWY-HI	8.78278	10,363 m	-	-
VES	UP992	55.60315	34,000 ft	45	VESTA VOR-DME
VOR	AWY-HI	8.29996	10,363 m	-	
NUGLO	UP613	55.87528	34,000 ft	23	-
FIX	AWY-HI	7.78111	10,363 m	-	-
KARLI	UP613	57.00000	34,000 ft	101	-
FIX	AWY-HI	5.50750	10,363 m	-	-
UPATA	UP613	58.69583	34,000 ft	120	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	3.48722	10,363 m		
VALDI	UP613	61.21417	34,000 ft	183	-
FIX	AWY-HI	0.00000	10,363 m		
CONNY	G3	61.90000	34,000 ft	164	-
FIX	AWY-HI	-5.58333	10,363 m		
MY	G3	62.10694	34,000 ft	57	MYGGENES NDB
NDB	AWY-HI	-7.58778	10,363 m		
LINDA	G3	62.62167	34,000 ft	73	-
FIX	AWY-HI	-10.00000	10,363 m		
ROSTI	G3	63.40639	34,000 ft	121	-
FIX	AWY-HI	-14.11222	10,363 m		
ING	G3	63.80306	32,900 ft	71	INGO VOR-DME
VOR	AWY-HI	-16.63806	10,028 m		
MIKLA	G3	63.84833	28,500 ft	24	-
FIX	AWY-HI	-17.57417	8,687 m		
SKARD	G3	63.94278	12,600 ft	69	-
FIX	AWY-HI	-20.20500	3,840 m		
METIL	G3	63.97194	6,100 ft	34	-
FIX	AWY-LO	-21.52611	1,859 m		
BIKF	-	63.98161	0 ft	28	Keflavik
APT	-	-22.61456	0 m		

LHBP

Region: HUNGARY
Timezone: EUROPE/BUDAPEST
Runways: 2

Elevation: 495 ft / 151 m
Location: 47.436900 19.255600
Magnetic Var: 5.501 E

METAR

LHBP 102200Z 31005KT CAVOK 12/07 Q1020 NOSIG

TAF

TAF LHBP 101715Z 1018/1118 VRB03KT CAVOK BECMG 1022/1101 08008KT BECMG 1109/1112 35004KT

Frequencies

REC - 117.30 MHz - ATIS	REC - 132.37 MHz - ATIS
TWR - 119.97 MHz - BUDAPEST TOWER	TWR - 118.10 MHz - BUDAPEST TOWER
GND - 121.90 MHz - BUDAPEST GROUND	CLD - 134.55 MHz - CLEARANCE DELIVERY
APP - 119.50 MHz - BUDAPEST APPROACH	APP - 122.97 MHz - BUDAPEST APPROACH
APP - 123.85 MHz - BUDAPEST APPROACH	APP - 124.90 MHz - BUDAPEST APPROACH
REC - 119.35 MHz - BUDAPEST INFORMATION	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	148 ft	9,882 ft	132.42	CONCRETE	0 ft	0 ft
	45 m	3,012 m	126.92		0 m	0 m
31L	148 ft	9,882 ft	312.44	CONCRETE	0 ft	0 ft
	45 m	3,012 m	306.94		0 m	0 m
13L	148 ft	12,175 ft	132.46	CONCRETE	0 ft	0 ft
	45 m	3,711 m	126.96		0 m	0 m
31R	148 ft	12,175 ft	312.49	CONCRETE	0 ft	0 ft
	45 m	3,711 m	306.99		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	DME	BPL	111.70 MHz	27 nm	-	-	495 ft
				50 km	-		495 m
13R	DME	FER	110.50 MHz	27 nm	-	-	495 ft
				50 km	-		495 m
31L	DME	FHL	111.50 MHz	14 nm	-	-	495 ft
				26 km	-		495 m
31R	DME	BPR	109.50 MHz	32 nm	-	-	495 ft
				59 km	-		495 m
13L	LOC-ILS	BPL	109.15 MHz	18 nm	132.48	-	495 ft
				33 km	126.98		495 m
13R	LOC-ILS	FER	110.50 MHz	18 nm	132.44	-	495 ft
				33 km	126.94		495 m
31L	LOC-ILS	FHL	111.50 MHz	18 nm	312.44	-	495 ft
				33 km	306.94		495 m
31R	LOC-ILS	BPR	109.50 MHz	18 nm	312.48	-	495 ft
				33 km	306.98		495 m
13L	GS	BPL	109.15 MHz	10 nm	132.48	3.00	495 ft
				19 km	126.98		495 m
13R	GS	FER	110.50 MHz	10 nm	132.44	3.00	495 ft
				19 km	126.94		495 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
31L	GS	FHL	111.50 MHz	10 nm	312.44	3.00	495 ft
				19 km	306.94		495 m
31R	GS	BPR	109.50 MHz	10 nm	312.48	3.00	495 ft
				19 km	306.98		495 m

BIKF

Region: ICELAND
Timezone: ATLANTIC/REYKJAVIK
Runways: 2

Elevation: 168 ft / 51 m
Location: 63.981600 -22.614600
Magnetic Var: 12.370 W

METAR

BIKF 102200Z 17011KT 0400 R19/1100U -DZ FG OVC003 09/09 Q1001

TAF

TAF AMD BIKF 102134Z 1021/1121 18012KT 9000 RADZ BKN007 OVC012 TX11/1115Z TN07/1104Z TEMPO 1021/1100 0400 DZ FG VV

Frequencies

REC - 128.30 MHz - KEFLAVIK INFORMATION	CLD - 121.00 MHz - KEFLAVIK CLEARANCE DELIVERY
GND - 121.90 MHz - KEFLAVIK GROUND	GND - 126.20 MHz - KEFLAVIK GROUND
TWR - 118.30 MHz - KEFLAVIK TOWER	APP - 119.30 MHz - KEFLAVIK APPROACH
APP - 119.15 MHz - KEFLAVIK FINAL	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	197 ft	9,997 ft	0.01	ASPHALT	0 ft	479 ft
	60 m	3,047 m	12.38		0 m	146 m
19	197 ft	9,997 ft	180.01	ASPHALT	0 ft	85 ft
	60 m	3,047 m	192.38		0 m	26 m
10	200 ft	10,004 ft	89.95	ASPHALT	0 ft	259 ft
	61 m	3,049 m	102.32		0 m	79 m
28	200 ft	10,004 ft	270.01	ASPHALT	0 ft	220 ft
	61 m	3,049 m	282.38		0 m	67 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	LOC-ILS	IKN	111.30 MHz	18 nm	0.01	-	169 ft
				33 km	12.38		169 m
10	LOC-ILS	IKF	109.50 MHz	18 nm	89.98	-	169 ft
				33 km	102.35		169 m
19	LOC-ILS	IKO	110.30 MHz	18 nm	180.01	-	169 ft
				33 km	192.38		169 m
28	LOC-ILS	IKW	108.50 MHz	18 nm	269.98	-	169 ft
				33 km	282.35		169 m
01	GS	IKN	111.30 MHz	10 nm	0.01	3.00	169 ft
				19 km	12.38		169 m
10	GS	IKF	109.50 MHz	10 nm	89.98	3.00	169 ft
				19 km	102.35		169 m
19	GS	IKO	110.30 MHz	10 nm	180.01	3.00	169 ft
				19 km	192.38		169 m
28	GS	IKW	108.50 MHz	10 nm	269.98	3.00	169 ft
				19 km	282.35		169 m