

TJSJ

San Juan - Luis Munoz Marin Intl


SYCJ

CHEDDI JAGAN INTL

2024/05/08 0708Z

TJSJ HENLI **G449** ANADA **UG449** POS **UA324** ORANI **A324** EDMEK SYCJ

852.72 nm / 1579.24 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
TJSJ APT	- -	18.43878 -66.00202	0 ft 0 m	-	San Juan - Luis Munoz Marin Intl
HENLI FIX	- -	16.91949 -65.40875	33,700 ft 10,272 m	97 -	
ANMER FIX	G449 AWY-HI	16.23669 -64.94299	35,000 ft 10,668 m	48 -	
ANADA FIX	G449 AWY-HI	15.00000 -64.14625	35,000 ft 10,668 m	87 -	
PELMA FIX	UG449 AWY-HI	14.15139 -63.62139	35,000 ft 10,668 m	59 -	
PERRY FIX	UG449 AWY-HI	13.24333 -63.08722	35,000 ft 10,668 m	62 -	
PERGA FIX	UG449 AWY-HI	11.80139 -62.19167	35,000 ft 10,668 m	101 -	
POS VOR	UG449 AWY-HI	10.46639 -61.39236	35,000 ft 10,668 m	92	PIARCO VOR-DME
MINDA FIX	UA324 AWY-HI	8.91667 -60.15972	35,000 ft 10,668 m	118 -	
ALBEP FIX	UA324 AWY-HI	8.31772 -59.68700	29,700 ft 9,053 m	45 -	
ORANI FIX	UA324 AWY-HI	7.48244 -59.03106	25,000 ft 7,620 m	63 -	
EDMEK FIX	A324 AWY-LO	6.88850 -58.56664	6,400 ft 1,951 m	45 -	
SYCJ APT	- -	6.49887 -58.25455	0 ft 0 m	29	CHEDDI JAGAN INTL

TJSJ

Region: USA (PUERTO RICO)
Timezone: AMERICA/PUERTO_RICO
Runways: 2

Elevation: 8 ft / 2 m
Location: 18.438700 -66.002200
Magnetic Var: 13.515 W

METAR

TJSJ 080556Z 00000KT 10SM SCT024 BKN050 25/24 A2987

TAF

TAF TJSJ 080520Z 0806/0906 VRB03KT P6SM -RA SCT025 BKN050 FM081400 05007KT P6SM VCSH FEW025 SCT050 FM081800 06013

Frequencies

REC - 125.80 MHz - ATIS	COM - 123.00 MHz - UNICOM
CLD - 126.40 MHz - CLEARANCE DELIVERY	GND - 121.90 MHz - SAN JUAN GROUND
TWR - 132.05 MHz - SAN JUAN TOWER	DEP - 120.90 MHz - SAN JUAN DEPARTURE
DEP - 119.40 MHz - SAN JUAN DEPARTURE	APP - 119.40 MHz - SAN JUAN APPROACH
APP - 120.90 MHz - SAN JUAN APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	200 ft	10,410 ft	66.85	ASPHALT	404 ft	394 ft
	61 m	3,173 m	80.37		123 m	120 m
26	200 ft	10,410 ft	246.86	ASPHALT	400 ft	397 ft
	61 m	3,173 m	260.38		122 m	121 m
10	151 ft	8,006 ft	90.14	CONCRETE	0 ft	203 ft
	46 m	2,440 m	103.66		0 m	62 m
28	151 ft	8,006 ft	270.15	CONCRETE	0 ft	200 ft
	46 m	2,440 m	283.66		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	LOC-ILS	ISJU	110.30 MHz	18 nm	66.86	-	2 ft
				33 km	80.37		2 m
10	LOC-ILS	ICLA	109.70 MHz	18 nm	90.15	-	2 ft
				33 km	103.66		2 m
08	GS	ISJU	110.30 MHz	10 nm	66.86	3.00	2 ft
				19 km	80.37		2 m
10	GS	ICLA	109.70 MHz	10 nm	90.15	3.00	2 ft
				19 km	103.66		2 m

SYCJ

Region: GUYANA
Timezone: AMERICA/GUYANA
Runways: 2

Elevation: 96 ft / 29 m
Location: 6.498860 -58.254500
Magnetic Var: 16.744 W

METAR

SYCJ 080600Z 08004KT 9999 FEW016 SCT080 26/25 Q1009 NOSIG

TAF

TAF SYCJ 080500Z 0806/0906 07004KT 9000 VCSH SHRA BKN017 SCT036 BECMG 0813/0815 09010KT 9999 VCSH BKN018 BKN038

Frequencies

REC - 132.80 MHz - ATIS
TWR - 118.30 MHz - TIMEHRI TOWER
APP - 119.40 MHz - TIMEHRI APPROACH
GND - 121.70 MHz - TIMEHRI GROUND
APP - 118.30 MHz - TIMEHRI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	151 ft	7,455 ft	44.80	ASPHALT	0 ft	200 ft
	46 m	2,272 m	61.54		0 m	61 m
24	151 ft	7,455 ft	224.80	ASPHALT	0 ft	197 ft
	46 m	2,272 m	241.54		0 m	60 m
11	151 ft	5,008 ft	89.94	ASPHALT	0 ft	0 ft
	46 m	1,526 m	106.69		0 m	0 m
29	151 ft	5,008 ft	269.95	ASPHALT	0 ft	0 ft
	46 m	1,526 m	286.69		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	LOC-ILS	ITIM	109.30 MHz	18 nm	44.78	-	95 ft
				33 km	61.53		95 m
06	GS	ITIM	109.30 MHz	10 nm	45.56	2.50	95 ft
				19 km	62.31		95 m