

EGNM

Leeds Bradford Airport


LPFR

Faro

2024/05/12 1818Z

EGNM RETSI **UN862** BHD **UN864** SALCO **UM30** LOTEE **R107** VES **G41** BARKO RALUS **UN872** VIS **R72** TAGUX **UN726**
EVURA LPFR

1060.38 nm / 1963.82 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGNM	-	53.86600	0 ft	-	Leeds Bradford Airport
APT	-	-1.66078	0 m		
RETSI	-	52.51170	32,900 ft	92	-
FIX	-	-2.87583	10,028 m		
AMRAL	UN862	52.11470	35,000 ft	23	-
FIX	AWY-HI	-2.90917	10,668 m		
RILES	UN862	51.94860	35,000 ft	9	-
FIX	AWY-HI	-2.92278	10,668 m		
DOBEM	UN862	51.86970	35,000 ft	4	-
FIX	AWY-HI	-2.92917	10,668 m		
PERUP	UN862	51.70940	35,000 ft	9	-
FIX	AWY-HI	-2.94222	10,668 m		
ERNOK	UN862	51.69170	35,000 ft	1	-
FIX	AWY-HI	-2.94556	10,668 m		
LAMAT	UN862	51.30190	35,000 ft	23	-
FIX	AWY-HI	-3.01750	10,668 m		
BHD	UN862	50.39860	35,000 ft	57	BERRY HEAD
VOR	AWY-HI	-3.49374	10,668 m		
SALCO	UN864	49.73720	35,000 ft	39	-
FIX	AWY-HI	-3.52944	10,668 m		
RUSIB	UM30	48.97690	35,000 ft	46	-
FIX	AWY-HI	-3.80861	10,668 m		
BERAD	UM30	48.30190	35,000 ft	41	-
FIX	AWY-HI	-4.06167	10,668 m		
QPR	UM30	47.95730	35,000 ft	21	QUIMPER PLUGUFFAN
VOR	AWY-HI	-4.18472	10,668 m		
IBISU	UM30	47.09230	35,000 ft	55	-
FIX	AWY-HI	-4.63878	10,668 m		
ERWAN	UM30	45.93690	35,000 ft	73	-
FIX	AWY-HI	-5.22139	10,668 m		
LOTEE	UM30	44.65870	35,000 ft	81	-
FIX	AWY-HI	-5.83664	10,668 m		
MAVOS	R107	44.05440	35,000 ft	36	-
FIX	AWY-LO	-5.93461	10,668 m		
VES	R107	43.56460	35,000 ft	29	ASTURIAS VOR-DME
DME	AWY-LO	-6.03075	10,668 m		
KUVAN	G41	43.11100	35,000 ft	29	-
FIX	AWY-LO	-6.31700	10,668 m		
BISMU	G41	42.79660	35,000 ft	21	-
FIX	AWY-LO	-6.53856	10,668 m		
BARKO	G41	42.20060	35,000 ft	40	-
FIX	AWY-LO	-6.94461	10,668 m		
RALUS	-	41.93660	35,000 ft	17	-
FIX	-	-7.11636	10,668 m		
ABUPI	UN872	41.75110	35,000 ft	12	-
FIX	AWY-HI	-7.23611	10,668 m		
CANAR	UN872	41.38580	35,000 ft	24	-
FIX	AWY-HI	-7.46972	10,668 m		
VIS	UN872	40.72340	35,000 ft	44	UISEU
VOR	AWY-HI	-7.88583	10,668 m		
NSA	R72	39.56470	32,800 ft	69	NISA
VOR	AWY-LO	-7.91461	9,997 m		
OLGAR	R72	39.18330	27,900 ft	22	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	-7.93639	8,504 m		
TAGUX	R72	38.94560	24,800 ft	14	-
FIX	AWY-LO	-7.91417	7,559 m		
EVURA	UN726	38.66500	21,200 ft	16	-
FIX	AWY-HI	-7.91861	6,462 m		
LPFR	-	37.01530	0 ft	99	Faro
APT	-	-7.97232	0 m		

EGNM

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 681 ft / 208 m
Location: 53.866000 -1.660770
Magnetic Var: 0.287 W

METAR

EGNM 121750Z 08010KT 050V120 9999 FEW028 20/14 Q1009

TAF

TAF EGNM 121656Z 1218/1318 08010KT 9999 FEW030 TEMPO 1218/1224 7000 SHRA PROB30 TEMPO 1218/1224 3000 +SHRA +TSRA B

Frequencies

REC - 118.05 MHz - LEEDS BRADFORD ATIS
TWR - 121.80 MHz - LEEDS BRADFORD TOWER
APP - 134.55 MHz - LEEDS BRADFORD APPROACH
TWR - 120.30 MHz - LEEDS BRADFORD TOWER
DEP - 125.35 MHz - LEEDS BRADFORD DIRECTOR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	151 ft	7,390 ft	137.80	CONCRETE	1,027 ft	39 ft
	46 m	2,252 m	138.08		313 m	12 m
32	151 ft	7,390 ft	317.81	CONCRETE	899 ft	43 ft
	46 m	2,252 m	318.10		274 m	13 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	DME	ILBF	110.90 MHz	18 nm	-	-	681 ft
				33 km	-		681 m
32	DME	ILF	110.90 MHz	18 nm	-	-	687 ft
				33 km	-		687 m
14	LOC-ILS	ILBF	110.90 MHz	18 nm	137.81	-	681 ft
				33 km	138.10		681 m
32	LOC-ILS	ILF	110.90 MHz	18 nm	317.81	-	681 ft
				33 km	318.10		681 m
14	GS	ILBF	110.90 MHz	10 nm	137.81	3.50	681 ft
				19 km	138.10		681 m
32	GS	ILF	110.90 MHz	10 nm	317.81	3.00	681 ft
				19 km	318.10		681 m

LPFR

Region: PORTUGAL
Timezone: EUROPE/LISBON
Runways: 1

Elevation: 22 ft / 7 m
Location: 37.015300 -7.972320
Magnetic Var: 1.174 W

METAR

LPFR 121800Z 20003KT 160V230 CAVOK 22/16 Q1014

TAF

TAF LPFR 121700Z 1218/1318 19007KT CAVOK BECMG 1218/1220 31013KT BECMG 1303/1305 30007KT 9999 SCT020 BECMG 1310/1

Frequencies

REC - 124.20 MHz - ATIS
TWR - 120.75 MHz -

GND - 118.57 MHz -
APP - 119.40 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft	8,179 ft	100.08	ASPHALT	148 ft	0 ft
	45 m	2,493 m	101.25		45 m	0 m
28	148 ft	8,179 ft	280.09	ASPHALT	144 ft	0 ft
	45 m	2,493 m	281.27		44 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	DME	IIF	109.50 MHz	18 nm	-	-	24 ft
				33 km	-		24 m
28	LOC-ILS	IIF	109.50 MHz	18 nm	280.08	-	22 ft
				33 km	281.25		22 m
28	GS	IIF	109.50 MHz	10 nm	280.17	3.00	24 ft
				19 km	281.35		24 m