

OLBA

Beyrouth Rafic Hariri Intl


OMDB

Dubai Intl

2024/05/12 0406Z

OLBA ASB18 GEROK OMDB

1155.57 nm / 2140.12 km



Notes

Generated

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OLBA	-	33.83821	0 ft	-	-
APT	-	35.48709	0 m		
ASB18	-	29.14357	0 ft	676	-
FIX	-	47.51090	0 m		
GEROK	-	25.30322	0 ft	474	-
FIX	-	55.27345	0 m		
OMDB	-	25.26213	0 ft	4	-
APT	-	55.34757	0 m		

OLBA

Region: LEBANON
Timezone: UNKNOWN
Runways: 3

Elevation: 84 ft / 26 m
Location: 33.820500 35.487600
Magnetic Var: 5.443 E

METAR

UNKNOWN

TAF

TAF OLBA 112200Z 1200/1306 15004KT 7000 BKN026 PROB30 TEMPO 1200/1218 5000 BR TEMPO 1206/1306 23010KT 4000 TSRA FE

Frequencies

REC - 120.60 MHz - ATIS
GND - 121.90 MHz - BEIRUT HARIRI GROUND
APP - 120.30 MHz - BEIRUT APPROACH
TWR - 118.90 MHz - BEIRUT HARIRI TOWER
APP - 119.30 MHz - BEIRUT APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	12,484 ft	32.77	CONCRETE	1,821 ft	390 ft
	45 m	3,805 m	27.32		555 m	119 m
21	148 ft	12,484 ft	212.78	CONCRETE	3,268 ft	390 ft
	45 m	3,805 m	207.34		996 m	119 m
16	148 ft	11,168 ft	166.99	CONCRETE	591 ft	394 ft
	45 m	3,404 m	161.54		180 m	120 m
34	148 ft	11,168 ft	346.99	CONCRETE	0 ft	341 ft
	45 m	3,404 m	341.55		0 m	104 m
17	148 ft	10,623 ft	176.90	ASPHALT	0 ft	154 ft
	45 m	3,238 m	171.46		0 m	47 m
35	148 ft	10,623 ft	356.90	ASPHALT	2,697 ft	0 ft
	45 m	3,238 m	351.46		822 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	DME	IKK	110.70 MHz	18 nm	-	-	43 ft
				33 km	-		43 m
16	DME	IBB	110.10 MHz	18 nm	-	-	10 ft
				33 km	-		10 m
03	LOC-ILS	IKK	110.70 MHz	18 nm	32.78	-	84 ft
				33 km	27.34		84 m
16	LOC-ILS	IBB	110.10 MHz	18 nm	166.99	-	84 ft
				33 km	161.55		84 m
17	LOC-ILS	BIL	109.50 MHz	18 nm	176.90	-	84 ft
				33 km	171.46		84 m
03	GS	IKK	110.70 MHz	10 nm	32.78	3.00	84 ft
				19 km	27.34		84 m
16	GS	IBB	110.10 MHz	10 nm	166.99	3.00	84 ft
				19 km	161.55		84 m
17	GS	BIL	109.50 MHz	10 nm	176.90	3.00	84 ft
				19 km	171.46		84 m

OMDB

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 62 ft / 19 m
Location: 25.251100 55.371100
Magnetic Var: 2.353 E

METAR

OMDB 120300Z 10004KT 060V140 8000 NSC 28/22 Q1008 NOSIG

TAF

TAF OMDB 112300Z 1200/1306 11005KT 8000 NSC PROB30 1200/1204 3000 BR BECMG 1208/1210 34014KT BECMG 1217/1219 10000

Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.17		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.15		302 m	115 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m