EDXW
Westerland Sylt


-

EDDW
Bremen

2024/03/19 0821Z

EDXW LBV GIBMA EDDW

8242.98 nm / 15266.00 km



Notes

Requested: EDXW OLDIP Z441 BADOS LBV N125 WSN L23 GIBMA EDDW
Unmatched points: OLDIP Z441 N125 WSN

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EDXW APT	–	54.91243 8.34154	0 ft 0 m	–	Westerland Sylt
LBV VOR	–	26.82817 -81.39144	0 ft 0 m	4094	LA BELLE VORTAC
GIBMA FIX	–	53.21306 8.77139	0 ft 0 m	4138	–
EDDW APT	–	53.04571 8.78900	0 ft 0 m	10	Bremen

EDXW

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 2

Elevation: 30 ft / 9 m
Location: 54.912400 8.341540
Magnetic Var: 3.171 E

METAR

EDXW 190750Z AUTO 15015KT 9999 // OVC012/// 05/02 Q1017

TAF

UNKNOWN

Frequencies

REC - 118.40 MHz - SYLT ATIS
APP - 124.07 MHz - BREMEN RADAR

TWR - 119.75 MHz - SYLT TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	148 ft 45 m	6,956 ft 2,120 m	144.48 141.31	ASPHALT	0 ft 0 m	105 ft 32 m
32	148 ft 45 m	6,956 ft 2,120 m	324.49 321.32	ASPHALT	0 ft 0 m	105 ft 32 m
06	148 ft 45 m	5,556 ft 1,693 m	59.77 56.60	ASPHALT	0 ft 0 m	0 ft 0 m
24	148 ft 45 m	5,556 ft 1,693 m	239.79 236.62	ASPHALT	0 ft 0 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32	DME	IWES	111.50 MHz	18 nm 33 km	- -	-	49 ft 49 m
32	LOC-ILS	IWES	111.50 MHz	18 nm 33 km	324.49 321.32	-	30 ft 30 m
32	GS	IWES	111.50 MHz	10 nm 19 km	325.49 322.32	3.00	30 ft 30 m

EDDW

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 2

Elevation: 14 ft / 4 m
Location: 53.045700 8.789000
Magnetic Var: 3.282 E

METAR

EDDW 190750Z AUTO 13007KT 100V160 9999 BKN040 06/02 Q1019 NOSIG

TAF

TAF EDDW 190500Z 1906/2006 13006KT 9999 FEW030 PROB30 TEMPO 1906/1909 3500 BR BKN004 TEMPO 1910/1916 20006KT

Frequencies

GND - 121.75 MHz -
TWR - 118.50 MHz -
APP - 124.80 MHz - RADAR

TWR - 125.10 MHz - INFO
TWR - 134.82 MHz -
APP - 136.27 MHz - RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	75 ft 23 m	2,299 ft 701 m	51.50 48.22	ASPHALT	0 ft 0 m	0 ft 0 m
23	75 ft 23 m	2,299 ft 701 m	231.51 228.23	ASPHALT	0 ft 0 m	0 ft 0 m
09	148 ft 45 m	8,616 ft 2,626 m	87.78 84.50	ASPHALT	945 ft 288 m	0 ft 0 m
27	148 ft 45 m	8,616 ft 2,626 m	267.82 264.53	ASPHALT	984 ft 300 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	LOC-ILS	IBRE	110.30 MHz	18 nm 33 km	87.80 84.52	-	14 ft 14 m
27	LOC-ILS	IBRW	110.90 MHz	18 nm 33 km	267.80 264.52	-	14 ft 14 m
09	GS	IBRE	110.30 MHz	10 nm 19 km	87.80 84.52	3.00	14 ft 14 m
27	GS	IBRW	110.90 MHz	10 nm 19 km	267.80 264.52	3.00	14 ft 14 m