


2024/05/06 0933Z

HECA SISIK TB515 GETAN KEDET IVATA ELETA TAMIM PETRA DEESA ODBAT NORGI TAMRO NOTLI LOXOM TORTA  
ALSAT EGN OV KUSAR KUNDO VEDED BONAN NAGOG DASLO ORMID OMDB

1328.35 nm / 2460.10 km



## Notes

Requested: HECA SISIK TB515 GETAN KEDET IVATA ELETA TAMIM PETRA DEESA ODBAT NORGI TAMRO NOTLI LOXOM TORTA ALSAT EG

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
HECA	-	30.11140	0 ft	-	Cairo International
APT	-	31.41390	0 m	-	
SISIK	-	29.60000	0 ft	72	-
FIX	-	32.68500	0 m	-	-
TB515	-	29.26640	0 ft	101	-
FIX	-	34.59690	0 m	-	-
GETAN	-	29.26860	0 ft	8	-
FIX	-	34.76810	0 m	-	-
KEDET	-	29.40950	0 ft	15	-
FIX	-	35.02720	0 m	-	-
IVATA	-	29.42220	0 ft	10	-
FIX	-	35.23240	0 m	-	-
ELETA	-	29.53360	0 ft	14	-
FIX	-	35.48340	0 m	-	-
TAMIM	-	29.61110	0 ft	17	-
FIX	-	35.81110	0 m	-	-
PETRA	-	29.70170	0 ft	29	-
FIX	-	36.36940	0 m	-	-
DEESA	-	29.75250	0 ft	16	-
FIX	-	36.68390	0 m	-	-
ODBAT	-	29.53920	0 ft	144	-
FIX	-	39.44060	0 m	-	-
NORGI	-	29.08750	0 ft	107	-
FIX	-	41.42940	0 m	-	-
TAMRO	-	28.64390	0 ft	70	-
FIX	-	42.67970	0 m	-	-
NOTLI	-	28.20000	0 ft	56	-
FIX	-	43.62060	0 m	-	-
LOXOM	-	27.94670	0 ft	31	-
FIX	-	44.14220	0 m	-	-
TORTA	-	27.31830	0 ft	130	-
FIX	-	46.48640	0 m	-	-
ALSAT	-	27.10310	0 ft	56	-
FIX	-	47.52170	0 m	-	-
EGNOV	-	27.05030	0 ft	14	-
FIX	-	47.78690	0 m	-	-
KUSAR	-	26.79470	0 ft	68	-
FIX	-	49.03830	0 m	-	-
KUNDO	-	26.27530	0 ft	130	-
FIX	-	51.39030	0 m	-	-
VEDED	-	26.09950	0 ft	23	-
FIX	-	51.77440	0 m	-	-
BONAN	-	26.03350	0 ft	8	-
FIX	-	51.91820	0 m	-	-
NAGOG	-	25.87060	0 ft	21	-
FIX	-	52.27080	0 m	-	-
DASLO	-	25.76030	0 ft	14	-
FIX	-	52.50820	0 m	-	-
ORMID	-	25.56500	0 ft	24	-
FIX	-	52.90940	0 m	-	-
OMDB	-	25.25110	0 ft	134	Dubai Intl
APT	-	55.37110	0 m	-	

## HECA

Region: EGYPT  
Timezone: AFRICA/CAIRO  
Runways: 3

Elevation: 466 ft / 142 m  
Location: 30.111400 31.413900  
Magnetic Var: 4.950 E

## METAR

HECA 060900Z 27008KT 9999 BKN025 23/10 Q1014

## TAF

TAF HECA 060500Z 0606/0712 29011KT 9999 SCT025= TAF HESX 060500Z 0606/0712 27010KT 9999 SCT030

## Frequencies

REC - 122.60 MHz - ATIS  
GND - 121.90 MHz - CAIRO GROUND NORTH  
APP - 119.05 MHz - CAIRO APPROACH  
GND - 120.40 MHz - CAIRO GROUND SOUTH  
TWR - 118.10 MHz - CAIRO TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05R	197 ft	13,135 ft	49.04	ASPHALT	0 ft	217 ft
	60 m	4,004 m	44.09		0 m	66 m
23L	197 ft	13,135 ft	229.05	ASPHALT	0 ft	226 ft
	60 m	4,004 m	224.10		0 m	69 m
05C	197 ft	13,132 ft	49.04	ASPHALT	0 ft	217 ft
	60 m	4,003 m	44.09		0 m	66 m
23C	197 ft	13,132 ft	229.05	ASPHALT	0 ft	226 ft
	60 m	4,003 m	224.10		0 m	69 m
05L	197 ft	10,840 ft	49.29	ASPHALT	0 ft	184 ft
	60 m	3,304 m	44.34		0 m	56 m
23R	197 ft	10,840 ft	229.30	ASPHALT	0 ft	184 ft
	60 m	3,304 m	224.35		0 m	56 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05L	DME	CRL	110.90 MHz	18 nm	-	-	230 ft
				33 km	-		230 m
05R	DME	IROT	109.90 MHz	18 nm	-	-	430 ft
				33 km	-		430 m
23L	DME	ILOT	109.50 MHz	18 nm	-	-	420 ft
				33 km	-		420 m
23R	DME	CRR	110.30 MHz	18 nm	-	-	230 ft
				33 km	-		230 m
05L	LOC-ILS	IZFL	110.90 MHz	18 nm	49.30	-	466 ft
				33 km	44.35		466 m
05C	LOC-ILS	IZFC	109.90 MHz	18 nm	49.04	-	466 ft
				33 km	44.09		466 m
05R	LOC-ILS	IZFR	108.90 MHz	18 nm	49.05	-	466 ft
				33 km	44.10		466 m
23L	LOC-ILS	ITTL	108.70 MHz	18 nm	229.05	-	466 ft
				33 km	224.10		466 m
23C	LOC-ILS	ITTC	109.50 MHz	18 nm	229.04	-	466 ft
				33 km	224.09		466 m
23R	LOC-ILS	ITTR	110.30 MHz	18 nm	229.30	-	466 ft

Runway	Type	Ident	Frequency	Range		Bearing (true) (mag)	Slope	Elevation
				33 km				
05L	GS	IZFL	110.90 MHz	10 nm		49.30	3.00	466 ft
				19 km		44.35		466 m
05C	GS	IZFC	109.90 MHz	10 nm		49.04	3.00	466 ft
				19 km		44.09		466 m
05R	GS	IZFR	108.90 MHz	10 nm		49.05	3.00	466 ft
				19 km		44.10		466 m
23L	GS	ITTL	108.70 MHz	10 nm		229.05	3.00	466 ft
				19 km		224.10		466 m
23C	GS	ITTC	109.50 MHz	10 nm		229.04	3.00	466 ft
				19 km		224.09		466 m
23R	GS	ITTR	110.30 MHz	10 nm		229.30	3.00	466 ft
				19 km		224.35		466 m

## OMDB

Region: UNITED ARAB EMIRATES  
Timezone: ASIA/DUBAI  
Runways: 2

Elevation: 62 ft / 19 m  
Location: 25.251100 55.371100  
Magnetic Var: 2.352 E

## METAR

OMDB 060900Z 27005KT 220V330 CAVOK 38/11 Q1008 NOSIG

## TAF

TAF OMDB 060500Z 0606/0712 VRB02KT CAVOK BECMG 0608/0610 31012KT BECMG 0615/0617 08005KT BECMG 0703/0705 18012KT

## Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.18		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.15		302 m	115 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m