


2024/05/12 0413Z

NZAA BIGET LANPI SULAD KLONN BNN07 EGLL

9919.38 nm / 18370.70 km



## Notes

Generated

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
NZAA	-	-37.01438	0 ft	-	-
APT	-	174.77090	0 m		
BIGET	-	52.87000	0 ft	5488	-
FIX	-	155.77833	0 m		
LANPI	-	60.00000	0 ft	447	-
FIX	-	151.85000	0 m		
SULAD	-	62.00000	0 ft	3321	-
FIX	-	5.44500	0 m		
KLONN	-	58.39000	0 ft	230	-
FIX	-	2.82889	0 m		
BNN07	-	51.64651	0 ft	419	-
FIX	-	-0.41265	0 m		
EGLL	-	51.46477	0 ft	11	-
APT	-	-0.48695	0 m		

## NZAA

Region: NEW ZEALAND AND ANTARCTICA  
Timezone: PACIFIC/AUCKLAND  
Runways: 1

Elevation: 23 ft / 7 m  
Location: -37.008100 174.792000  
Magnetic Var: 20.179 E

## METAR

NZAA 120400Z AUTO 21003KT 9999 FEW055/// 15/07 Q1023

## TAF

TAF NZAA 120214Z 1203/1306 22005KT 9999 SCT050 FM120800 01010KT 9999 -SHRA BKN040 BECMG 1214/1216 VRB02KT BECMG 1216/1218 22005KT 9999 SCT050

## Frequencies

REC - 127.80 MHz - ATIS	REC - 127.00 MHz - ATIS
GND - 121.90 MHz - AUCKLAND GROUND	TWR - 118.70 MHz - AUCKLAND TOWER
TWR - 120.95 MHz - AUCKLAND TOWER	CLD - 128.20 MHz - CLEARANCE DELIVERY
APP - 120.10 MHz - AUCKLAND APPROACH	APP - 124.30 MHz - AUCKLAND APPROACH
APP - 129.50 MHz - AUCKLAND APPROACH	APP - 129.60 MHz - AUCKLAND APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05R	151 ft	12,040 ft	70.92	CONCRETE	1,250 ft	0 ft
	46 m	3,670 m	50.74		381 m	0 m
23L	151 ft	12,040 ft	250.90	CONCRETE	0 ft	131 ft
	46 m	3,670 m	230.72		0 m	40 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05R	DME	IAA	110.30 MHz	18 nm	-	-	23 ft
				33 km	-		23 m
23L	DME	IMG	109.90 MHz	18 nm	-	-	23 ft
				33 km	-		23 m
05R	LOC-ILS	IAA	110.30 MHz	18 nm	70.91	-	23 ft
				33 km	50.73		23 m
23L	LOC-ILS	IMG	109.90 MHz	18 nm	250.91	-	23 ft
				33 km	230.73		23 m
05R	GS	IAA	110.30 MHz	10 nm	70.91	3.00	23 ft
				19 km	50.73		23 m
23L	GS	IMG	109.90 MHz	10 nm	250.91	3.00	23 ft
				19 km	230.73		23 m

## EGLL

Region: UNITED KINGDOM  
Timezone: EUROPE/LONDON  
Runways: 2

Elevation: 83 ft / 25 m  
Location: 51.471200 -0.460881  
Magnetic Var: 0.378 E

## METAR

EGLL 120350Z AUTO 04003KT 9999 NCD 12/10 Q1015 NOSIG

## TAF

TAF EGLL 112253Z 1200/1306 08007KT 9999 FEW045 PROB30 1203/1207 8000 PROB30 TEMPO 1213/1218 3000 +SHRA BECMG 1215

## Frequencies

REC - 128.07 MHz - HEATHROW INFORMATION	REC - 121.92 MHz - HEATHROW INFORMATION
CLD - 121.97 MHz - HEATHROW DELIVERY	GND - 121.70 MHz - HEATHROW GROUND
GND - 121.85 MHz - HEATHROW GROUND	GND - 121.90 MHz - HEATHROW GROUND
TWR - 118.50 MHz - HEATHROW TOWER	TWR - 118.70 MHz - HEATHROW TOWER
TWR - 124.47 MHz - HEATHROW TOWER	APP - 119.72 MHz - HEATHROW DIRECTOR
APP - 120.40 MHz - HEATHROW DIRECTOR	APP - 134.97 MHz - HEATHROW DIRECTOR
APP - 125.62 MHz - HEATHROW RADAR	APP - 127.52 MHz - HEATHROW RADAR
DEP - 120.52 MHz - HEATHROW DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	164 ft	12,770 ft	89.66	ASPHALT	1,007 ft	0 ft
	50 m	3,892 m	89.28		307 m	0 m
27R	164 ft	12,770 ft	269.70	ASPHALT	0 ft	177 ft
	50 m	3,892 m	269.33		0 m	54 m
09R	164 ft	11,975 ft	89.68	ASPHALT	1,004 ft	0 ft
	50 m	3,650 m	89.30		306 m	0 m
27L	164 ft	11,975 ft	269.72	ASPHALT	0 ft	95 ft
	50 m	3,650 m	269.34		0 m	29 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	IAA	110.30 MHz	18 nm	-	-	89 ft
				33 km	-		89 m
09R	DME	IBB	109.50 MHz	18 nm	-	-	84 ft
				33 km	-		84 m
27L	DME	ILL	109.50 MHz	18 nm	-	-	84 ft
				33 km	-		84 m
27R	DME	IRR	110.30 MHz	18 nm	-	-	89 ft
				33 km	-		89 m
09L	LOC-ILS	IAA	110.30 MHz	18 nm	89.68	-	83 ft
				33 km	89.30		83 m
09R	LOC-ILS	IBB	109.50 MHz	18 nm	89.70	-	83 ft
				33 km	89.32		83 m
27L	LOC-ILS	ILL	109.50 MHz	18 nm	269.70	-	83 ft
				33 km	269.32		83 m
27R	LOC-ILS	IRR	110.30 MHz	18 nm	269.68	-	83 ft
				33 km	269.30		83 m
09L	GS	IAA	110.30 MHz	10 nm	89.68	3.00	83 ft
				19 km	89.30		83 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09R	GS	IBB	109.50 MHz	10 nm	89.70	3.00	83 ft
				19 km	89.32		83 m
27L	GS	ILL	109.50 MHz	10 nm	269.70	3.00	83 ft
				19 km	269.32		83 m
27R	GS	IRR	110.30 MHz	10 nm	269.68	3.00	83 ft
				19 km	269.30		83 m