


2024/05/13 2056Z

LTBA TOKER **UG8** GEM **UW73** DYB **UP975** SIDAD **R784** IMDAT **B416** ORSAR OMDB

1657.57 nm / 3069.82 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 37000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LTBA	-	40.97914	0 ft	-	Istanbul Ataturk
APT	-	28.81283	0 m		
TOKER	-	40.31333	33,900 ft	97	-
FIX	-	30.77222	10,333 m		
PETAR	UG8	40.17222	35,000 ft	60	-
FIX	AWY-HI	32.08194	10,668 m		
BAG	UG8	40.06953	35,000 ft	34	BAGLUM VOR-DME
VOR	AWY-HI	32.81039	10,668 m		
KUBER	UG8	39.83333	35,000 ft	39	-
FIX	AWY-HI	33.61111	10,668 m		
MARTI	UG8	39.40167	35,000 ft	77	-
FIX	AWY-HI	35.18278	10,668 m		
GEM	UG8	39.15528	35,000 ft	42	GEMEREK VOR-DME
VOR	AWY-HI	36.02917	10,668 m		
ERH	UW73	38.46333	35,000 ft	105	ERHAC NDB
NDB	AWY-HI	38.11222	10,668 m		
ASKER	UW73	38.27389	35,000 ft	33	-
FIX	AWY-HI	38.77472	10,668 m		
DYB	UW73	37.87083	35,000 ft	71	DIYARBAKIR NDB
NDB	AWY-HI	40.20861	10,668 m		
LESRI	UP975	37.07222	35,000 ft	68	-
FIX	AWY-HI	41.23028	10,668 m		
KANOK	UP975	36.56515	35,000 ft	37	-
FIX	AWY-HI	41.68316	10,668 m		
GETID	UP975	35.26406	35,000 ft	99	-
FIX	AWY-HI	42.93303	10,668 m		
LOPAS	UP975	34.50096	35,000 ft	57	-
FIX	AWY-HI	43.64288	10,668 m		
SOGUM	UP975	34.20333	35,000 ft	22	-
FIX	AWY-HI	43.91500	10,668 m		
ETBOM	UP975	33.36048	35,000 ft	67	-
FIX	AWY-HI	44.79793	10,668 m		
NOLDO	UP975	32.82567	35,000 ft	42	-
FIX	AWY-HI	45.35817	10,668 m		
DENKI	UP975	32.37457	35,000 ft	36	-
FIX	AWY-HI	45.85599	10,668 m		
ILMAP	UP975	31.35917	35,000 ft	82	-
FIX	AWY-HI	46.95056	10,668 m		
SIDAD	UP975	29.87528	35,000 ft	119	-
FIX	AWY-HI	48.49556	10,668 m		
DESLU	R784	29.46667	35,000 ft	37	-
FIX	AWY-HI	49.03056	10,668 m		
NANPI	R784	29.08250	35,000 ft	34	-
FIX	AWY-HI	49.53250	10,668 m		
OBMOR	R784	28.97056	35,000 ft	9	-
FIX	AWY-HI	49.67000	10,668 m		
ALNIN	R784	28.67861	35,000 ft	25	-
FIX	AWY-HI	50.02722	10,668 m		
IMDAT	R784	27.68333	35,000 ft	85	-
FIX	AWY-HI	51.18333	10,668 m		
DURSI	B416	27.20528	35,000 ft	53	-
FIX	AWY-HI	52.02889	10,668 m		
EGMID	B416	26.60417	31,700 ft	66	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	53.06694	9,662 m		
ORSAR	B416	26.07500	19,400 ft	57	-
FIX	AWY-HI	53.95833	5,913 m		
OMDB	-	25.25491	0 ft	90	DUBAI INTL
APT	-	55.36426	0 m		

LTBA

Region: TURKEY
Timezone: EUROPE/ISTANBUL
Runways: 1

Elevation: 163 ft / 50 m
Location: 40.976100 28.814200
Magnetic Var: 6.067 E

METAR

LTBA 132020Z 36003KT 9999 FEW040 11/07 Q1019 RMK RWY23 35004KT

TAF

TAF LTBA 131640Z 1318/1418 04007KT 9999 SCT040 TEMPO 1318/1321 -SHRA FEW018TCU BKN027 BECMG 1321/1323 CAVOK BECMG

Frequencies

REC - 130.25 MHz - D-ATIS ARRIVAL	REC - 128.20 MHz - D-ATIS DEPARTURE
TWR - 118.02 MHz - YESILKOY TOWER	TWR - 118.10 MHz - YESILKOY TOWER
TWR - 118.17 MHz - YESILKOY TOWER	TWR - 118.37 MHz - YESILKOY TOWER
TWR - 119.80 MHz - YESILKOY TOWER	TWR - 121.35 MHz - YESILKOY TOWER
TWR - 121.60 MHz - YESILKOY TOWER	TWR - 121.97 MHz - YESILKOY TOWER
TWR - 123.52 MHz - YESILKOY TOWER	TWR - 125.30 MHz - YESILKOY TOWER
TWR - 125.90 MHz - YESILKOY TOWER	TWR - 126.05 MHz - YESILKOY TOWER
TWR - 126.80 MHz - YESILKOY TOWER	APP - 118.95 MHz - YESILKOY APPROACH
APP - 119.35 MHz - YESILKOY APPROACH	APP - 119.47 MHz - YESILKOY APPROACH
APP - 120.12 MHz - YESILKOY APPROACH	APP - 120.45 MHz - YESILKOY APPROACH
APP - 120.50 MHz - YESILKOY APPROACH	APP - 120.70 MHz - YESILKOY APPROACH
APP - 121.10 MHz - YESILKOY APPROACH	APP - 121.25 MHz - YESILKOY APPROACH
APP - 122.47 MHz - YESILKOY APPROACH	APP - 122.57 MHz - YESILKOY APPROACH
APP - 122.67 MHz - YESILKOY APPROACH	APP - 124.45 MHz - YESILKOY APPROACH
APP - 126.42 MHz - YESILKOY APPROACH	APP - 127.10 MHz - YESILKOY APPROACH
APP - 127.82 MHz - YESILKOY APPROACH	APP - 128.72 MHz - YESILKOY APPROACH
APP - 130.30 MHz - YESILKOY APPROACH	APP - 131.12 MHz - YESILKOY APPROACH
APP - 132.05 MHz - YESILKOY APPROACH	APP - 132.32 MHz - YESILKOY APPROACH
APP - 132.47 MHz - YESILKOY APPROACH	APP - 132.77 MHz - YESILKOY APPROACH
APP - 132.95 MHz - YESILKOY APPROACH	APP - 133.07 MHz - YESILKOY APPROACH
APP - 133.22 MHz - YESILKOY APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	197 ft	8,513 ft	58.45	ASPHALT	492 ft	207 ft
	60 m	2,595 m	52.38		150 m	63 m
23	197 ft	8,513 ft	238.47	ASPHALT	0 ft	197 ft
	60 m	2,595 m	232.40		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	DME	IIST	110.30 MHz	18 nm	-	-	82 ft
				33 km	-		82 m
23	DME	IATA	111.90 MHz	18 nm	-	-	163 ft
				33 km	-		163 m
05	LOC-ILS	IIST	110.30 MHz	18 nm	58.46	-	163 ft
				33 km	52.39		163 m
23	LOC-ILS	IATA	111.90 MHz	18 nm	238.46	-	163 ft
				33 km	232.39		163 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	GS	IIST	110.30 MHz	10 nm	58.46	3.00	163 ft
				19 km	52.39		163 m
23	GS	IATA	111.90 MHz	10 nm	238.46	3.20	163 ft
				19 km	232.39		163 m

OMDB

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 62 ft / 19 m
Location: 25.251100 55.371100
Magnetic Var: 2.353 E

METAR

OMDB 132000Z 08003KT 040V110 CAVOK 34/16 Q1006 NOSIG

TAF

TAF OMDB 131700Z 1318/1500 12007KT 8000 NSC BECMG 1400/1402 18014KT BECMG 1409/1411 33012KT BECMG 1415/1417 12005

Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.17		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.15		302 m	115 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m