


2024/05/01 2046Z

KVGT CUNDY **J76** FTI **J8** IFI **V140** GENET KFLP

1105.29 nm / 2046.99 km



Notes

Basic altitude profile:

- Ascent Rate: 1300ft/min
- Ascent Speed: 150kts
- Cruise Altitude: 270ft
- Cruise Speed: 298kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KVGT APT	-	36.21060 -115.19400	0 ft 0 m	-	North Las Vegas
CUNDY FIX	-	36.06010 -112.99200	200 ft 61 m	107	-
CORKR FIX	J76 AWY-HI	36.08400 -112.40000	200 ft 61 m	28	-
TBC VOR	J76 AWY-HI	36.12130 -111.27000	200 ft 61 m	54	TUBA CITY
TANER FIX	J76 AWY-HI	35.86830 -107.42800	200 ft 61 m	187	-
FTI VOR	J76 AWY-HI	35.65760 -105.13600	200 ft 61 m	112	FORT UNION
BGD VOR	J8 AWY-HI	35.80710 -101.38200	200 ft 61 m	183	BORGER
DANKS FIX	J8 AWY-HI	35.63050 -99.32570	200 ft 61 m	100	-
IFI VOR	J8 AWY-HI	35.80530 -98.00390	200 ft 61 m	65	KINGFISHER
WENDY FIX	V140 AWY-LO	35.92500 -97.54750	200 ft 61 m	23	-
LASTS FIX	V140 AWY-LO	35.99590 -97.27350	200 ft 61 m	13	-
GULLI FIX	V140 AWY-LO	36.01200 -97.14430	200 ft 61 m	6	-
IBAAB FIX	V140 AWY-LO	36.06280 -96.79350	200 ft 61 m	17	-
YARNS FIX	V140 AWY-LO	36.07760 -96.68510	200 ft 61 m	5	-
SEARS FIX	V140 AWY-LO	36.11850 -96.38230	200 ft 61 m	14	-
TUL VOR	V140 AWY-LO	36.19630 -95.78810	200 ft 61 m	29	TULSA
INOLA FIX	V140 AWY-LO	36.20940 -95.41920	200 ft 61 m	17	-
TUSOC FIX	V140 AWY-LO	36.21190 -95.34380	200 ft 61 m	3	-
PRYOR FIX	V140 AWY-LO	36.21590 -95.22320	200 ft 61 m	5	-
GENET FIX	V140 AWY-LO	36.23880 -94.43570	200 ft 61 m	38	-
KFLP APT	-	36.29090 -92.59030	0 ft 0 m	89	MARION CO RGNL

KVGT

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 3

Elevation: 2,205 ft / 672 m
Location: 36.210600 -115.194000
Magnetic Var: 11.083 E

METAR

KVGT 011953Z 31014G22KT 270V350 10SM CLR 29/M09 A2977 RMK A02 PK WND 33027/1904 SLP075 T02941094

TAF

KVGT 011720Z 0118/0218 33012G22KT P6SM SKC FM012100 33011KT P6SM FEW120 FM020300 35009KT P6SM SKC FM021600 02008KT

Frequencies

REC - 118.05 MHz - ATIS	COM - 122.95 MHz - NORTH LAS VEGAS UNICOM
CLD - 124.00 MHz - CLEARANCE DELIVERY	GND - 121.70 MHz - NORTH LAS VEGAS GROUND
TWR - 125.70 MHz - NORTH LAS VEGAS TOWER	APP - 119.40 MHz - LAS VEGAS APPROACH
APP - 118.12 MHz - LAS VEGAS APPROACH	APP - 125.02 MHz - LAS VEGAS APPROACH
APP - 125.60 MHz - LAS VEGAS APPROACH	DEP - 119.40 MHz - LAS VEGAS DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	74 ft	4,994 ft	88.60	ASPHALT	0 ft	299 ft
	23 m	1,522 m	77.52		0 m	91 m
26	74 ft	4,994 ft	268.61	ASPHALT	0 ft	302 ft
	23 m	1,522 m	257.53		0 m	92 m
12R	74 ft	5,000 ft	134.46	ASPHALT	0 ft	302 ft
	23 m	1,524 m	123.37		0 m	92 m
30L	74 ft	5,000 ft	314.46	ASPHALT	0 ft	302 ft
	23 m	1,524 m	303.38		0 m	92 m
12L	74 ft	4,365 ft	134.45	ASPHALT	174 ft	0 ft
	23 m	1,331 m	123.37		53 m	0 m
30R	74 ft	4,365 ft	314.46	ASPHALT	200 ft	151 ft
	23 m	1,331 m	303.37		61 m	46 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IHWG	110.70 MHz	18 nm	-	-	2,151 ft
				33 km	-		2,151 m
12L	LOC-ILS	IHWG	110.70 MHz	18 nm	134.46	-	2,205 ft
				33 km	123.38		2,205 m
12L	GS	IHWG	110.70 MHz	10 nm	134.46	3.20	2,205 ft
				19 km	123.38		2,205 m