


2024/05/04 0221Z

LOWW OZE24 VALBO BL008 ABT BRIKE LXGB

1214.77 nm / 2249.75 km



Notes

Generated

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LOWW	-	48.11978	0 ft	-	-
APT	-	16.57818	0 m		
OZE24	-	46.01706	0 ft	256	-
FIX	-	11.13138	0 m		
VALBO	-	44.05944	0 ft	214	-
FIX	-	6.89445	0 m		
BL008	-	41.65425	0 ft	245	-
FIX	-	2.37648	0 m		
ABT	-	38.94408	0 ft	258	ALBACETE NDB
NDB	-	-1.99767	0 m		
BRIKE	-	36.50478	0 ft	218	-
FIX	-	-5.41645	0 m		
LXGB	-	36.15080	0 ft	21	-
APT	-	-5.35977	0 m		

LOWW

Region: AUSTRIA
Timezone: EUROPE/VIENNA
Runways: 2

Elevation: 600 ft / 183 m
Location: 48.110100 16.569600
Magnetic Var: 5.012 E

METAR

LOWW 040150Z 31017KT 9999 -SHRA NSC 11/08 Q1014 NOSIG

TAF

TAF LOWW 040215Z 0403/0509 30012KT 9999 FEW050 TX23/0415Z TN11/0503Z PROB30 TEMPO 0413/0417 FEW050CB BECMG 0415/0

Frequencies

REC - 122.95 MHz - ATIS ARRIVAL	REC - 121.72 MHz - ATIS DEPARTURE
TWR - 124.47 MHz - WIEN TOWER	TWR - 123.80 MHz - WIEN TOWER
TWR - 121.20 MHz - WIEN TOWER	TWR - 119.40 MHz - WIEN TOWER
GND - 121.77 MHz - WIEN GROUND	GND - 121.60 MHz - WIEN GROUND
CLD - 122.12 MHz - CLEARANCE DELIVERY	APP - 134.67 MHz - WIEN RADAR
APP - 125.17 MHz - WIEN RADAR	APP - 129.05 MHz - WIEN RADAR
APP - 118.77 MHz - WIEN RADAR	APP - 136.25 MHz - WIEN RADAR
APP - 119.80 MHz - WIEN DIRECTOR	APP - 134.12 MHz - WIEN DIRECTOR
REC - 118.52 MHz - WIEN INFORMATION	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	148 ft	11,822 ft	164.23	ASPHALT	0 ft	197 ft
	45 m	3,604 m	159.22		0 m	60 m
34	148 ft	11,822 ft	344.24	ASPHALT	0 ft	194 ft
	45 m	3,604 m	339.23		0 m	59 m
11	148 ft	11,495 ft	115.99	ASPHALT	0 ft	174 ft
	45 m	3,504 m	110.97		0 m	53 m
29	148 ft	11,495 ft	296.02	ASPHALT	0 ft	187 ft
	45 m	3,504 m	291.01		0 m	57 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	OEW	110.30 MHz	18 nm	-	-	593 ft
				33 km	-		593 m
16	DME	O EZ	108.50 MHz	18 nm	-	-	610 ft
				33 km	-		610 m
29	DME	O EX	109.55 MHz	18 nm	-	-	624 ft
				33 km	-		624 m
34	DME	O EN	108.10 MHz	18 nm	-	-	572 ft
				33 km	-		572 m
11	LOC-ILS	OEW	110.30 MHz	18 nm	116.04	-	600 ft
				33 km	111.03		600 m
16	LOC-ILS	O EZ	108.50 MHz	18 nm	164.25	-	600 ft
				33 km	159.24		600 m
29	LOC-ILS	O EX	109.55 MHz	18 nm	295.98	-	600 ft
				33 km	290.97		600 m
34	LOC-ILS	O EN	108.10 MHz	18 nm	344.21	-	600 ft
				33 km	339.20		600 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	GS	OEW	110.30 MHz	10 nm	116.02	3.10	593 ft
				19 km	111.01		593 m
16	GS	OEZ	108.50 MHz	10 nm	164.47	3.00	610 ft
				19 km	159.46		610 m
29	GS	OEX	109.55 MHz	10 nm	296.02	3.00	624 ft
				19 km	291.01		624 m
34	GS	OEN	108.10 MHz	10 nm	344.47	3.00	604 ft
				19 km	339.46		604 m