

LOWL

Linz Hoersching


LIPZ

Venezia Tessera

2024/05/13 0647Z

LOWL NEDSO LIPZ

180.44 nm / 334.17 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LOWL	-	48.23420	0 ft	-	Linz Hoersching
APT	-	14.18580	0 m		
NEDSO	-	46.91360	19,700 ft	88	-
FIX	-	13.23160	6,005 m		
LIPZ	-	45.50480	0 ft	92	Venezia Tessera
APT	-	12.34970	0 m		

LOWL

Region: AUSTRIA
Timezone: EUROPE/VIENNA
Runways: 2

Elevation: 978 ft / 298 m
Location: 48.235300 14.188100
Magnetic Var: 4.494 E

METAR

LOWL 130620Z AUTO 10004KT 9999 FEW080 15/05 Q1016 TEMPO 08008KT

TAF

TAF LOWL 130515Z 1306/1406 08008KT 9999 FEW040 TX22/1314Z TN12/1403Z TEMPO 1312/1317 FEW040 FEW050CB PROB30 TEMPO

Frequencies

REC - 128.12 MHz - ATIS
APP - 119.75 MHz - LINZ DIRECTOR

TWR - 118.80 MHz - LINZ TOWER
APP - 129.62 MHz - LINZ RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	197 ft	9,852 ft	87.00	ASPHALT	820 ft	0 ft
	60 m	3,003 m	82.51		250 m	0 m
26	197 ft	9,852 ft	267.03	ASPHALT	492 ft	0 ft
	60 m	3,003 m	262.54		150 m	0 m
08L	144 ft	1,865 ft	86.91	GRASS	0 ft	0 ft
	44 m	568 m	82.41		0 m	0 m
26R	144 ft	1,865 ft	266.91	GRASS	0 ft	0 ft
	44 m	568 m	262.42		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	DME	OEM	110.55 MHz	18 nm	-	-	964 ft
				33 km	-		964 m
26	DME	OEL	109.30 MHz	18 nm	-	-	996 ft
				33 km	-		996 m
08	LOC-ILS	OEM	110.55 MHz	18 nm	87.04	-	978 ft
				33 km	82.55		978 m
26	LOC-ILS	OEL	109.30 MHz	18 nm	267.04	-	978 ft
				33 km	262.55		978 m
08	GS	OEM	110.55 MHz	10 nm	87.04	3.00	978 ft
				19 km	82.55		978 m
26	GS	OEL	109.30 MHz	10 nm	267.04	3.00	978 ft
				19 km	262.55		978 m

LIPZ

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 4 ft / 1 m
Location: 45.504800 12.349700
Magnetic Var: 3.906 E

METAR

LIPZ 130620Z 02006KT CAVOK 18/13 Q1015 NOSIG

TAF

TAF LIPZ 130500Z 1306/1412 03008KT 9999 SCT050 BECMG 1309/1311 09010KT BECMG 1316/1318 VRB05KT

Frequencies

REC - 128.65 MHz - ATIS
TWR - 120.20 MHz - VENEZIA TOWER
APP - 118.25 MHz - VENEZIA APPROACH
GND - 121.70 MHz - VENEZIA GROUND
APP - 118.90 MHz - VENEZIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	10,836 ft	42.03	ASPHALT	0 ft	0 ft
	45 m	3,303 m	38.12		0 m	0 m
22L	148 ft	10,836 ft	222.05	ASPHALT	0 ft	0 ft
	45 m	3,303 m	218.14		0 m	0 m
04L	148 ft	9,129 ft	42.03	ASPHALT	318 ft	0 ft
	45 m	2,782 m	38.12		97 m	0 m
22R	148 ft	9,129 ft	222.05	ASPHALT	0 ft	0 ft
	45 m	2,782 m	218.14		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	DME	VTS	109.95 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
04R	LOC-ILS	VTS	109.95 MHz	18 nm	42.04	-	4 ft
				33 km	38.13		4 m
04R	GS	VTS	109.95 MHz	10 nm	42.04	3.00	4 ft
				19 km	38.13		4 m