

# WMKI

Ipoh/Sultan Azlan Shaw


# VTSP

Phuket Intl

2024/05/17 0728Z

WMKI VPG **B579** PUT VTSP

273.87 nm / 507.21 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
WMKI	-	4.56797	0 ft	-	Ipoh/Sultan Azlan Shaw
APT	-	101.09200	0 m		
VPG	-	5.27940	23,400 ft	65	PENANG
VOR	-	100.26100	7,132 m		
VPL	B579	6.35435	29,300 ft	71	LANGKAWI
VOR	AWY-HI	99.74550	8,931 m		
DALAN	B579	6.46889	27,400 ft	8	-
FIX	AWY-HI	99.65560	8,352 m		
PUT	B579	8.11523	100 ft	127	PHUKET
VOR	AWY-HI	98.30630	30 m		
VTSP	-	8.11322	0 ft	0	Phuket Intl
APT	-	98.31680	0 m		

## WMKI

Region: MALAYSIA (PENINSULAR MALAYSIA)  
Timezone: ASIA/KUALA\_LUMPUR  
Runways: 1

Elevation: 130 ft / 40 m  
Location: 4.567880 101.092000  
Magnetic Var: 0.048 W

## METAR

WMKI 170700Z 23010KT 190V270 9999 FEW017CB SCT020 33/25 Q1007

## TAF

TAF WMKI 170500Z 1706/1806 VRB03KT 8000 FEW020 PROB30 1708/1712 22008KT 6000 -TSRA FEW017CB

## Frequencies

TWR - 122.10 MHz - IPOH TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	147 ft	6,584 ft	41.27	ASPHALT	0 ft	0 ft
	45 m	2,007 m	41.31		0 m	0 m
22	147 ft	6,584 ft	221.27	ASPHALT	0 ft	0 ft
	45 m	2,007 m	221.31		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	IPO	110.50 MHz	18 nm	-	-	130 ft
				33 km	-		130 m
04	LOC-ILS	IPO	110.50 MHz	18 nm	41.21	-	130 ft
				33 km	41.26		130 m
04	GS	IPO	110.50 MHz	10 nm	41.42	3.00	130 ft
				19 km	41.47		130 m

## VTSP

Region: THAILAND  
Timezone: ASIA/BANGKOK  
Runways: 1

Elevation: 82 ft / 25 m  
Location: 8.113200 98.316900  
Magnetic Var: 0.288 W

## METAR

VTSP 170700Z 27006KT 230V310 9999 FEW017 SCT050 31/25 Q1007 NOSIG

## TAF

TAF VTSP 170500Z 1706/1812 30008KT 9999 SCT020 TEMPO 1706/1714 3000 TSRA FEW018CB SCT020 BKN100 BECMG 1714/1716 1

## Frequencies

REC - 128.00 MHz - PHUKET ATIS  
TWR - 118.10 MHz - PHUKET TOWER  
APP - 124.70 MHz - PHUKET APPROACH  
GND - 121.90 MHz - PHUKET GROUND  
CLD - 118.55 MHz - PHUKET DELIVERY  
APP - 120.70 MHz - PHUKET ARRIVAL

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	150 ft	9,851 ft	84.58	ASPHALT	0 ft	190 ft
	46 m	3,003 m	84.86		0 m	58 m
27	150 ft	9,851 ft	264.58	ASPHALT	0 ft	187 ft
	46 m	3,003 m	264.87		0 m	57 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
27	DME	IPKT	109.90 MHz	18 nm	-	-	82 ft
				33 km	-		82 m
27	LOC-ILS	IPKT	109.90 MHz	18 nm	264.58	-	82 ft
				33 km	264.87		82 m
27	GS	IPKT	109.90 MHz	10 nm	264.58	3.20	82 ft
				19 km	264.87		82 m