

CYYZ

Toronto Lester B Pearson International Airport


TNCB

Bonaire Flamingo

2024/06/11 1024Z

CYYZ HERBA 4200N0-7800W HOXIE **J106** DMACK SFK **J220** MICAH **J61** EDDYS ECG **AR8** OXANA **L452** GTK **A554**
TAANA **L450** SEKAR **UA554** CDO **UL793** GUEL TNCB

2045.17 nm / 3787.65 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYYZ APT	- -	43.67610 -79.62770	0 ft 0 m	-	Toronto Lester B Pearson International Airport
HERBA FIX	- -	42.24310 -78.27440	35,000 ft 10,668 m	104 -	
4200N0-7800W LATLON	- -	42.00000 -78.00000	35,000 ft 10,668 m	19 -	
HOXIE FIX	- -	41.86500 -77.85260	35,000 ft 10,668 m	10 -	
DMACK FIX	J106 AWY-HI	41.78580 -77.55190	35,000 ft 10,668 m	14 -	
SFK VOR	- -	41.69530 -77.41990	35,000 ft 10,668 m	8 -	STONYFORK
WUNDR FIX	J220 AWY-HI	41.33230 -77.42620	35,000 ft 10,668 m	21 -	
BIGEO FIX	J220 AWY-HI	41.16630 -77.42910	35,000 ft 10,668 m	9 -	
FORTT FIX	J220 AWY-HI	40.83980 -77.43470	35,000 ft 10,668 m	19 -	
OGESY FIX	J220 AWY-HI	40.73710 -77.43660	35,000 ft 10,668 m	6 -	
VALLO FIX	J220 AWY-HI	40.62680 -77.43850	35,000 ft 10,668 m	6 -	
MICAH FIX	J220 AWY-HI	40.15920 -77.44640	35,000 ft 10,668 m	28 -	
LARRI FIX	J61 AWY-HI	39.95060 -77.29840	35,000 ft 10,668 m	14 -	
EMI VOR	J61 AWY-HI	39.49500 -76.97860	35,000 ft 10,668 m	31 -	WESTMINSTER
OTT VOR	J61 AWY-HI	38.70590 -76.74480	35,000 ft 10,668 m	48 -	NOTTINGHAM
DAILY FIX	J61 AWY-HI	38.56050 -76.72530	35,000 ft 10,668 m	8 -	
COLIN FIX	J61 AWY-HI	38.09980 -76.66410	35,000 ft 10,668 m	27 -	
HUBBS FIX	J61 AWY-HI	37.96190 -76.64600	35,000 ft 10,668 m	8 -	
FORTS FIX	J61 AWY-HI	37.52930 -76.58950	35,000 ft 10,668 m	26 -	
EDDYS FIX	J61 AWY-HI	36.44040 -76.45010	35,000 ft 10,668 m	65 -	
ECG VOR	- -	36.25760 -76.17560	35,000 ft 10,668 m	17 -	ELIZABETH CITY
OHPEA FIX	AR8 AWY-HI	35.85750 -75.65130	35,000 ft 10,668 m	35 -	
TOMMZ FIX	AR8 AWY-HI	35.40240 -75.06380	35,000 ft 10,668 m	39 -	
OXANA FIX	AR8 AWY-HI	34.36260 -73.75910	35,000 ft 10,668 m	89 -	
ZZTOP FIX	L452 AWY-HI	33.83410 -73.58710	35,000 ft 10,668 m	32 -	
OMALA FIX	L452 AWY-HI	33.24220 -73.39690	35,000 ft 10,668 m	36 -	
WILYY	L452	32.31180	35,000 ft	57	-

Ident Type	Via		Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-73.10350	10,668 m			
KANUX	L452	30.56000	35,000 ft	108	-	
FIX	AWY-HI	-72.56740	10,668 m			
GALVN	L452	30.15900	35,000 ft	24	-	
FIX	AWY-HI	-72.44760	10,668 m			
KASAR	L452	28.32170	35,000 ft	113	-	
FIX	AWY-HI	-71.91930	10,668 m			
LNHOM	L452	25.00000	35,000 ft	205	-	
FIX	AWY-HI	-71.01000	10,668 m			
SLUKA	L452	24.12680	35,000 ft	52	-	
FIX	AWY-HI	-70.92350	10,668 m			
JORGG	L452	23.39310	35,000 ft	44	-	
FIX	AWY-HI	-70.86550	10,668 m			
NELSR	L452	22.69010	35,000 ft	42	-	
FIX	AWY-HI	-70.80640	10,668 m			
GTK	L452	21.44070	35,000 ft	77		GRAND TURK
VOR	AWY-HI	-71.13440	10,668 m			
TAANA	A554	20.94300	35,000 ft	31	-	
FIX	AWY-HI	-70.97390	10,668 m			
SEKAR	L450	20.41850	35,000 ft	33	-	
FIX	AWY-HI	-70.79570	10,668 m			
PTA	UA554	19.75930	35,000 ft	41		PUERTO PLATA
VOR	AWY-HI	-70.57040	10,668 m			
PISOR	UA554	19.34560	35,000 ft	29	-	
FIX	AWY-HI	-70.28860	10,668 m			
KODIX	UA554	19.13640	35,000 ft	15	-	
FIX	AWY-HI	-70.14250	10,668 m			
CDO	UA554	18.43420	35,000 ft	50		PUNTA CAUCEDO (SANTO DOMINGO)
VOR	AWY-HI	-69.66730	10,668 m			
MEDIB	UL793	17.82640	35,000 ft	37	-	
FIX	AWY-HI	-69.52810	10,668 m			
TEKOL	UL793	16.00000	35,000 ft	112	-	
FIX	AWY-HI	-69.11500	10,668 m			
UKITO	UL793	14.83330	35,000 ft	71	-	
FIX	AWY-HI	-68.84000	10,668 m			
ALIMI	UL793	14.37830	29,500 ft	27	-	
FIX	AWY-HI	-68.73500	8,992 m			
GUDEL	UL793	13.80000	21,800 ft	35	-	
FIX	AWY-HI	-68.60170	6,645 m			
TNCB	-	12.13100	0 ft	102		Bonaire Flamingo
APT	-	-68.26850	0 m			

CYYZ

Region: CANADA
Timezone: AMERICA/TORONTO
Runways: 5

Elevation: 564 ft / 172 m
Location: 43.676100 -79.627700
Magnetic Var: 10.260 W

METAR

CYYZ 111000Z 36008KT 15SM OVC033 11/06 A2995 RMK SC8 SLP146

TAF

TAF CYYZ 110840Z 1109/1212 01008KT P6SM FEW020 BKN050 TEMPO 1109/1115 BKN020 BKN040 FM111600 02007KT P6SM BKN040

Frequencies

TWR - 118.35 MHz - TORONTO TOWER	TWR - 118.70 MHz - TORONTO TOWER
GND - 119.10 MHz - TORONTO GROUND	GND - 121.65 MHz - TORONTO GROUND
GND - 121.90 MHz - TORONTO GROUND	REC - 120.82 MHz - ATIS
REC - 133.10 MHz - ATIS	CLD - 121.30 MHz - CLEARANCE DELIVERY
APP - 132.80 MHz - TORONTO APPROACH	APP - 124.47 MHz - TORONTO APPROACH
APP - 125.40 MHz - TORONTO APPROACH	APP - 123.27 MHz - LONDON RADIO
DEP - 127.57 MHz - TORONTO DEPARTURE	DEP - 128.80 MHz - TORONTO DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	197 ft	9,707 ft	46.43	ASPHALT	0 ft	131 ft
	60 m	2,959 m	56.69		0 m	40 m
24R	197 ft	9,707 ft	226.45	ASPHALT	194 ft	98 ft
	60 m	2,959 m	236.71		59 m	30 m
06R	197 ft	9,007 ft	46.43	ASPHALT	0 ft	95 ft
	60 m	2,745 m	56.69		0 m	29 m
24L	197 ft	9,007 ft	226.45	ASPHALT	0 ft	95 ft
	60 m	2,745 m	236.71		0 m	29 m
05	197 ft	11,128 ft	46.39	ASPHALT	141 ft	141 ft
	60 m	3,392 m	56.65		43 m	43 m
23	197 ft	11,128 ft	226.41	ASPHALT	492 ft	141 ft
	60 m	3,392 m	236.67		150 m	43 m
15L	197 ft	11,061 ft	136.64	ASPHALT	0 ft	92 ft
	60 m	3,372 m	146.90		0 m	28 m
33R	197 ft	11,061 ft	316.66	ASPHALT	0 ft	89 ft
	60 m	3,372 m	326.92		0 m	27 m
15R	197 ft	9,097 ft	136.62	ASPHALT	597 ft	0 ft
	60 m	2,773 m	146.88		182 m	0 m
33L	197 ft	9,097 ft	316.64	ASPHALT	591 ft	0 ft
	60 m	2,773 m	326.90		180 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24L	DME	IIDP	111.95 MHz	18 nm	-	-	568 ft
				33 km	-		568 m
24R	DME	INV	109.30 MHz	18 nm	-	-	546 ft
				33 km	-		546 m
05	LOC-ILS	ITX	109.70 MHz	18 nm	46.40	-	564 ft
				33 km	56.66		564 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	LOC-ILS	IJS	109.10 MHz	18 nm 33 km	46.44 56.70	-	564 ft 564 m
06R	LOC-ILS	ICV	111.95 MHz	18 nm 33 km	46.44 56.70	-	564 ft 564 m
15L	LOC-ILS	IRW	110.50 MHz	18 nm 33 km	136.65 146.91	-	564 ft 564 m
15R	LOC-ILS	ILP	110.95 MHz	18 nm 33 km	136.63 146.89	-	564 ft 564 m
23	LOC-ILS	IYZ	111.50 MHz	18 nm 33 km	226.40 236.66	-	564 ft 564 m
24L	LOC-ILS	IDP	111.95 MHz	18 nm 33 km	226.44 236.70	-	564 ft 564 m
24R	LOC-ILS	INV	109.30 MHz	18 nm 33 km	226.44 236.70	-	564 ft 564 m
33L	LOC-ILS	ITO	110.95 MHz	18 nm 33 km	316.63 326.89	-	564 ft 564 m
33R	LOC-ILS	ILE	110.30 MHz	18 nm 33 km	316.65 326.91	-	564 ft 564 m
05	GS	ITX	109.70 MHz	10 nm 19 km	46.40 56.66	3.00	564 ft 564 m
06L	GS	IJS	109.10 MHz	10 nm 19 km	46.44 56.70	3.00	564 ft 564 m
06R	GS	ICV	111.95 MHz	10 nm 19 km	46.44 56.70	3.00	564 ft 564 m
15L	GS	IRW	110.50 MHz	10 nm 19 km	136.65 146.91	3.00	564 ft 564 m
15R	GS	ILP	110.95 MHz	10 nm 19 km	136.63 146.89	3.00	564 ft 564 m
23	GS	IYZ	111.50 MHz	10 nm 19 km	226.40 236.66	3.00	564 ft 564 m
24L	GS	IIDP	111.95 MHz	10 nm 19 km	226.44 236.70	3.00	564 ft 564 m
24R	GS	INV	109.30 MHz	10 nm 19 km	226.44 236.70	3.00	564 ft 564 m
33L	GS	ITO	110.95 MHz	10 nm 19 km	316.63 326.89	3.00	564 ft 564 m
33R	GS	ILE	110.30 MHz	10 nm 19 km	316.65 326.91	3.00	564 ft 564 m