


2024/05/02 1814Z

KEZS WOVET KATW

31.85 nm / 58.98 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KEZS	-	44.78730	0 ft	-	SHAWANO MUNI
APT	-	-88.56010	0 m		
WOVET	-	44.63270	3,300 ft	9	-
FIX	-	-88.55590	1,006 m		
KATW	-	44.25800	0 ft	22	Appleton International
APT	-	-88.51910	0 m		

KATW

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 2

Elevation: 916 ft / 279 m
Location: 44.258000 -88.519100
Magnetic Var: 3.932 W

METAR

KATW 021745Z 07009KT 5SM -RA BR OVC055 11/09 A2998

TAF

TAF KATW 021738Z 0218/0318 09011G17KT P6SM -SHRA OVC050 WS020/15035KT TEMPO 0218/0219 4SM SHRA FM030000 09009KT 6

Frequencies

REC - 127.15 MHz - ATIS
COM - 122.95 MHz - UNICOM
TWR - 119.60 MHz - APPLETON TOWER
DEP - 126.30 MHz - GREEN BAY DEPARTURE
COM - 119.60 MHz - CTAF
GND - 121.70 MHz - APPLETON GROUND
APP - 126.30 MHz - GREEN BAY APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	150 ft	8,005 ft	26.04	CONCRETE	0 ft	0 ft
	46 m	2,440 m	29.97		0 m	0 m
21	150 ft	8,005 ft	206.05	CONCRETE	0 ft	0 ft
	46 m	2,440 m	209.98		0 m	0 m
12	150 ft	6,489 ft	116.19	CONCRETE	0 ft	0 ft
	46 m	1,978 m	120.12		0 m	0 m
30	150 ft	6,489 ft	296.20	CONCRETE	0 ft	0 ft
	46 m	1,978 m	300.14		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
30	DME	IAQZ	109.70 MHz	18 nm	-	-	918 ft
				33 km	-		918 m
03	LOC-ILS	IATW	109.10 MHz	18 nm	26.05	-	875 ft
				33 km	29.98		875 m
30	LOC-ILS	IAQZ	109.70 MHz	18 nm	296.19	-	917 ft
				33 km	300.12		917 m
03	GS	IATW	109.10 MHz	10 nm	26.09	3.00	883 ft
				19 km	30.02		883 m
30	GS	IAQZ	109.70 MHz	10 nm	296.39	3.00	867 ft
				19 km	300.32		867 m