

KJFK

John F Kennedy Int'l


LIRF

Leonardo da Vinci-Fiumicino Airport

2024/05/06 0414Z

KJFK HFD **J42** BOS **J575** TUSKY **N145B** PORTI **X** 49/20 4900N0-1900W 4800N0-1700W 47/15 **Z** ETIKI **UN480**
KOLEK **UN470** CNA **UN460** FOUCO **UT183** OTROT **UQ215** BTA **UM728** KISTO LIRF

3809.45 nm / 7055.11 km



Notes

Using NAT tracks from 22/12/2018

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 340ft
- Cruise Speed: 325kts
- Descent Rate: 1800ft/min
- Descent Speed: 240kts

Options:

- Use NATs: yes

- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KJFK APT	-	40.63990 -73.77870	0 ft 0 m	-	John F Kennedy Int'l
HFD VOR	-	41.64110 -72.54740	300 ft 91 m	81	HARTFORD
PUT VOR	J42 AWY-HI	41.95550 -71.84410	300 ft 91 m	36	PUTNAM
BOS VOR	J42 AWY-HI	42.35740 -70.98950	300 ft 91 m	45	BOSTON
SCUPP FIX	J575 AWY-HI	42.60310 -70.23040	300 ft 91 m	36	-
CANAL FIX	J575 AWY-HI	42.66900 -70.02270	300 ft 91 m	9	-
TUSKY FIX	J575 AWY-HI	43.56500 -67.00000	300 ft 91 m	143	-
PORTI FIX	N145B AWY-HI	46.50000 -52.00000	300 ft 91 m	659	-
47/50 LATLON	X NAT	47.00000 -50.00000	300 ft 91 m	87	-
47/40 LATLON	X NAT	47.00000 -40.00000	300 ft 91 m	409	-
48/30 LATLON	X NAT	48.00000 -30.00000	300 ft 91 m	409	-
49/20 LATLON	X NAT	49.00000 -20.00000	300 ft 91 m	402	-
4900N0-1900W LATLON	- -	49.00000 -19.00000	300 ft 91 m	39	-
4800N0-1700W LATLON	- -	48.00000 -17.00000	300 ft 91 m	99	-
47/15 LATLON	- -	47.00000 -15.00000	300 ft 91 m	100	-
ETIKI FIX	Z NAT	48.00000 -8.75000	300 ft 91 m	260	-
REGHI FIX	UN480 AWY-HI	48.00000 -8.00000	300 ft 91 m	30	-
TURDO FIX	UN480 AWY-HI	47.44780 -6.96806	300 ft 91 m	53	-
XIDAN FIX	UN480 AWY-HI	47.04530 -6.21833	300 ft 91 m	38	-
KOLEK FIX	UN480 AWY-HI	46.61280 -5.40806	300 ft 91 m	42	-
NOVAN FIX	UN470 AWY-HI	46.32220 -3.69917	300 ft 91 m	72	-
GODEM FIX	UN470 AWY-HI	46.05190 -2.25000	300 ft 91 m	62	-
DILRA FIX	UN470 AWY-HI	45.85000 -1.22556	300 ft 91 m	44	-
CNA VOR	UN470 AWY-HI	45.65960 -0.31164	300 ft 91 m	39	COGNAC CHATEAUBERNARD
FOUCO FIX	UN460 AWY-HI	45.75470 0.48056	300 ft 91 m	33	-
LERGA FIX	UT183 AWY-HI	45.25730 3.75028	300 ft 91 m	140	-
OTROT	UT183	45.11360	300 ft	30	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	4.44556	91 m		
BTA	UQ215	42.57360	300 ft	265	BASTIA PORETTA
VOR	AWY-HI	9.47483	91 m		
DOKAR	UM728	42.50080	300 ft	12	-
FIX	AWY-HI	9.75000	91 m		
KISTO	UM728	42.33060	300 ft	29	-
FIX	AWY-HI	10.38310	91 m		
LIRF	-	41.81080	0 ft	88	Leonardo da Vinci-Fiumicino Airport
APT	-	12.25090	0 m		

KJFK

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 4

Elevation: 12 ft / 4 m
Location: 40.640100 -73.776500
Magnetic Var: 12.820 W

METAR

KJFK 060351Z 00000KT 10SM OVC004 12/12 A3013 RMK AO2 RAE03 SLP201 P0000 T01220117

TAF

TAF AMD KJFK 060343Z 0604/0706 08004KT 5SM BR VCSH OVC005 TEMPO 0604/0606 OVC004 FM060800 19008KT 5SM BR OVC005 FM

Frequencies

REC - 115.40 MHz - D-ATIS	REC - 117.70 MHz - D-ATIS
REC - 128.72 MHz - D-ATIS	COM - 122.95 MHz - UNICOM
CLD - 135.05 MHz - CLEARANCE DELIVERY	GND - 121.90 MHz - KENNEDY GROUND
GND - 121.65 MHz - KENNEDY GROUND	TWR - 119.10 MHz - KENNEDY TOWER
TWR - 123.90 MHz - KENNEDY TOWER	APP - 125.70 MHz - NEW YORK APPROACH
APP - 128.12 MHz - NEW YORK APPROACH	APP - 118.40 MHz - NEW YORK APPROACH
APP - 123.70 MHz - NEW YORK APPROACH	APP - 126.80 MHz - NEW YORK APPROACH
APP - 132.40 MHz - NEW YORK APPROACH	APP - 134.35 MHz - NEW YORK APPROACH
DEP - 135.90 MHz - NEW YORK DEPARTURE	DEP - 123.70 MHz - NEW YORK DEPARTURE
DEP - 124.75 MHz - NEW YORK DEPARTURE	DEP - 134.35 MHz - NEW YORK DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	200 ft	14,526 ft	120.83	CONCRETE	2,057 ft	390 ft
	61 m	4,428 m	133.65		627 m	119 m
31L	200 ft	14,526 ft	300.86	CONCRETE	3,271 ft	495 ft
	61 m	4,428 m	313.68		997 m	151 m
13L	151 ft	10,010 ft	120.85	CONCRETE	912 ft	387 ft
	46 m	3,051 m	133.67		278 m	118 m
31R	151 ft	10,010 ft	300.87	CONCRETE	1,037 ft	177 ft
	46 m	3,051 m	313.69		316 m	54 m
04R	200 ft	8,407 ft	30.67	ASPHALT	0 ft	440 ft
	61 m	2,562 m	43.49		0 m	134 m
22L	200 ft	8,407 ft	210.68	ASPHALT	0 ft	505 ft
	61 m	2,562 m	223.50		0 m	154 m
04L	200 ft	12,091 ft	30.67	CONCRETE	459 ft	200 ft
	61 m	3,685 m	43.49		140 m	61 m
22R	200 ft	12,091 ft	210.68	CONCRETE	3,425 ft	407 ft
	61 m	3,685 m	223.50		1,044 m	124 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	IHIQ	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
04R	DME	IJFK	109.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
13L	DME	ITLK	111.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
22L	DME	IIWY	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22R	DME	IJOC	109.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
31R	DME	IRTH	111.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
04L	LOC-ILS	IHIQ	110.90 MHz	18 nm	30.68	-	12 ft
				33 km	43.50		12 m
04R	LOC-ILS	IJFK	109.50 MHz	18 nm	30.67	-	12 ft
				33 km	43.49		12 m
13L	LOC-ILS	ITLK	111.50 MHz	18 nm	120.87	-	12 ft
				33 km	133.69		12 m
22L	LOC-ILS	IIWY	110.90 MHz	18 nm	210.67	-	12 ft
				33 km	223.49		12 m
22R	LOC-ILS	IJOC	109.50 MHz	18 nm	210.68	-	12 ft
				33 km	223.50		12 m
31L	LOC-ILS	IMOH	111.35 MHz	18 nm	300.84	-	12 ft
				33 km	313.66		12 m
31R	LOC-ILS	IRTH	111.50 MHz	18 nm	300.87	-	12 ft
				33 km	313.69		12 m
04L	GS	IHIQ	110.90 MHz	10 nm	30.68	3.00	12 ft
				19 km	43.50		12 m
04R	GS	IJFK	109.50 MHz	10 nm	30.67	3.00	12 ft
				19 km	43.49		12 m
13L	GS	ITLK	111.50 MHz	10 nm	120.87	3.00	12 ft
				19 km	133.69		12 m
22L	GS	IIWY	110.90 MHz	10 nm	210.67	3.00	12 ft
				19 km	223.49		12 m
22R	GS	IJOC	109.50 MHz	10 nm	210.68	3.00	12 ft
				19 km	223.50		12 m
31L	GS	IMOH	111.35 MHz	10 nm	300.84	3.00	12 ft
				19 km	313.66		12 m
31R	GS	IRTH	111.50 MHz	10 nm	300.87	3.00	12 ft
				19 km	313.69		12 m

LIRF

Region: ITALY
Timezone: EUROPE/ROME
Runways: 3

Elevation: 13 ft / 4 m
Location: 41.810800 12.250900
Magnetic Var: 3.664 E

METAR

LIRF 060350Z AUTO 05003KT 9999 NCD 09/09 Q1016

TAF

TAF LIRF 052300Z 0600/0706 07007KT CAVOK BECMG 0607/0609 17014KT

Frequencies

REC - 120.17 MHz - ATIS ARRIVAL	REC - 126.12 MHz - ATIS ARRIVAL
REC - 121.85 MHz - ATIS DEPARTURE	CLD - 121.80 MHz - CLEARANCE DELIVERY
GND - 121.72 MHz - FIUME APRON	GND - 121.67 MHz - FIUME GROUND
GND - 121.90 MHz - FIUME GROUND	GND - 122.12 MHz - FIUME GROUND
TWR - 127.62 MHz - FIUME TOWER	TWR - 123.72 MHz - FIUME TOWER
TWR - 118.70 MHz - FIUME TOWER	DEP - 130.90 MHz - ROMA DEPARTURE
DEP - 131.10 MHz - ROMA DEPARTURE	APP - 127.95 MHz - ROMA ARRIVAL
APP - 125.50 MHz - ROMA ARRIVAL	APP - 119.20 MHz - ROMA DIRECT
APP - 131.25 MHz - ROMA DIRECT	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	10,859 ft	69.68	ASPHALT	1,348 ft	0 ft
	45 m	3,310 m	66.02		411 m	0 m
25	148 ft	10,859 ft	249.71	ASPHALT	0 ft	0 ft
	45 m	3,310 m	246.04		0 m	0 m
16R	197 ft	12,814 ft	162.66	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.00		0 m	0 m
34L	197 ft	12,814 ft	342.67	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.01		0 m	0 m
16L	197 ft	12,814 ft	162.68	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.02		0 m	0 m
34R	197 ft	12,814 ft	342.69	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.03		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	DME	FEE	110.15 MHz	25 nm	-	-	25 ft
				46 km	-		25 m
34L	DME	ISW	108.90 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
34R	DME	FSS	111.55 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
16L	LOC-ILS	IFLL	108.10 MHz	18 nm	162.69	-	13 ft
				33 km	159.03		13 m
16R	LOC-ILS	IFRR	109.75 MHz	18 nm	162.67	-	13 ft
				33 km	159.01		13 m
25	LOC-ILS	FEE	110.15 MHz	18 nm	249.69	-	13 ft
				33 km	246.03		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34L	LOC-ILS	IFSW	108.90 MHz	18 nm	342.67	-	13 ft
				33 km	339.01		13 m
34R	LOC-ILS	FSS	111.55 MHz	18 nm	342.69	-	13 ft
				33 km	339.03		13 m
16L	GS	IFLL	108.10 MHz	10 nm	162.69	3.00	13 ft
				19 km	159.03		13 m
16R	GS	IFRR	109.75 MHz	10 nm	162.67	3.00	13 ft
				19 km	159.01		13 m
25	GS	FEE	110.15 MHz	10 nm	249.69	3.00	13 ft
				19 km	246.03		13 m
34L	GS	IFSW	108.90 MHz	10 nm	342.67	3.00	13 ft
				19 km	339.01		13 m
34R	GS	FSS	111.55 MHz	10 nm	342.69	3.00	13 ft
				19 km	339.03		13 m