

# SKCL

ALFONSO BONILLA ARAGON INTL


# SKRG

JOSE MARIA CORDOVA

2024/05/12 1907Z

SKCL DILAR SKRG

167.69 nm / 310.56 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
SKCL	-	3.54322	0 ft	-		ALFONSO BONILLA ARAGON INTL
APT	-	-76.38159	0 m			
DILAR	-	5.14111	13,200 ft	100	-	
FIX	-	-75.85722	4,023 m			
SKRG	-	6.16453	0 ft	66		JOSE MARIA CORDOVA
APT	-	-75.42312	0 m			

## SKCL

Region: COLOMBIA  
Timezone: AMERICA/BOGOTA  
Runways: 1

Elevation: 3,162 ft / 964 m  
Location: 3.543180 -76.381700  
Magnetic Var: 6.553 W

## METAR

SKCL 121800Z VRB04KT 9999 BKN020 SCT100 28/21 Q1015 NOSIG

## TAF

TAF SKCL 121630Z 1218/1318 VRB03KT 9999 SCT020 TEMPO 1220/1224 32010KT SCT020TCU TEMPO 1311/1314 5000 BR TX29/122

## Frequencies

GND - 121.90 MHz - CALI GROUND  
REC - 115.50 MHz - ATIS

TWR - 118.10 MHz - CALI TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	9,852 ft	9.83	ASPHALT	0 ft	131 ft
	45 m	3,003 m	16.38		0 m	40 m
20	148 ft	9,852 ft	189.83	ASPHALT	0 ft	118 ft
	45 m	3,003 m	196.38		0 m	36 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	LOC-ILS	IPAS	109.90 MHz	18 nm	9.91	-	3,162 ft
				33 km	16.46		3,162 m
02	GS	IPAS	109.90 MHz	10 nm	9.91	3.00	3,162 ft
				19 km	16.46		3,162 m

## SKRG

Region: COLOMBIA  
Timezone: AMERICA/BOGOTA  
Runways: 1

Elevation: 7,027 ft / 2,142 m  
Location: 6.164900 -75.423100  
Magnetic Var: 7.549 W

## METAR

SKRG 121800Z 15004KT 9999 FEW010 SCT017 19/15 Q1027 REDZ NOSIG

## TAF

TAF SKRG 121630Z 1218/1318 10010KT 9999 SCT018 TEMPO 1219/1223 RA SCT018CB BECMG 1300/1302 VRB02KT TEMPO 1302/1304

## Frequencies

REC - 115.10 MHz - ATIS  
TWR - 118.60 MHz - RIONEGRO TOWER  
APP - 121.10 MHz - MEDELLIN APPROACH  
GND - 121.90 MHz - RIONEGRO GROUND  
APP - 126.10 MHz - MEDELLIN APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	151 ft	11,297 ft	359.63	ASPHALT	0 ft	0 ft
	46 m	3,443 m	7.18		0 m	0 m
19	151 ft	11,297 ft	179.63	ASPHALT	0 ft	112 ft
	46 m	3,443 m	187.18		0 m	34 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	LOC-ILS	IMDE	110.90 MHz	18 nm	359.63	-	7,027 ft
				33 km	7.18		7,027 m
01	GS	IMDE	110.90 MHz	10 nm	359.63	3.00	7,027 ft
				19 km	7.18		7,027 m