


PAKN
KING SALMON

PAPH
PORT HEIDEN

2024/05/09 1044Z

PAKN OBUKE PAPH

121.20 nm / 224.46 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
PAKN	-	58.67710	0 ft	-	KING SALMON
APT	-	-156.65000	0 m		
OBUKE	-	57.48210	7,600 ft	85	-
FIX	-	-158.11700	2,316 m		
PAPH	-	56.95910	0 ft	35	PORT HEIDEN
APT	-	-158.63500	0 m		

PAKN

Region: USA (ALASKA)
Timezone: AMERICA/ANCHORAGE
Runways: 2

Elevation: 73 ft / 22 m
Location: 58.676900 -156.650000
Magnetic Var: 11.606 E

METAR

PAKN 090954Z 11006KT 10SM CLR M03/M07 A2988

TAF

TAF PAKN 090520Z 0906/1006 22008KT P6SM FEW040 OVC050 FM091200 08007KT P6SM OVC050

Frequencies

REC - 128.80 MHz - KING SALMON ATIS
GND - 121.90 MHz - KING SALMON GND

COM - 121.90 MHz - KING SALMON CTAF
TWR - 118.30 MHz - KING SALMON TWR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	150 ft	8,906 ft	131.92	ASPHALT	0 ft	194 ft
	46 m	2,715 m	120.31		0 m	59 m
30	150 ft	8,906 ft	311.95	ASPHALT	39 ft	564 ft
	46 m	2,715 m	300.34		12 m	172 m
18	100 ft	4,021 ft	196.26	ASPHALT	16 ft	0 ft
	30 m	1,226 m	184.65		5 m	0 m
36	100 ft	4,021 ft	16.25	ASPHALT	0 ft	0 ft
	30 m	1,226 m	4.65		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	IAKN	110.30 MHz	18 nm	131.94	-	73 ft
				33 km	120.33		73 m
30	LOC-LOC	IAKN	110.30 MHz	18 nm	311.95	-	73 ft
				33 km	300.34		73 m
12	GS	IAKN	110.30 MHz	10 nm	131.94	3.00	73 ft
				19 km	120.33		73 m
30	GS	IAKN	110.30 MHz	10 nm	311.95	3.00	73 ft
				19 km	300.34		73 m