


2024/05/06 0454Z

RJAA Y54 Y56 ALUYO Y59 SAN NABAL RPLC

13757.83 nm / 25479.50 km



Notes

Requested: RJAA GOTEN Y54 TOHME Y56 NADAR Y564 ALUYO Z26 KROSI Y525 ERABU Y579 AZAMA Y59 KAZIK B462 LAO M646 SAN W4

Unmatched points: TOHME Y564 Z26 KROSI Y525 ERABU Y579 AZAMA KAZIK B462 M646

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
RJAA	-	35.77655	0 ft	-	NARITA INTL
APT	-	140.38277	0 m		
Y54	-	43.33329	0 ft	5208	Buffalo Center
APT	-	-93.96690	0 m		
Y56	-	42.35470	0 ft	60	Peterson
APT	-	-94.31941	0 m		
ALUYO	-	38.80595	0 ft	791	-
FIX	-	-77.57815	0 m		
Y59	-	42.14527	0 ft	861	Maynard
APT	-	-95.96196	0 m		
SAN	-	16.72837	0 ft	6742	SAN FERNANDO VOR
VOR	-	120.35811	0 m		
NABAL	-	15.47139	0 ft	76	-
FIX	-	120.52349	0 m		
RPLC	-	15.18599	0 ft	17	CLARK INTL
APT	-	120.56032	0 m		

RJAA

Region: JAPAN
Timezone: ASIA/TOKYO
Runways: 2

Elevation: 135 ft / 41 m
Location: 35.777200 140.382000
Magnetic Var: 7.777 W

METAR

RJAA 060430Z 20013KT 170V230 9999 FEW030 SCT140 BKN180 23/15 Q1017 NOSIG

TAF

TAF TAF RJAA 052305Z 0600/0706 20014KT 9999 FEW030 TEMPO 0600/0608 20016G28KT TEMPO 0621/0700 4000 SHRA BR FEW004

Frequencies

REC - 128.25 MHz - ATIS	TWR - 122.70 MHz - NARITA TOWER
TWR - 126.20 MHz - NARITA TOWER	TWR - 118.35 MHz - NARITA TOWER
TWR - 118.20 MHz - NARITA TOWER	GND - 121.85 MHz - NARITA GROUND
GND - 121.95 MHz - NARITA GROUND	GND - 121.60 MHz - NARITA GROUND
GND - 121.75 MHz - NARITA GROUND	APP - 125.20 MHz - NARITA APPROACH
APP - 124.40 MHz - NARITA APPROACH	APP - 121.27 MHz - NARITA APPROACH
APP - 125.80 MHz - NARITA APPROACH	APP - 127.70 MHz - NARITA APPROACH
DEP - 120.60 MHz - NARITA DEPARTURE	DEP - 127.50 MHz - NARITA DEPARTURE
DEP - 119.60 MHz - NARITA DEPARTURE	DEP - 125.52 MHz - NARITA DEPARTURE
DEP - 124.20 MHz - NARITA DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16R	197 ft	13,146 ft	149.63	ASPHALT	0 ft	407 ft
	60 m	4,007 m	157.41		0 m	124 m
34L	197 ft	13,146 ft	329.64	ASPHALT	0 ft	404 ft
	60 m	4,007 m	337.42		0 m	123 m
16L	197 ft	8,210 ft	149.61	ASPHALT	0 ft	197 ft
	60 m	2,503 m	157.39		0 m	60 m
34R	197 ft	8,210 ft	329.62	ASPHALT	0 ft	0 ft
	60 m	2,503 m	337.40		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	DME	ITM	110.70 MHz	18 nm	-	-	145 ft
				33 km	-		145 m
16R	DME	IKF	111.50 MHz	18 nm	-	-	145 ft
				33 km	-		145 m
34L	DME	IYQ	111.90 MHz	18 nm	-	-	153 ft
				33 km	-		153 m
34R	DME	ITJ	110.90 MHz	18 nm	-	-	148 ft
				33 km	-		148 m
16L	LOC-ILS	ITM	110.70 MHz	18 nm	149.64	-	135 ft
				33 km	157.42		135 m
16R	LOC-ILS	IKF	111.50 MHz	18 nm	149.62	-	135 ft
				33 km	157.40		135 m
34L	LOC-ILS	IYQ	111.90 MHz	18 nm	329.62	-	135 ft
				33 km	337.40		135 m
34R	LOC-ILS	ITJ	110.90 MHz	18 nm	329.64	-	135 ft
				33 km	337.42		135 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	GS	ITM	110.70 MHz	10 nm	149.64	3.00	135 ft
				19 km	157.42		135 m
16R	GS	IKF	111.50 MHz	10 nm	149.62	3.00	135 ft
				19 km	157.40		135 m
34L	GS	IYQ	111.90 MHz	10 nm	329.62	3.00	135 ft
				19 km	337.40		135 m
34R	GS	ITJ	110.90 MHz	10 nm	329.64	3.00	135 ft
				19 km	337.42		135 m

RPLC

Region: PHILIPPINES
Timezone: ASIA/MANILA
Runways: 2

Elevation: 483 ft / 147 m
Location: 15.186000 120.560000
Magnetic Var: 2.872 W

METAR

RPLC 060400Z 22004KT 9999 FEW020 36/21 Q1011 NOSIG RMK A2985

TAF

TAF RPLC 052300Z 0600/0706 35006KT 9999 FEW020 TX37/0606Z TN26/0621Z TEMPO 0600/0606 07008KT SCT020

Frequencies

CLD - 125.20 MHz - CLNC DEL
APP - 119.20 MHz -

TWR - 118.70 MHz -
REC - 113.10 MHz - ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02L	148 ft	10,568 ft	20.92	CONCRETE	0 ft	988 ft
	45 m	3,221 m	23.80		0 m	301 m
20R	148 ft	10,568 ft	200.93	CONCRETE	0 ft	1,001 ft
	45 m	3,221 m	203.80		0 m	305 m
02R	197 ft	10,548 ft	20.91	CONCRETE	0 ft	1,014 ft
	60 m	3,215 m	23.78		0 m	309 m
20L	197 ft	10,548 ft	200.91	CONCRETE	0 ft	1,017 ft
	60 m	3,215 m	203.79		0 m	310 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02R	DME	ICA	109.30 MHz	18 nm	-	-	484 ft
				33 km	-		484 m
20L	DME	ICK	110.10 MHz	18 nm	-	-	484 ft
				33 km	-		484 m
02R	LOC-ILS	ICA	109.30 MHz	18 nm	20.93	-	484 ft
				33 km	23.81		484 m
20L	LOC-ILS	ICK	110.10 MHz	18 nm	200.93	-	484 ft
				33 km	203.81		484 m
02R	GS	ICA	109.30 MHz	10 nm	21.87	3.00	484 ft
				19 km	24.74		484 m
20L	GS	ICK	110.10 MHz	10 nm	201.87	3.00	484 ft
				19 km	204.74		484 m