


2024/05/14 0904Z

LIML OSKOR **UL615** VIC LAREN LIPZ

148.14 nm / 274.36 km



## Notes

Requested: LIML OSKOR UL615 ELTAR UL615 VIC LAREN LIPZ

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIML	-	45.45030	0 ft	-	Milano Linate
APT	-	9.27280	0 m		
OSKOR	-	45.64917	0 ft	37	-
FIX	-	10.11667	0 m		
ELTAR	UL615	45.64750	0 ft	21	-
FIX	AWY-HI	10.62778	0 m		
ADOSA	UL615	45.64444	0 ft	16	-
FIX	AWY-HI	11.02639	0 m		
VIC	UL615	45.63694	0 ft	27	VICENZA NDB
NDB	AWY-HI	11.67472	0 m		
LAREN	-	45.27806	0 ft	27	-
FIX	-	12.06167	0 m		
LIPZ	-	45.50479	0 ft	18	Venezia Tessera
APT	-	12.34969	0 m		

## LIML

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 2

Elevation: 354 ft / 108 m  
Location: 45.450300 9.272810  
Magnetic Var: 3.240 E

## METAR

LIML 140820Z 10006KT 060V140 9999 SCT025 20/14 Q1011 NOSIG

## TAF

TAF LIML 140500Z 1406/1506 03006KT 8000 BKN060 TEMPO 1415/1506 3000 +TSRA BECMG 1420/1422 09013KT

## Frequencies

REC - 136.37 MHz - ATIS	GND - 121.80 MHz - LINATE GROUND
TWR - 118.40 MHz - LINATE TOWER	TWR - 118.10 MHz - LINATE TOWER
APP - 134.17 MHz - MILANO RADAR	APP - 126.75 MHz - MILANO RADAR
APP - 126.30 MHz - MILANO RADAR	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	197 ft	8,019 ft	175.67	ASPHALT	0 ft	200 ft
	60 m	2,444 m	172.43		0 m	61 m
36	197 ft	8,019 ft	355.67	ASPHALT	0 ft	413 ft
	60 m	2,444 m	352.43		0 m	126 m
17	72 ft	1,974 ft	175.66	ASPHALT	0 ft	0 ft
	22 m	602 m	172.42		0 m	0 m
35	72 ft	1,974 ft	355.66	ASPHALT	0 ft	0 ft
	22 m	602 m	352.42		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36	DME	ILNT	109.55 MHz	25 nm	-	-	352 ft
				46 km	-		352 m
36	LOC-ILS	ILNT	109.55 MHz	18 nm	355.69	-	353 ft
				33 km	352.45		353 m
36	GS	ILNT	109.55 MHz	10 nm	355.68	3.00	352 ft
				19 km	352.44		352 m

## LIPZ

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 2

Elevation: 4 ft / 1 m  
Location: 45.504800 12.349700  
Magnetic Var: 3.906 E

## METAR

LIPZ 140820Z AUTO 07006KT 9999 FEW059/// SCT089/// 20/15 Q1011

## TAF

TAF LIPZ 140500Z 1406/1512 04006KT 9999 SCT070 BECMG 1406/1408 11012KT TEMPO 1410/1414 TSRA BECMG 1420/1422 04012

## Frequencies

REC - 128.65 MHz - ATIS  
TWR - 120.20 MHz - VENEZIA TOWER  
APP - 118.25 MHz - VENEZIA APPROACH  
GND - 121.70 MHz - VENEZIA GROUND  
APP - 118.90 MHz - VENEZIA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	10,836 ft	42.03	ASPHALT	0 ft	0 ft
	45 m	3,303 m	38.12		0 m	0 m
22L	148 ft	10,836 ft	222.05	ASPHALT	0 ft	0 ft
	45 m	3,303 m	218.14		0 m	0 m
04L	148 ft	9,129 ft	42.03	ASPHALT	318 ft	0 ft
	45 m	2,782 m	38.12		97 m	0 m
22R	148 ft	9,129 ft	222.05	ASPHALT	0 ft	0 ft
	45 m	2,782 m	218.14		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	DME	VTS	109.95 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
04R	LOC-ILS	VTS	109.95 MHz	18 nm	42.04	-	4 ft
				33 km	38.13		4 m
04R	GS	VTS	109.95 MHz	10 nm	42.04	3.00	4 ft
				19 km	38.13		4 m