


2024/05/08 0842Z

EGPF GOW EGPK

23.05 nm / 42.68 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 200kts
- Cruise Altitude: 2600ft
- Cruise Speed: 200kts
- Descent Rate: 1500ft/min
- Descent Speed: 200kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGPF	-	55.87170	0 ft	-	Glasgow
APT	-	-4.43370	0 m		
GOW	-	55.87050	300 ft	0	GLASGOW
VOR	-	-4.44572	91 m		
EGPK	-	55.50230	0 ft	22	Prestwick
APT	-	-4.58836	0 m		

## EGPF

Region: UNITED KINGDOM  
Timezone: EUROPE/LONDON  
Runways: 1

Elevation: 26 ft / 8 m  
Location: 55.871700 -4.433700  
Magnetic Var: 1.635 W

## METAR

EGPF 080820Z AUTO 21009KT 9999 FEW003 BKN035 BKN046 15/10 Q1026

## TAF

TAF EGPF 080455Z 0806/0906 VRB03KT 9999 SCT030 BECMG 0806/0809 24010KT PROB30 TEMPO 0806/0809 8000 BKN014 TEMPO 0809/0812 2000 BKN014

## Frequencies

APP - 119.10 MHz - GLASGOW APPROACH  
GND - 121.70 MHz - GLASGOW GROUND

TWR - 118.80 MHz - GLASGOW TOWER  
REC - 129.57 MHz - GLASGOW INFORMATION

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	148 ft	8,699 ft	46.34	ASPHALT	0 ft	489 ft
	45 m	2,651 m	47.97		0 m	149 m
23	148 ft	8,699 ft	226.36	ASPHALT	974 ft	0 ft
	45 m	2,651 m	228.00		297 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	DME	IUU	110.10 MHz	18 nm	-	-	25 ft
				33 km	-		25 m
23	DME	IOO	110.10 MHz	18 nm	-	-	25 ft
				33 km	-		25 m
05	LOC-ILS	IUU	110.10 MHz	18 nm	46.35	-	26 ft
				33 km	47.98		26 m
23	LOC-ILS	IOO	110.10 MHz	18 nm	226.35	-	26 ft
				33 km	227.98		26 m
05	GS	IUU	110.10 MHz	10 nm	46.35	3.00	26 ft
				19 km	47.98		26 m
23	GS	IOO	110.10 MHz	10 nm	226.35	3.00	26 ft
				19 km	227.98		26 m

## EGPK

Region: UNITED KINGDOM  
Timezone: EUROPE/LONDON  
Runways: 2

Elevation: 65 ft / 20 m  
Location: 55.509400 -4.594440  
Magnetic Var: 1.644 W

## METAR

EGPK 080820Z 28005KT 9999 SCT024 BKN048 13/10 Q1026

## TAF

TAF EGPK 080455Z 0806/0906 VRB03KT 9999 SCT040 BECMG 0806/0809 25010KT PROB30 TEMPO 0806/0810 BKN014 TEMPO 0821/0

## Frequencies

REC - 121.12 MHz - PRESTWICK INFORMATION  
GND - 127.15 MHz - PRESTWICK TOWER

TWR - 118.15 MHz - PRESTWICK TOWER  
APP - 129.45 MHz - PRESTWICK APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	6,243 ft	23.68	ASPHALT	259 ft	276 ft
	45 m	1,903 m	25.32		79 m	84 m
21	148 ft	6,243 ft	203.69	ASPHALT	0 ft	0 ft
	45 m	1,903 m	205.33		0 m	0 m
12	151 ft	9,775 ft	121.39	ASPHALT	791 ft	0 ft
	46 m	2,979 m	123.03		241 m	0 m
30	151 ft	9,775 ft	301.42	ASPHALT	0 ft	0 ft
	46 m	2,979 m	303.07		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	IPP	110.30 MHz	18 nm	-	-	48 ft
				33 km	-		48 m
30	DME	IKK	110.30 MHz	18 nm	-	-	48 ft
				33 km	-		48 m
12	LOC-ILS	IPP	110.30 MHz	18 nm	121.41	-	65 ft
				33 km	123.05		65 m
30	LOC-ILS	IKK	110.30 MHz	18 nm	301.41	-	65 ft
				33 km	303.05		65 m
12	GS	IPP	110.30 MHz	10 nm	121.41	3.00	65 ft
				19 km	123.05		65 m
30	GS	IKK	110.30 MHz	10 nm	301.41	3.50	65 ft
				19 km	303.05		65 m