

# DAAG

Alger Houari Boumediene


# FNLU

LUANDA 4 DE FEVEREIRO

2024/05/04 1353Z

DAAG BSA **J36** TGU **UV508** BOD **UR978** AS **UA604** DLA **UG861** KOPOV **UG861F** IT **UW118** LIKAD **R526F** EPLAT FNLU

2828.53 nm / 5238.44 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
DAAG APT	-	36.69752 3.21308	0 ft 0 m	-	Alger Houari Boumediene
BSA VOR	-	35.51528 4.40167	31,600 ft 9,632 m	91	BOU SAADA VOR-DME
MAHDI FIX	J36 AWY-HI	34.61667 5.00000	35,000 ft 10,668 m	61	-
TGU VOR	J36 AWY-HI	33.05694 6.08861	35,000 ft 10,668 m	108	TOUGGOURT VOR-DME
BOD VOR	UV508 AWY-HI	28.13306 6.83917	35,000 ft 10,668 m	298	BORDJ OMAR DRISS VOR-DME
ATAFA FIX	UR978 AWY-HI	26.00000 7.08333	35,000 ft 10,668 m	128	-
BERTI FIX	UR978 AWY-HI	25.04139 7.19500	35,000 ft 10,668 m	57	-
MELOG FIX	UR978 AWY-HI	23.53333 7.36667	35,000 ft 10,668 m	91	-
ERKEL FIX	UR978 AWY-HI	20.96667 7.70000	35,000 ft 10,668 m	155	-
EDAGO FIX	UR978 AWY-HI	19.50000 7.81750	35,000 ft 10,668 m	88	-
AS VOR	UR978 AWY-HI	16.97497 8.02322	35,000 ft 10,668 m	152	AGADES VOR
GANLA FIX	UA604 AWY-HI	13.75139 8.32944	35,000 ft 10,668 m	194	-
MIMBA FIX	UA604 AWY-HI	13.08323 8.39261	35,000 ft 10,668 m	40	-
KAN VOR	UA604 AWY-HI	12.03585 8.49606	35,000 ft 10,668 m	63	KANO VOR-DME
GUSOL FIX	UA604 AWY-HI	10.88833 8.70167	35,000 ft 10,668 m	69	-
JOS VOR	UA604 AWY-HI	9.64219 8.84300	35,000 ft 10,668 m	75	JOS VOR-DME
OBUDU FIX	UA604 AWY-HI	6.16772 9.25694	35,000 ft 10,668 m	210	-
MF VOR	UA604 AWY-HI	5.70569 9.30395	35,000 ft 10,668 m	27	MAMFE VOR
TJJ NDB	UA604 AWY-HI	4.49074 9.56771	35,000 ft 10,668 m	74	MBANGA NDB
DLA VOR	UA604 AWY-HI	3.99392 9.74347	35,000 ft 10,668 m	31	DOUALA VOR-DME
ARASI FIX	UG861 AWY-HI	1.80056 10.27750	35,000 ft 10,668 m	135	-
KOPOV FIX	UG861 AWY-HI	-0.72333 10.89028	35,000 ft 10,668 m	155	-
IT VOR	UG861F AWY-HI	-4.82322 11.88744	35,000 ft 10,668 m	253	POINTE NOIRE VOR
LIKAD FIX	UW118 AWY-HI	-5.12333 11.70278	34,000 ft 10,363 m	21	-
DIBGO FIX	R526F AWY-LO	-5.49000 11.85417	23,500 ft 7,163 m	23	-
EXITO FIX	R526F AWY-LO	-6.98500 12.47833	23,500 ft 7,163 m	97	-
EPLAT	R526F	-7.60167	17,300 ft	40	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	12.73500	5,273 m		
FNLU	-	-8.85838	0 ft	81	LUANDA 4 DE FEVEREIRO
APT	-	13.23118	0 m		

## DAAG

Region: ALGERIA  
Timezone: AFRICA/ALGIERS  
Runways: 2

Elevation: 82 ft / 25 m  
Location: 36.697500 3.212250  
Magnetic Var: 1.706 E

## METAR

DAAG 041330Z 02009KT 340V050 CAVOK 25/07 Q1018

## TAF

TAF TAF DAAG 040110Z 0412/0512 01010KT CAVOK BECMG 0416/0418 VRB02KT BECMG 0508/0510 34010KT

## Frequencies

GND - 121.80 MHz - ALGIERS GROUND  
TWR - 119.70 MHz - ALGIERS TOWER  
REC - 128.52 MHz - ATIS

TWR - 118.70 MHz - ALGIERS TOWER  
APP - 121.40 MHz - ALGIERS APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	12,468 ft	91.69	CONCRETE	984 ft	0 ft
	45 m	3,800 m	89.98		300 m	0 m
27	148 ft	12,468 ft	271.72	CONCRETE	0 ft	0 ft
	45 m	3,800 m	270.01		0 m	0 m
05	197 ft	11,494 ft	52.68	CONCRETE	0 ft	0 ft
	60 m	3,503 m	50.97		0 m	0 m
23	197 ft	11,494 ft	232.70	CONCRETE	0 ft	0 ft
	60 m	3,503 m	230.99		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	LOC-ILS	HB	108.50 MHz	18 nm	91.70	-	82 ft
				33 km	89.99		82 m
23	LOC-ILS	AG	110.30 MHz	18 nm	232.70	-	82 ft
				33 km	230.99		82 m
27	LOC-ILS	AL	109.50 MHz	18 nm	271.70	-	82 ft
				33 km	269.99		82 m
09	GS	HB	108.50 MHz	10 nm	91.70	3.00	82 ft
				19 km	89.99		82 m
23	GS	AG	110.30 MHz	10 nm	232.70	3.00	82 ft
				19 km	230.99		82 m
27	GS	AL	109.50 MHz	10 nm	271.70	3.00	82 ft
				19 km	269.99		82 m

## FNLU

Region: ANGOLA  
Timezone: AFRICA/LUANDA  
Runways: 2

Elevation: 238 ft / 73 m  
Location: -8.858340 13.231100  
Magnetic Var: 2.383 W

## METAR

FNLU 041300Z 28012KT 9999 FEW022 31/// Q1008 NOSIG

## TAF

TAF TAF FNLU 041100Z 0412/0518 25005KT 9999 FEW022 TEMPO 0412/0417 24010KT CAVOK BECMG 0423/0502 15006KT

## Frequencies

TWR - 118.10 MHz - LUANDA TOWER  
APP - 119.10 MHz - LUANDA APPROACH

GND - 121.90 MHz - LUANDA GROUND

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	8,210 ft	67.54	ASPHALT	0 ft	0 ft
	45 m	2,502 m	69.92		0 m	0 m
25	148 ft	8,210 ft	247.54	ASPHALT	0 ft	0 ft
	45 m	2,502 m	249.92		0 m	0 m
05	148 ft	12,151 ft	46.59	ASPHALT	0 ft	0 ft
	45 m	3,704 m	48.97		0 m	0 m
23	148 ft	12,151 ft	226.59	ASPHALT	492 ft	0 ft
	45 m	3,704 m	228.97		150 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
23	DME	ILD	110.30 MHz	18 nm	-	-	243 ft
				33 km	-		243 m
23	LOC-ILS	ILD	110.30 MHz	10 nm	226.59	-	238 ft
				19 km	228.97		238 m
23	GS	ILD	110.30 MHz	10 nm	226.59	3.00	238 ft
				19 km	228.97		238 m