EIDW
Dublin


-

EGLC
London City

2024/03/29 0111Z

EIDW VYL **TB2** WD2 EGLC

261.44 nm / 484.19 km



Notes

Basic altitude profile:
- Ascent Rate: 1800ft/min
- Ascent Speed: 280kts
- Cruise Altitude: 2900ft
- Cruise Speed: 270kts
- Descent Rate: 1800ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EIDW APT	–	53.42826 -6.25955	0 ft 0 m	–	Dublin
VYL VOR	–	53.25742 -4.54414	21,200 ft 6,462 m	62	–
WD2 VOR	TB2 AWY-HI	52.38333 -2.46667	23,500 ft 7,163 m	91	–
EGLC APT	–	51.50523 0.05518	0 ft 0 m	107	London City

EIDW

Region: IRELAND
Timezone: EUROPE/DUBLIN
Runways: 2

Elevation: 240 ft / 73 m
Location: 53.424900 -6.263080
Magnetic Var: 1.994 W

METAR

EIDW 290100Z 17003KT 9999 FEW022 01/01 Q0976 NOSIG

TAF

TAF EIDW 282300Z 2900/2924 VRB03KT 9999 FEW020 BECMG 2907/2909 16008KT TEMPO 2907/2921 -SHRA FEW018CB PROB30 TEMP

Frequencies

REC - 124.52 MHz - ATIS
GND - 118.75 MHz - DUBLIN GROUND
CLD - 121.87 MHz - CLEARANCE DELIVERY
APP - 121.10 MHz - DUBLIN APPROACH
APP - 119.55 MHz - DUBLIN APPROACH

TWR - 118.60 MHz - DUBLIN TOWER
GND - 121.80 MHz - DUBLIN GROUND
APP - 133.27 MHz - DUBLIN APPROACH
APP - 119.92 MHz - DUBLIN APPROACH
REC - 118.50 MHz - DUBLIN INFORMATION

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10R	148 ft 45 m	8,660 ft 2,640 m	95.26 97.25	ASPHALT	0 ft 0 m	0 ft 0 m
28L	148 ft 45 m	8,660 ft 2,640 m	275.29 277.28	ASPHALT	0 ft 0 m	0 ft 0 m
16	190 ft 58 m	6,805 ft 2,074 m	156.64 158.63	ASPHALT	0 ft 0 m	0 ft 0 m
34	190 ft 58 m	6,805 ft 2,074 m	336.65 338.64	ASPHALT	0 ft 0 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	DME	IAC	111.50 MHz	18 nm 33 km	- -	-	200 ft 200 m
10R	LOC-ILS	IDE	108.90 MHz	18 nm 33 km	95.26 97.25	-	242 ft 242 m
16	LOC-ILS	IAC	111.50 MHz	18 nm 33 km	156.64 158.63	-	242 ft 242 m
28L	LOC-ILS	IDW	111.35 MHz	18 nm 33 km	275.26 277.25	-	242 ft 242 m
10R	GS	IDE	108.90 MHz	10 nm 19 km	95.26 97.25	3.00	242 ft 242 m
16	GS	IAC	111.50 MHz	10 nm 19 km	156.64 158.63	3.00	242 ft 242 m
28L	GS	IDW	111.35 MHz	10 nm 19 km	275.26 277.25	3.00	242 ft 242 m

EGLC

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 19 ft / 6 m
Location: 51.505200 0.055176
Magnetic Var: 0.532 E

METAR

EGLC 290050Z AUTO 22009KT 180V270 9999 SCT020 BKN030 BKN036 09/06 Q0984 RERA

TAF

UNKNOWN

Frequencies

APP - 132.70 MHz - THAMES RADAR
GND - 121.82 MHz - CITY GROUND
TWR - 129.45 MHz - CITY TOWER

REC - 136.35 MHz - CITY ATIS
TWR - 118.07 MHz - CITY TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	98 ft 30 m	4,916 ft 1,498 m	92.88 92.35	ASPHALT	315 ft 96 m	190 ft 58 m
27	98 ft 30 m	4,916 ft 1,498 m	272.90 272.37	ASPHALT	230 ft 70 m	302 ft 92 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	DME	ILST	111.15 MHz	18 nm 33 km	- -	-	48 ft 48 m
27	DME	ILSR	111.15 MHz	18 nm 33 km	- -	-	48 ft 48 m
09	LOC-ILS	ILST	111.15 MHz	18 nm 33 km	92.89 92.36	-	19 ft 19 m
27	LOC-ILS	ILSR	111.15 MHz	18 nm 33 km	272.89 272.36	-	19 ft 19 m
09	GS	ILST	111.15 MHz	10 nm 19 km	92.89 92.36	5.50	19 ft 19 m
27	GS	ILSR	111.15 MHz	10 nm 19 km	272.89 272.36	5.50	19 ft 19 m