

# SKBO

Bogota - El Dorado Intl


# SKCG

RAFAEL NUNEZ

2024/05/12 2049Z

SKBO ATANA **G430** OTU **UG430** BIVOS **G430** CTG SKCG

361.01 nm / 668.60 km



## Notes

Basic altitude profile:

- Ascent Rate: 1500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 36000ft
- Cruise Speed: 300kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SKBO	-	4.70159	0 ft	-	Bogota - El Dorado Intl
APT	-	-74.14695	0 m		
ATANA	-	6.00056	30,400 ft	88	-
FIX	-	-74.83056	9,266 m		
ROPET	G430	6.57167	23,500 ft	34	-
FIX	AWY-LO	-74.76278	7,163 m		
OTU	G430	7.01986	23,500 ft	27	OTU VOR-DME
VOR	AWY-LO	-74.70983	7,163 m		
REMOL	UG430	7.63139	34,000 ft	37	-
FIX	AWY-HI	-74.86111	10,363 m		
BIVOS	UG430	9.28861	24,500 ft	102	-
FIX	AWY-HI	-75.27500	7,468 m		
CTG	G430	10.20836	4,500 ft	56	CARTAGENA VOR-DME
VOR	AWY-LO	-75.50608	1,372 m		
SKCG	-	10.44238	0 ft	14	RAFAEL NUNEZ
APT	-	-75.51296	0 m		

## SKBO

Region: COLOMBIA  
Timezone: AMERICA/BOGOTA  
Runways: 2

Elevation: 8,358 ft / 2,548 m  
Location: 4.701600 -74.147000  
Magnetic Var: 8.193 W

## METAR

SKBO 122000Z 24008KT 210V300 9999 SCT020TCU SCT080 17/15 Q1026 RERA NOSIG

## TAF

TAF SKBO 121630Z 1218/1318 28010KT 9999 BKN020 TEMPO 1218/1223 5000 TSRA SCT015CB TEMPO 1300/1303 DZRA BECMG 1302

## Frequencies

REC - 127.80 MHz - ATIS	TWR - 118.10 MHz - EL DORADO TOWER
TWR - 118.25 MHz - EL DORADO TOWER	GND - 121.80 MHz - EL DORADO GROUND
GND - 122.75 MHz - EL DORADO GROUND	APP - 121.30 MHz - BOGOTA APPROACH
APP - 119.50 MHz - BOGOTA APPROACH	APP - 119.65 MHz - BOGOTA APPROACH
APP - 119.95 MHz - BOGOTA APPROACH	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	151 ft	12,479 ft	127.23	ASPHALT	0 ft	203 ft
	46 m	3,804 m	135.43		0 m	62 m
31L	151 ft	12,479 ft	307.24	ASPHALT	0 ft	203 ft
	46 m	3,804 m	315.43		0 m	62 m
13L	151 ft	12,479 ft	127.24	ASPHALT	0 ft	98 ft
	46 m	3,804 m	135.43		0 m	30 m
31R	151 ft	12,479 ft	307.24	ASPHALT	0 ft	98 ft
	46 m	3,804 m	315.43		0 m	30 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	DME	IEDR	111.30 MHz	18 nm	-	-	8,361 ft
				33 km	-		8,361 m
13R	DME	IADO	110.70 MHz	18 nm	-	-	8,361 ft
				33 km	-		8,361 m
13L	LOC-ILS	IEDR	111.30 MHz	18 nm	127.24	-	8,358 ft
				33 km	135.43		8,358 m
13R	LOC-ILS	IADO	110.70 MHz	18 nm	127.24	-	8,358 ft
				33 km	135.43		8,358 m
13L	GS	IEDR	111.30 MHz	10 nm	127.24	3.00	8,358 ft
				19 km	135.43		8,358 m
13R	GS	IADO	110.70 MHz	10 nm	127.24	3.00	8,358 ft
				19 km	135.43		8,358 m