

# EGLL

London Heathrow


# KATL

Hartsfield Jackson Atlanta Intl

2024/05/11 1024Z

EGLL CPT **UL9** SLANY MALOT 5320N 5230N 5140N 5050N EBONY **J573** ENE BAF BIGGO BAYYS BDR JFK RBV FAK  
SPA ODF FLCON DIRTY HAARY BAMMM YOUYU MMCAP KATL

3705.91 nm / 6863.34 km



## Notes

Requested: EGLL CPT UL9 SLANY MALOT 5320N 5230N 5140N 5050N ELSIR N320A EBONY J573 ENE Q480 BAF Q406 BIGGO PUT BAYY

Unmatched points: N320A Q480 Q406

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGLL APT	-	51.47122 -0.46098	0 ft 0 m	-	London Heathrow
CPT VOR	-	51.49167 -1.21972	0 ft 0 m	28	COMPTON VOR-DME
KENET FIX	UL9 AWY-HI	51.52056 -1.45500	0 ft 0 m	8	-
BASET FIX	UL9 AWY-HI	51.56389 -1.71000	0 ft 0 m	9	-
DIKAS FIX	UL9 AWY-HI	51.77694 -3.25917	0 ft 0 m	59	-
STU VOR	UL9 AWY-HI	51.99472 -5.04028	0 ft 0 m	67	STRUMBLE VOR-DME
SLANY FIX	UL9 AWY-HI	52.15861 -5.84222	0 ft 0 m	31	-
MALOT FIX	-	53.00000 -15.00000	0 ft 0 m	337	-
5320N LATLON	-	53.00000 -20.00000	0 ft 0 m	180	-
5230N LATLON	-	52.00000 -30.00000	0 ft 0 m	370	-
5140N LATLON	-	51.00000 -40.00000	0 ft 0 m	378	-
5050N FIX	-	50.00000 -50.00000	0 ft 0 m	386	-
EBONY FIX	-	44.90241 -67.15657	0 ft 0 m	758	-
SEAER FIX	J573 AWY-HI	43.92455 -69.49180	0 ft 0 m	116	-
SCARS FIX	J573 AWY-HI	43.54864 -70.34108	0 ft 0 m	43	-
ENE VOR	J573 AWY-HI	43.42567 -70.61353	0 ft 0 m	13	KENNEBUNK VORTAC
BAF VOR	-	42.16197 -72.71619	0 ft 0 m	119	BARNES VORTAC
BIGGO FIX	-	41.95581 -73.06794	0 ft 0 m	19	-
BAYYS FIX	-	41.28924 -72.97131	0 ft 0 m	40	-
BDR VOR	-	41.16069 -73.12450	0 ft 0 m	10	BRIDGEPORT VOR-DME
JFK VOR	-	40.63289 -73.77139	0 ft 0 m	43	KENNEDY VOR-DME
RBV VOR	-	40.20239 -74.49503	0 ft 0 m	41	ROBBINSVILLE VORTAC
FAK VOR	-	37.52850 -77.82822	0 ft 0 m	223	FLAT ROCK VORTAC
SPA VOR	-	35.03364 -81.92700	0 ft 0 m	248	SPARTANBURG VORTAC
ODF VOR	-	34.69586 -83.29767	0 ft 0 m	70	FOOTHILLS VORTAC
FLCON FIX	-	34.30796 -83.64761	0 ft 0 m	29	-
DIRTY	-	34.08317	0 ft	16	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	-	-83.84778	0 m		
HAARY	-	33.97096	0 ft	9	-
FIX	-	-83.96819	0 m		
BAMMM	-	33.75404	0 ft	13	-
FIX	-	-83.95910	0 m		
YOUYU	-	33.63389	0 ft	7	-
FIX	-	-83.99111	0 m		
MMCAP	-	33.63411	0 ft	3	-
FIX	-	-84.05998	0 m		
KATL	-	33.63662	0 ft	18	Hartsfield Jackson Atlanta Intl
APT	-	-84.42821	0 m		

## EGLL

Region: UNITED KINGDOM  
Timezone: EUROPE/LONDON  
Runways: 2

Elevation: 83 ft / 25 m  
Location: 51.471200 -0.460881  
Magnetic Var: 0.378 E

## METAR

EGLL 110950Z AUTO 09006KT 040V160 9999 NCD 18/12 Q1022

## TAF

TAF EGLL 110454Z 1106/1212 06005KT 9999 FEW045 TEMPO 1106/1108 7000 PROB30 TEMPO 1106/1107 4000 BR BKN004 BECMG 12

## Frequencies

REC - 128.07 MHz - HEATHROW INFORMATION	REC - 121.92 MHz - HEATHROW INFORMATION
CLD - 121.97 MHz - HEATHROW DELIVERY	GND - 121.70 MHz - HEATHROW GROUND
GND - 121.85 MHz - HEATHROW GROUND	GND - 121.90 MHz - HEATHROW GROUND
TWR - 118.50 MHz - HEATHROW TOWER	TWR - 118.70 MHz - HEATHROW TOWER
TWR - 124.47 MHz - HEATHROW TOWER	APP - 119.72 MHz - HEATHROW DIRECTOR
APP - 120.40 MHz - HEATHROW DIRECTOR	APP - 134.97 MHz - HEATHROW DIRECTOR
APP - 125.62 MHz - HEATHROW RADAR	APP - 127.52 MHz - HEATHROW RADAR
DEP - 120.52 MHz - HEATHROW DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	164 ft	12,770 ft	89.66	ASPHALT	1,007 ft	0 ft
	50 m	3,892 m	89.28		307 m	0 m
27R	164 ft	12,770 ft	269.70	ASPHALT	0 ft	177 ft
	50 m	3,892 m	269.33		0 m	54 m
09R	164 ft	11,975 ft	89.68	ASPHALT	1,004 ft	0 ft
	50 m	3,650 m	89.30		306 m	0 m
27L	164 ft	11,975 ft	269.72	ASPHALT	0 ft	95 ft
	50 m	3,650 m	269.34		0 m	29 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	IAA	110.30 MHz	18 nm	-	-	89 ft
				33 km	-		89 m
09R	DME	IBB	109.50 MHz	18 nm	-	-	84 ft
				33 km	-		84 m
27L	DME	ILL	109.50 MHz	18 nm	-	-	84 ft
				33 km	-		84 m
27R	DME	IRR	110.30 MHz	18 nm	-	-	89 ft
				33 km	-		89 m
09L	LOC-ILS	IAA	110.30 MHz	18 nm	89.68	-	83 ft
				33 km	89.30		83 m
09R	LOC-ILS	IBB	109.50 MHz	18 nm	89.70	-	83 ft
				33 km	89.32		83 m
27L	LOC-ILS	ILL	109.50 MHz	18 nm	269.70	-	83 ft
				33 km	269.32		83 m
27R	LOC-ILS	IRR	110.30 MHz	18 nm	269.68	-	83 ft
				33 km	269.30		83 m
09L	GS	IAA	110.30 MHz	10 nm	89.68	3.00	83 ft
				19 km	89.30		83 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09R	GS	IBB	109.50 MHz	10 nm	89.70	3.00	83 ft
				19 km	89.32		83 m
27L	GS	ILL	109.50 MHz	10 nm	269.70	3.00	83 ft
				19 km	269.32		83 m
27R	GS	IRR	110.30 MHz	10 nm	269.68	3.00	83 ft
				19 km	269.30		83 m

## KATL

Region: UNITED STATES  
Timezone: AMERICA/NEW\_YORK  
Runways: 5

Elevation: 1,026 ft / 313 m  
Location: 33.636600 -84.428000  
Magnetic Var: 5.631 W

## METAR

KATL 110952Z 02008KT 10SM FEW250 14/09 A2991 RMK AO2 SLP122 T01390089

## TAF

TAF AMD KATL 110932Z 1110/1212 35008KT P6SM SKC FM111300 VRB03KT P6SM SKC FM111600 31008KT P6SM FEW050 FM111900 31

## Frequencies

REC - 119.65 MHz - D-ATIS	REC - 125.55 MHz - D-ATIS
COM - 122.95 MHz - UNICOM	CLD - 118.10 MHz - CLEARANCE DELIVERY
GND - 121.65 MHz - ATLANTA GROUND	GND - 121.75 MHz - ATLANTA GROUND
GND - 121.90 MHz - ATLANTA GROUND	TWR - 119.10 MHz - ATLANTA TOWER
TWR - 119.30 MHz - ATLANTA TOWER	TWR - 119.50 MHz - ATLANTA TOWER
TWR - 123.85 MHz - ATLANTA TOWER	TWR - 125.32 MHz - ATLANTA TOWER
APP - 127.90 MHz - ATLANTA APPROACH	APP - 128.00 MHz - ATLANTA APPROACH
DEP - 125.65 MHz - ATLANTA DEPARTURE	DEP - 125.70 MHz - ATLANTA DEPARTURE
DEP - 135.37 MHz - ATLANTA DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	151 ft	12,400 ft	89.99	CONCRETE	0 ft	0 ft
	46 m	3,780 m	95.62		0 m	0 m
27R	151 ft	12,400 ft	270.01	CONCRETE	518 ft	0 ft
	46 m	3,780 m	275.64		158 m	0 m
09R	151 ft	9,008 ft	89.98	CONCRETE	0 ft	0 ft
	46 m	2,746 m	95.61		0 m	0 m
27L	151 ft	9,008 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	2,746 m	275.62		0 m	0 m
08L	151 ft	9,008 ft	89.98	CONCRETE	0 ft	0 ft
	46 m	2,746 m	95.61		0 m	0 m
26R	151 ft	9,008 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	2,746 m	275.62		0 m	0 m
10	151 ft	9,008 ft	89.97	CONCRETE	0 ft	0 ft
	46 m	2,746 m	95.60		0 m	0 m
28	151 ft	9,008 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	2,746 m	275.62		0 m	0 m
08R	151 ft	10,009 ft	89.98	CONCRETE	0 ft	0 ft
	46 m	3,051 m	95.61		0 m	0 m
26L	151 ft	10,009 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	3,051 m	275.62		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	DME	IHFV	109.30 MHz	18 nm	-	-	993 ft
				33 km	-		993 m
08R	DME	IATL	109.90 MHz	18 nm	-	-	1,026 ft
				33 km	-		1,026 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	IHZK	110.50 MHz	18 nm	-	-	978 ft
				33 km	-		978 m
09R	DME	IFUN	108.90 MHz	18 nm	-	-	987 ft
				33 km	-		987 m
10	DME	IOMO	111.55 MHz	18 nm	-	-	970 ft
				33 km	-		970 m
26L	DME	IBRU	108.70 MHz	18 nm	-	-	1,026 ft
				33 km	-		1,026 m
26R	DME	IGXZ	110.10 MHz	18 nm	-	-	1,000 ft
				33 km	-		1,000 m
27L	DME	IFSQ	108.50 MHz	18 nm	-	-	1,020 ft
				33 km	-		1,020 m
27R	DME	IAFA	111.30 MHz	18 nm	-	-	978 ft
				33 km	-		978 m
28	DME	IPKU	111.75 MHz	18 nm	-	-	970 ft
				33 km	-		970 m
08L	LOC-ILS	IHFV	109.30 MHz	18 nm	89.98	-	1,026 ft
				33 km	95.61		1,026 m
08R	LOC-ILS	IATL	109.90 MHz	18 nm	89.99	-	1,026 ft
				33 km	95.62		1,026 m
09L	LOC-ILS	IHZK	110.50 MHz	18 nm	90.01	-	968 ft
				33 km	95.64		968 m
09R	LOC-ILS	IFUN	108.90 MHz	18 nm	89.98	-	1,026 ft
				33 km	95.61		1,026 m
10	LOC-ILS	IOMO	111.55 MHz	18 nm	89.98	-	970 ft
				33 km	95.61		970 m
26L	LOC-ILS	IBRU	108.70 MHz	18 nm	269.98	-	1,026 ft
				33 km	275.61		1,026 m
26R	LOC-ILS	IGXZ	110.10 MHz	18 nm	269.98	-	1,026 ft
				33 km	275.61		1,026 m
27L	LOC-ILS	IFSQ	108.50 MHz	18 nm	269.98	-	1,026 ft
				33 km	275.61		1,026 m
27R	LOC-ILS	IAFA	111.30 MHz	18 nm	270.00	-	1,026 ft
				33 km	275.63		1,026 m
28	LOC-ILS	IPKU	111.75 MHz	18 nm	269.97	-	970 ft
				33 km	275.60		970 m
08L	GS	IHFV	109.30 MHz	10 nm	90.96	3.00	1,008 ft
				19 km	96.59		1,008 m
08R	GS	IATL	109.90 MHz	10 nm	90.96	3.00	1,012 ft
				19 km	96.59		1,012 m
09L	GS	IHZK	110.50 MHz	10 nm	90.02	3.00	1,017 ft
				19 km	95.65		1,017 m
09R	GS	IFUN	108.90 MHz	10 nm	90.96	3.00	1,021 ft
				19 km	96.59		1,021 m
10	GS	IOMO	111.55 MHz	10 nm	90.94	3.00	985 ft
				19 km	96.57		985 m
26L	GS	IBRU	108.70 MHz	10 nm	270.96	3.00	992 ft
				19 km	276.59		992 m
26R	GS	IGXZ	110.10 MHz	10 nm	270.96	3.00	984 ft
				19 km	276.59		984 m
27L	GS	IFSQ	108.50 MHz	10 nm	270.96	3.00	990 ft
				19 km	276.59		990 m
27R	GS	IAFA	111.30 MHz	10 nm	270.02	3.00	981 ft
				19 km	275.65		981 m
28	GS	IPKU	111.75 MHz	10 nm	270.94	3.00	990 ft
				19 km	276.57		990 m