


2024/05/17 2015Z

MTCH ONPAD MDST

92.20 nm / 170.75 km



Notes

Basic altitude profile:

- Ascent Rate: 1500ft/min
- Ascent Speed: 190kts
- Cruise Altitude: 3000ft
- Cruise Speed: 220kts
- Descent Rate: 1500ft/min
- Descent Speed: 140kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
MTCH	-	19.73300	0 ft	-	CAP HAITIEN INTL
APT	-	-72.19470	0 m		
ONPAD	-	19.60670	3,000 ft	26	-
FIX	-	-71.74000	914 m		
MDST	-	19.40610	0 ft	65	Santiago Cibao Intl
APT	-	-70.60470	0 m		

MDST

Region: DOMINICAN REPUBLIC
Timezone: AMERICA/SANTO_DOMINGO
Runways: 1

Elevation: 567 ft / 173 m
Location: 19.406100 -70.604700
Magnetic Var: 11.634 W

METAR

MDST 172000Z 12007KT 9999 FEW026 33/21 Q1013

TAF

TAF MDST 171600Z 1718/1818 11008KT 9999 FEW022 BECMG 1803/1805 00000KT

Frequencies

GND - 121.90 MHz - SANTIAGO GROUND
APP - 119.00 MHz - PUERTO PLATA APPROACH

TWR - 118.30 MHz - SANTIAGO TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	148 ft	8,610 ft	103.16	ASPHALT	0 ft	184 ft
	45 m	2,625 m	114.79		0 m	56 m
29	148 ft	8,610 ft	283.16	ASPHALT	108 ft	194 ft
	45 m	2,625 m	294.80		33 m	59 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	EXP	109.30 MHz	18 nm	-	-	563 ft
				33 km	-		563 m
11	LOC-ILS	EXP	109.30 MHz	18 nm	103.11	-	565 ft
				33 km	114.74		565 m
11	GS	EXP	109.30 MHz	10 nm	103.16	2.80	565 ft
				19 km	114.79		565 m