

# UUEE

Moscow-Sheremetyevo Intl'


# URSS

Sochi / Adler Intl

2024/05/29 0335Z

UUEE FV **R11** TS **R808** KANON **B145** MIMRA **G247** BA **R709** ROPTA URSS

770.19 nm / 1426.40 km



## Notes

Requested: UUEE FV R11 TS R808 KANON B145 MIMRA G247 BA R709 ROPTA URSS

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
UUEE	-	55.97670	0 ft	-	Moscow-Sheremetyevo Intl'
APT	-	37.39480	0 m		
FV	-	54.34560	0 ft	102	VENEV
NDB	-	38.23860	0 m		
US	R11	53.74470	0 ft	37	MURAVLYANKA
NDB	AWY-HI	38.49610	0 m		
TS	R11	52.38920	0 ft	82	ZADONSK
NDB	AWY-HI	38.93110	0 m		
KOROT	R808	51.81500	0 ft	36	-
FIX	AWY-HI	39.22830	0 m		
NAMUT	R808	51.10310	0 ft	45	-
FIX	AWY-HI	39.62830	0 m		
KANON	R808	49.53310	0 ft	99	-
FIX	AWY-HI	40.46500	0 m		
MIMRA	B145	48.93310	0 ft	36	-
FIX	AWY-HI	40.41500	0 m		
ABLOG	G247	47.80560	0 ft	67	-
FIX	AWY-HI	40.37610	0 m		
BA	G247	47.32110	0 ft	29	BAGAYEVSKIY
NDB	AWY-HI	40.35940	0 m		
ASMIL	R709	47.06530	0 ft	15	-
FIX	AWY-HI	40.31110	0 m		
RELT I	R709	46.08690	0 ft	59	-
FIX	AWY-HI	40.13190	0 m		
UH	R709	45.85190	0 ft	14	TIKHORETSK
NDB	AWY-HI	40.09000	0 m		
LENIR	R709	45.43310	0 ft	25	-
FIX	AWY-HI	40.01500	0 m		
ROPTA	R709	44.91220	0 ft	31	-
FIX	AWY-HI	39.92830	0 m		
URSS	-	43.44470	0 ft	88	Sochi / Adler Intl
APT	-	39.94710	0 m		

## UUEE

Region: RUSSIA  
Timezone: EUROPE/MOSCOW  
Runways: 3

Elevation: 630 ft / 192 m  
Location: 55.972500 37.413100  
Magnetic Var: 11.984 E

## METAR

UUEE 290300Z VRB01MPS CAVOK 16/08 Q1019 R24L/CLRD62 R24C/CLRD62 NOSIG

## TAF

TAF UUEE 290155Z 2903/3003 20003G08MPS CAVOK TX28/2912Z TN14/3001Z

## Frequencies

REC - 122.07 MHz - SHEREMETYEVO ATIS ARRIVAL	REC - 125.12 MHz - SHEREMETYEVO ATIS DEPARTURE
REC - 120.37 MHz - SHEREMETYEVO ATIS ARRIVAL	REC - 126.37 MHz - SHEREMETYEVO ATIS DEPARTURE
TWR - 131.50 MHz - SHEREMETYEVO TOWER	TWR - 120.70 MHz - SHEREMETYEVO TOWER
TWR - 118.70 MHz - SHEREMETYEVO TOWER	TWR - 119.30 MHz - SHEREMETYEVO TOWER
GND - 119.00 MHz - SHEREMETYEVO GROUND	GND - 121.80 MHz - SHEREMETYEVO GROUND
GND - 122.90 MHz - SHEREMETYEVO GROUND	GND - 121.90 MHz - SHEREMETYEVO APRON 1
GND - 123.60 MHz - SHEREMETYEVO APRON 2	GND - 130.35 MHz - SHEREMETYEVO APRON 3
GND - 134.55 MHz - SHEREMETYEVO APRON 4	CLD - 128.60 MHz -
CLD - 120.87 MHz -	SHEREMETYEVO CLEARANCE DELIVERY
SHEREMETYEVO CLEARANCE DELIVERY	APP - 122.70 MHz - SHEREMETYEVO RADAR
APP - 135.17 MHz - SHEREMETYEVO RADAR	APP - 118.10 MHz - SHEREMETYEVO RADAR
APP - 126.60 MHz - SHEREMETYEVO RADAR	APP - 120.67 MHz - SHEREMETYEVO RADAR
APP - 127.20 MHz - MOSCOW APPROACH	APP - 128.00 MHz - MOSCOW APPROACH
APP - 134.00 MHz - MOSCOW APPROACH	APP - 131.20 MHz - MOSCOW APPROACH
APP - 118.95 MHz - MOSCOW APPROACH	APP - 118.55 MHz - MOSCOW APPROACH
APP - 130.37 MHz - MOSCOW APPROACH	APP - 124.20 MHz - MOSCOW APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	197 ft	10,467 ft	74.98	CONCRETE	0 ft	0 ft
	60 m	3,190 m	63.00		0 m	0 m
24R	197 ft	10,467 ft	255.02	CONCRETE	0 ft	0 ft
	60 m	3,190 m	243.04		0 m	0 m
06C	197 ft	11,611 ft	75.03	CONCRETE	0 ft	0 ft
	60 m	3,539 m	63.04		0 m	0 m
24C	197 ft	11,611 ft	255.07	CONCRETE	0 ft	0 ft
	60 m	3,539 m	243.09		0 m	0 m
06R	197 ft	12,101 ft	75.03	CONCRETE	0 ft	0 ft
	60 m	3,689 m	63.04		0 m	0 m
24L	197 ft	12,101 ft	255.07	CONCRETE	0 ft	0 ft
	60 m	3,689 m	243.09		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	LOC-ILS	IMA	108.75 MHz	18 nm	75.00	-	630 ft
				33 km	63.02		630 m
06C	LOC-ILS	IMR	108.10 MHz	18 nm	75.05	-	630 ft
				33 km	63.07		630 m
06R	LOC-ILS	INL	109.10 MHz	18 nm	75.05	-	630 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	63.07		630 m
24L	LOC-ILS	IBW	110.50 MHz	18 nm	255.05	-	630 ft
				33 km	243.07		630 m
24C	LOC-ILS	IAD	111.30 MHz	18 nm	255.05	-	630 ft
				33 km	243.07		630 m
24R	LOC-ILS	IBR	109.35 MHz	18 nm	255.00	-	630 ft
				33 km	243.02		630 m
06L	GS	IMA	108.75 MHz	10 nm	75.00	3.00	630 ft
				19 km	63.02		630 m
06C	GS	IMR	108.10 MHz	10 nm	75.05	2.98	630 ft
				19 km	63.07		630 m
06R	GS	INL	109.10 MHz	10 nm	75.05	2.98	630 ft
				19 km	63.07		630 m
24L	GS	IBW	110.50 MHz	10 nm	255.05	2.98	630 ft
				19 km	243.07		630 m
24C	GS	IAD	111.30 MHz	10 nm	255.05	2.98	630 ft
				19 km	243.07		630 m
24R	GS	IBR	109.35 MHz	10 nm	255.00	3.00	630 ft
				19 km	243.02		630 m

## URSS

Region: RUSSIA  
Timezone: EUROPE/MOSCOW  
Runways: 2

Elevation: 90 ft / 27 m  
Location: 43.444600 39.947100  
Magnetic Var: 7.547 E

## METAR

URSS 290300Z 25002MPS 9000 BKN009 OVC030CB 18/17 Q1012 WS ALL RWY R02/290060 R06/290060 NOSIG RMK R06/27003MPS MT

## TAF

TAF URSS 290156Z 2903/3003 15007G14MPS 7000 -SHRA SCT008 BKN030CB OVC100 TEMPO 2903/2912 VRB09G16MPS 1200 TSRA BK

## Frequencies

REC - 129.37 MHz - ATIS	CLD - 132.70 MHz - SOCHI DELIVERY
GND - 119.00 MHz - SOCHI GROUND	GND - 118.50 MHz - SOCHI GROUND
TWR - 135.80 MHz - SOCHI TOWER	TWR - 121.20 MHz - SOCHI TOWER
APP - 124.60 MHz - SOCHI APPROACH	APP - 119.70 MHz - SOCHI RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	9,662 ft	64.77	CONCRETE	0 ft	243 ft
	45 m	2,945 m	57.23		0 m	74 m
24	148 ft	9,662 ft	244.79	CONCRETE	0 ft	0 ft
	45 m	2,945 m	237.25		0 m	0 m
02	161 ft	8,208 ft	28.61	CONCRETE	0 ft	164 ft
	49 m	2,502 m	21.07		0 m	50 m
20	161 ft	8,208 ft	208.62	CONCRETE	0 ft	164 ft
	49 m	2,502 m	201.08		0 m	50 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	LOC-ILS	IAD	110.50 MHz	18 nm	28.62	-	83 ft
				33 km	21.07		83 m
06	LOC-ILS	ISO	111.10 MHz	18 nm	64.76	-	83 ft
				33 km	57.21		83 m
02	GS	IAD	110.50 MHz	10 nm	28.62	2.83	83 ft
				19 km	21.07		83 m
06	GS	ISO	111.10 MHz	10 nm	64.76	2.83	83 ft
				19 km	57.21		83 m