


2024/05/15 0324Z

KMCO CAMDT CTY SZW OZR ARNNY SQS FSM PER GCK JNC HELPR LEEHY KSLC

1726.76 nm / 3197.96 km



Notes

Requested: KMCO CAMDT CTY SZW OZR ARNNY SQS FSM PER GCK JNC HELPR LEEHY KSLC

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KMCO	-	28.42920	0 ft	-	Orlando Intl
APT	-	-81.30678	0 m		
CAMD	-	28.41833	0 ft	56	-
FIX	-	-82.38028	0 m		
CTY	-	29.59900	0 ft	79	CROSS CITY VORTAC
VOR	-	-83.04881	0 m		
SZW	-	30.55622	0 ft	89	SEMINOLE VORTAC
VOR	-	-84.37394	0 m		
OZR	-	31.26894	0 ft	81	CAIRNS VOR-DME
VOR	-	-85.72631	0 m		
ARNNY	-	32.34461	0 ft	91	-
FIX	-	-86.99127	0 m		
SQS	-	33.46386	0 ft	178	SIDON VORTAC
VOR	-	-90.27736	0 m		
FSM	-	35.38842	0 ft	229	FORT SMITH VORTAC
VOR	-	-94.27153	0 m		
PER	-	36.74653	0 ft	162	PIONEER VORTAC
VOR	-	-97.16017	0 m		
GCK	-	37.91900	0 ft	184	GARDEN CITY VORTAC
VOR	-	-100.72500	0 m		
JNC	-	39.05956	0 ft	385	GRAND JUNCTION VOR-DME
VOR	-	-108.79258	0 m		
HELPR	-	39.75314	0 ft	91	-
FIX	-	-110.54812	0 m		
LEEHY	-	40.18109	0 ft	58	-
FIX	-	-111.68543	0 m		
KSLC	-	40.78697	0 ft	38	Salt Lake City Intl
APT	-	-111.97543	0 m		

KMCO

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 4

Elevation: 96 ft / 29 m
Location: 28.429200 -81.306800
Magnetic Var: 6.996 W

METAR

KMCO 150253Z 19009KT 10SM FEW055 SCT300 27/22 A2986 RMK A02 SLP108 T02720217 58004 \$

TAF

TAF AMD KMCO 150259Z 1503/1606 19010KT P6SM FEW050 SCT250 FM150600 20006KT P6SM SCT015 BKN025 FM151000 20010G15KT

Frequencies

REC - 120.52 MHz - D-ATIS
CLD - 134.70 MHz - CLEARANCE DELIVERY
GND - 126.40 MHz - ORLANDO GROUND
TWR - 124.30 MHz - ORLANDO TOWER
APP - 119.40 MHz - ORLANDO APPROACH
APP - 124.80 MHz - ORLANDO APPROACH
APP - 123.85 MHz - ORLANDO APPROACH
DEP - 119.40 MHz - ORLANDO DEPARTURE
DEP - 124.80 MHz - ORLANDO DEPARTURE

REC - 121.25 MHz - D-ATIS
COM - 122.95 MHz - UNICOM
GND - 121.80 MHz - ORLANDO GROUND
TWR - 118.45 MHz - ORLANDO TOWER
APP - 120.15 MHz - ORLANDO APPROACH
APP - 135.30 MHz - ORLANDO APPROACH
APP - 134.05 MHz - ORLANDO APPROACH
DEP - 120.15 MHz - ORLANDO DEPARTURE
DEP - 135.30 MHz - ORLANDO DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17R	151 ft	10,036 ft	179.47	CONCRETE	0 ft	404 ft
	46 m	3,059 m	186.46		0 m	123 m
35L	151 ft	10,036 ft	359.47	CONCRETE	0 ft	400 ft
	46 m	3,059 m	6.46		0 m	122 m
17L	151 ft	9,028 ft	179.48	CONCRETE	0 ft	400 ft
	46 m	2,752 m	186.47		0 m	122 m
35R	151 ft	9,028 ft	359.48	CONCRETE	0 ft	404 ft
	46 m	2,752 m	6.47		0 m	123 m
18L	200 ft	12,049 ft	179.46	CONCRETE	0 ft	400 ft
	61 m	3,673 m	186.46		0 m	122 m
36R	200 ft	12,049 ft	359.46	CONCRETE	0 ft	407 ft
	61 m	3,673 m	6.46		0 m	124 m
18R	200 ft	12,049 ft	179.45	ASPHALT	0 ft	909 ft
	61 m	3,673 m	186.45		0 m	277 m
36L	200 ft	12,049 ft	359.45	ASPHALT	0 ft	702 ft
	61 m	3,673 m	6.45		0 m	214 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17L	DME	IARK	110.95 MHz	18 nm	-	-	86 ft
				33 km	-		86 m
17R	DME	IDIZ	111.75 MHz	18 nm	-	-	86 ft
				33 km	-		86 m
18R	DME	ITFE	111.90 MHz	18 nm	-	-	86 ft
				33 km	-		86 m
35L	DME	IDDO	110.50 MHz	18 nm	-	-	100 ft
				33 km	-		100 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
35R	DME	ICER	111.15 MHz	18 nm	-	-	90 ft
				33 km	-		90 m
36R	DME	IOJP	110.70 MHz	18 nm	-	-	91 ft
				33 km	-		91 m
17L	LOC-ILS	IARK	110.95 MHz	18 nm	179.46	-	96 ft
				33 km	186.46		96 m
17R	LOC-ILS	IDIZ	111.75 MHz	18 nm	179.51	-	96 ft
				33 km	186.51		96 m
18R	LOC-ILS	ITFE	111.90 MHz	18 nm	179.50	-	96 ft
				33 km	186.50		96 m
35L	LOC-ILS	IDDO	110.50 MHz	18 nm	359.51	-	96 ft
				33 km	6.51		96 m
35R	LOC-ILS	ICER	111.15 MHz	18 nm	359.46	-	96 ft
				33 km	6.46		96 m
36R	LOC-ILS	IOJP	110.70 MHz	18 nm	359.50	-	96 ft
				33 km	6.50		96 m
17L	GS	IARK	110.95 MHz	10 nm	179.46	3.00	96 ft
				19 km	186.46		96 m
17R	GS	IDIZ	111.75 MHz	10 nm	179.51	3.00	96 ft
				19 km	186.51		96 m
18R	GS	ITFE	111.90 MHz	10 nm	179.50	3.00	96 ft
				19 km	186.50		96 m
35L	GS	IDDO	110.50 MHz	10 nm	359.51	3.00	96 ft
				19 km	6.51		96 m
35R	GS	ICER	111.15 MHz	10 nm	359.46	3.00	96 ft
				19 km	6.46		96 m
36R	GS	IOJP	110.70 MHz	10 nm	359.50	3.00	96 ft
				19 km	6.50		96 m

KSLC

Region: UNITED STATES

Timezone: AMERICA/DENVER

Runways: 4

Elevation: 4,227 ft / 1,288 m

Location: 40.787000 -111.975000

Magnetic Var: 10.770 E

METAR

KSLC 150254Z 35009KT 10SM FEW090 FEW220 17/04 A2994 RMK A02 SLP098 T01720039 53008

TAF

KSLC 150251Z 1503/1606 34007KT P6SM SKC FM150500 15005KT P6SM FEW250 FM151600 31005KT P6SM FEW100 FEW250 FM151900

Frequencies

REC - 124.75 MHz - ATIS

COM - 122.95 MHz - UNICOM

GND - 121.90 MHz -

TWR - 118.30 MHz -

TWR - 132.65 MHz -

APP - 124.30 MHz - APP/DEP

APP - 126.25 MHz - APP/DEP

REC - 127.62 MHz - ATIS

CLD - 127.30 MHz - CLNC DEL

GND - 133.65 MHz -

TWR - 119.05 MHz -

APP - 121.10 MHz - APP/DEP

APP - 124.90 MHz - APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16L	151 ft	12,013 ft	174.97	ASPHALT	0 ft	394 ft
	46 m	3,662 m	164.21		0 m	120 m
34R	151 ft	12,013 ft	354.98	ASPHALT	0 ft	400 ft
	46 m	3,662 m	344.21		0 m	122 m
16R	151 ft	12,013 ft	174.97	CONCRETE	0 ft	400 ft
	46 m	3,662 m	164.20		0 m	122 m
34L	151 ft	12,013 ft	354.97	CONCRETE	0 ft	400 ft
	46 m	3,662 m	344.20		0 m	122 m
17	151 ft	9,606 ft	179.99	ASPHALT	0 ft	102 ft
	46 m	2,928 m	169.22		0 m	31 m
35	151 ft	9,606 ft	359.99	ASPHALT	335 ft	312 ft
	46 m	2,928 m	349.22		102 m	95 m
14	151 ft	4,896 ft	153.08	ASPHALT	0 ft	0 ft
	46 m	1,492 m	142.31		0 m	0 m
32	151 ft	4,896 ft	333.09	ASPHALT	0 ft	0 ft
	46 m	1,492 m	322.32		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	DME	IMOY	109.50 MHz	18 nm	-	-	4,227 ft
				33 km	-		4,227 m
16R	DME	IUAT	111.90 MHz	18 nm	-	-	4,227 ft
				33 km	-		4,227 m
17	DME	IBNT	111.50 MHz	18 nm	-	-	4,227 ft
				33 km	-		4,227 m
34L	DME	IUUH	111.90 MHz	18 nm	-	-	4,227 ft
				33 km	-		4,227 m
34R	DME	ISLC	109.50 MHz	18 nm	-	-	4,227 ft
				33 km	-		4,227 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	LOC-ILS	IMOY	109.50 MHz	18 nm 33 km	174.98 164.21	-	4,227 ft 4,227 m
16R	LOC-ILS	IUAT	111.90 MHz	18 nm 33 km	174.97 164.20	-	4,227 ft 4,227 m
17	LOC-ILS	IBNT	111.50 MHz	18 nm 33 km	179.99 169.22	-	4,227 ft 4,227 m
34L	LOC-ILS	IUUH	111.90 MHz	18 nm 33 km	354.97 344.20	-	4,227 ft 4,227 m
34R	LOC-ILS	ISLC	109.50 MHz	18 nm 33 km	354.98 344.21	-	4,227 ft 4,227 m
35	LOC-ILS	IUTJ	111.50 MHz	18 nm 33 km	359.99 349.22	-	4,227 ft 4,227 m
16L	GS	IMOY	109.50 MHz	10 nm 19 km	174.98 164.21	3.00	4,227 ft 4,227 m
16R	GS	IUAT	111.90 MHz	10 nm 19 km	174.97 164.20	3.00	4,227 ft 4,227 m
17	GS	IBNT	111.50 MHz	10 nm 19 km	179.99 169.22	3.00	4,227 ft 4,227 m
34L	GS	IUUH	111.90 MHz	10 nm 19 km	354.97 344.20	3.00	4,227 ft 4,227 m
34R	GS	ISLC	109.50 MHz	10 nm 19 km	354.98 344.21	3.00	4,227 ft 4,227 m
35	GS	IUTJ	111.50 MHz	10 nm 19 km	359.99 349.22	3.00	4,227 ft 4,227 m