


2024/05/01 2036Z

SBMO MCE SNAL

52.64 nm / 97.49 km



## Notes

Basic altitude profile:

- Ascent Rate: 1000ft/min
- Ascent Speed: 120kts
- Cruise Altitude: 6000ft
- Cruise Speed: 180kts
- Descent Rate: 1000ft/min
- Descent Speed: 170kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SBM0	-	-9.51083	0 ft	-	Maceio Intl Zumbi dos Palmares
APT	-	-35.79160	0 m		
MCE	-	-9.50989	0 ft	0	ZUMBI (MACEIO)
VOR	-	-35.78690	0 m		
SNAL	-	-9.77536	0 ft	52	Arapiraca
APT	-	-36.62920	0 m		

## SBMO

Region: BRAZIL  
Timezone: AMERICA/MACEIO  
Runways: 1

Elevation: 389 ft / 119 m  
Location: -9.510830 -35.791600  
Magnetic Var: 22.491 W

## METAR

SBMO 012000Z 19007KT 9999 SCT023 29/23 Q1011

## TAF

TAF SBMO 011500Z 0118/0218 13005KT 9999 SCT025 TN24/0207Z TX31/0216Z BECMG 0122/0124 07005KT BECMG 0201/0203 2900

## Frequencies

TWR - 118.00 MHz - MACEIO TOWER  
APP - 119.25 MHz - MACEIO APPROACH

TWR - 118.25 MHz - MACEIO TOWER  
APP - 128.90 MHz - MACEIO APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	8,545 ft	100.75	ASPHALT	0 ft	0 ft
	45 m	2,605 m	123.24		0 m	0 m
30	148 ft	8,545 ft	280.75	ASPHALT	364 ft	0 ft
	45 m	2,605 m	303.24		111 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	IMO	109.30 MHz	18 nm	-	-	387 ft
				33 km	-		387 m
12	LOC-ILS	IMC	109.70 MHz	18 nm	100.75	-	389 ft
				33 km	123.24		389 m
12	GS	IMC	109.30 MHz	10 nm	100.75	3.00	389 ft
				19 km	123.24		389 m