KIAH

Houston George Bush Int


TTPP

Trinidad/Piarco Intl

2024/03/29 0450Z

KIAH KELPP **A766** KEHLI **UL674** ABA **UA574** PJG **UA563** MEGIR TTPP

2313.26 nm / 4284.16 km



Notes

Requested: KIAH FLYZA4 KELPP A766 KEHLI UL674 TIBEN UL674 ABA UA574 PJG UA563 MEGIR TTPP
Unmatched points: FLYZA4

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KIAH APT	-	29.98544 -95.34119	0 ft 0 m	-	Houston George Bush Int
KELPP FIX	-	27.17559 -91.94926	0 ft 0 m	245	-
KEHLI FIX	A766 AWY-LO	24.48611 -89.84028	0 ft 0 m	197	-
OVASU FIX	UL674 AWY-HI	24.18611 -89.25500	0 ft 0 m	36	-
XORIL FIX	UL674 AWY-HI	23.09500 -87.16556	0 ft 0 m	132	-
ALURU FIX	UL674 AWY-HI	22.46587 -86.00000	0 ft 0 m	74	-
TIBEN FIX	UL674 AWY-HI	20.08056 -81.57056	0 ft 0 m	286	-
ATUVI FIX	UL674 AWY-HI	20.00000 -81.42083	0 ft 0 m	9	-
BIKOG FIX	UL674 AWY-HI	18.91206 -79.68267	0 ft 0 m	118	-
BOSOM FIX	UL674 AWY-HI	17.85644 -78.03806	0 ft 0 m	113	-
ELASO FIX	UL674 AWY-HI	15.25957 -74.00000	0 ft 0 m	279	-
ABA VOR	UL674 AWY-HI	12.50567 -69.94311	0 ft 0 m	288	ARUBA VOR-DME
PJG VOR	UA574 AWY-HI	12.20028 -69.01000	0 ft 0 m	57	CURACAO VOR-DME
BONAX FIX	UA563 AWY-HI	12.07833 -67.83000	0 ft 0 m	69	-
BELLO FIX	UA563 AWY-HI	12.02389 -67.44917	0 ft 0 m	22	-
GAVAL FIX	UA563 AWY-HI	11.99028 -67.03889	0 ft 0 m	24	-
LRS VOR	UA563 AWY-HI	11.94467 -66.67125	0 ft 0 m	21	GRAN ROQUE VOR-DME
TOROP FIX	UA563 AWY-HI	11.46306 -66.17194	0 ft 0 m	41	-
KOMPU FIX	UA563 AWY-HI	11.37500 -65.83611	0 ft 0 m	20	-
MTA VOR	UA563 AWY-HI	10.92361 -63.96111	0 ft 0 m	113	MARGARITA VOR-DME
CUP NDB	UA563 AWY-HI	10.65831 -63.25947	0 ft 0 m	44	CARUPANO NDB
MEGIR FIX	UA563 AWY-HI	10.51808 -61.87533	0 ft 0 m	82	-
TTPP APT	-	10.59537 -61.33724	0 ft 0 m	32	Trinidad/Piarco Intl

KIAH

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 5

Elevation: 98 ft / 30 m
Location: 29.985400 -95.341200
Magnetic Var: 1.743 E

METAR

KIAH 290353Z 18005KT 10SM CLR 17/11 A3019 RMK AO2 SLP221 T01720106

TAF

KIAH 290309Z 2903/3006 18007KT P6SM SKC FM291600 16013KT P6SM FEW250 FM291900 15014G24KT P6SM SCT250 FM300200 150

Frequencies

REC - 124.05 MHz - D-ATIS
CLD - 128.10 MHz - CLEARANCE DELIVERY
GND - 121.70 MHz - HOUSTON GROUND
TWR - 120.72 MHz - HOUSTON TOWER
TWR - 135.15 MHz - HOUSTON TOWER
APP - 120.05 MHz - HOUSTON APPROACH
DEP - 126.67 MHz - HOUSTON DEPARTURE
DEP - 133.60 MHz - HOUSTON DEPARTURE

REC - 122.95 MHz - UNICOM
GND - 119.95 MHz - HOUSTON GROUND
GND - 118.57 MHz - HOUSTON GROUND
TWR - 125.35 MHz - HOUSTON TOWER
TWR - 127.30 MHz - HOUSTON TOWER
APP - 124.35 MHz - HOUSTON APPROACH
DEP - 132.25 MHz - HOUSTON DEPARTURE
DEP - 127.12 MHz - HOUSTON DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15R	151 ft 46 m	10,010 ft 3,051 m	152.07 150.33	CONCRETE	0 ft 0 m	407 ft 124 m
33L	151 ft 46 m	10,010 ft 3,051 m	332.08 330.34	CONCRETE	0 ft 0 m	407 ft 124 m
15L	151 ft 46 m	12,013 ft 3,662 m	152.08 150.33	CONCRETE	0 ft 0 m	413 ft 126 m
33R	151 ft 46 m	12,013 ft 3,662 m	332.09 330.34	CONCRETE	0 ft 0 m	413 ft 126 m
08L	151 ft 46 m	9,008 ft 2,746 m	89.94 88.20	CONCRETE	0 ft 0 m	387 ft 118 m
26R	151 ft 46 m	9,008 ft 2,746 m	269.96 268.22	CONCRETE	0 ft 0 m	387 ft 118 m
08R	151 ft 46 m	9,412 ft 2,869 m	89.96 88.21	CONCRETE	0 ft 0 m	384 ft 117 m
26L	151 ft 46 m	9,412 ft 2,869 m	269.97 268.23	CONCRETE	0 ft 0 m	384 ft 117 m
09	151 ft 46 m	10,009 ft 3,051 m	89.95 88.21	CONCRETE	0 ft 0 m	387 ft 118 m
27	151 ft 46 m	10,009 ft 3,051 m	269.97 268.22	CONCRETE	0 ft 0 m	387 ft 118 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	DME	IBZU	111.55 MHz	18 nm 33 km	- -	-	90 ft 90 m
08R	DME	IIAH	109.70 MHz	18 nm 33 km	- -	-	109 ft 109 m
09	DME	IUYO	110.90 MHz	18 nm 33 km	- -	-	100 ft 100 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	IJYV	109.70 MHz	18 nm 33 km	– –	–	109 ft 109 m
26R	DME	IOND	111.55 MHz	18 nm 33 km	– –	–	84 ft 84 m
27	DME	IGHI	110.90 MHz	18 nm 33 km	– –	–	100 ft 100 m
08L	LOC-ILS	IBZU	111.55 MHz	18 nm 33 km	89.95 88.21	–	98 ft 98 m
08R	LOC-ILS	IIAH	109.70 MHz	18 nm 33 km	89.96 88.22	–	98 ft 98 m
09	LOC-ILS	IUYO	110.90 MHz	18 nm 33 km	89.96 88.22	–	98 ft 98 m
15R	LOC-ILS	ILKM	111.15 MHz	18 nm 33 km	152.08 150.34	–	98 ft 98 m
26L	LOC-ILS	IJYV	109.70 MHz	18 nm 33 km	269.96 268.22	–	98 ft 98 m
26R	LOC-ILS	IOND	111.55 MHz	18 nm 33 km	269.95 268.21	–	98 ft 98 m
27	LOC-ILS	IGHI	110.90 MHz	18 nm 33 km	269.96 268.22	–	98 ft 98 m
33R	LOC-ILS	ICDG	111.90 MHz	18 nm 33 km	332.09 330.35	–	98 ft 98 m
08L	GS	IBZU	111.55 MHz	10 nm 19 km	89.95 88.21	3.00	98 ft 98 m
08R	GS	IIAH	109.70 MHz	10 nm 19 km	89.96 88.22	3.00	98 ft 98 m
09	GS	IUYO	110.90 MHz	10 nm 19 km	89.96 88.22	3.00	98 ft 98 m
15R	GS	ILKM	111.15 MHz	10 nm 19 km	152.08 150.34	3.00	98 ft 98 m
26L	GS	IJYV	109.70 MHz	10 nm 19 km	269.96 268.22	3.00	98 ft 98 m
26R	GS	IOND	111.55 MHz	10 nm 19 km	269.95 268.21	3.00	98 ft 98 m
27	GS	IGHI	110.90 MHz	10 nm 19 km	269.96 268.22	3.00	98 ft 98 m
33R	GS	ICDG	111.90 MHz	10 nm 19 km	332.09 330.35	3.00	98 ft 98 m

TTPP

Region: TRINIDAD AND TOBAGO
Timezone: AMERICA/PORT_OF_SPAIN
Runways: 1

Elevation: 57 ft / 17 m
Location: 10.595400 -61.337300
Magnetic Var: 15.344 W

METAR

TTPP 290400Z 00000KT 9999 FEW016 23/22 Q1012 NOSIG

TAF

TAF TTPP 282200Z 2900/2924 00000KT 9999 FEW016 BECMG 2912/2914 VRB05KT SCT022 PROB30 TEMPO 2916/2920 VRB10KT 5000

Frequencies

REC - 126.70 MHz - ATIS
TWR - 118.10 MHz - PIARCO TOWER
APP - 119.55 MHz - PIARCO APPROACH
GND - 121.90 MHz - PIARCO GROUND
APP - 119.00 MHz - PIARCO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	151 ft 46 m	10,505 ft 3,202 m	89.80 105.15	ASPHALT	0 ft 0 m	62 ft 19 m
28	151 ft 46 m	10,505 ft 3,202 m	269.81 285.15	ASPHALT	0 ft 0 m	180 ft 55 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	IPOS	109.70 MHz	18 nm 33 km	- -	-	57 ft 57 m
10	LOC-ILS	IPOS	109.70 MHz	18 nm 33 km	89.49 104.83	-	57 ft 57 m
10	GS	IPOS	109.70 MHz	10 nm 19 km	90.67 106.01	3.00	57 ft 57 m