

OIII

Teheran Mehrabad Intl


OIKB

BANDAR ABBASS INTL

2024/05/09 0138Z

OIII VAVIN **UT211** YZD YZD **W32** SOLAK OIKB

577.19 nm / 1068.96 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OIII APT	-	35.69260 51.31740	0 ft 0 m	-	Teheran Mehrabad Intl
VAVIN FIX	-	34.28580 52.04640	32,700 ft 9,967 m	91	-
PAVIT FIX	UT211 AWY-HI	32.83030 53.42810	35,000 ft 10,668 m	111	-
YZD VOR	UT211 AWY-HI	31.89770 54.28270	35,000 ft 10,668 m	70	YAZD
YZD DME	-	31.88530 54.30080	35,000 ft 10,668 m	1	YAZD SHAHID SADOOGHI TACAN
GADPU FIX	W32 AWY-HI	31.45250 54.55060	35,000 ft 10,668 m	28	-
DESLA FIX	W32 AWY-HI	30.76060 54.96220	35,000 ft 10,668 m	46	-
DAVUT FIX	W32 AWY-HI	30.03720 55.38360	35,000 ft 10,668 m	48	-
SRJ VOR	W32 AWY-HI	29.55620 55.66030	31,100 ft 9,479 m	32	SIRJAN
SOLAK FIX	W32 AWY-HI	28.86560 55.87080	21,900 ft 6,675 m	42	-
OIKB APT	-	27.21830 56.37780	0 ft 0 m	102	BANDAR ABBASS INTL

OIII

Region: IRAN
Timezone: ASIA/TEHRAN
Runways: 3

Elevation: 3,963 ft / 1,208 m
Location: 35.692600 51.317500
Magnetic Var: 5.105 E

METAR

OIII 090100Z 32004KT CAVOK 12/05 Q1015 A2998 NOSIG

TAF

TAF OIII 082300Z 0900/1006 31010KT 8000 NSC TEMPO 0909/0915 28022KT FEW035CB SCT040 BECMG 0922/0924 31006KT

Frequencies

REC - 128.00 MHz - ATIS	TWR - 118.10 MHz - MEHRABAD TOWER
TWR - 124.45 MHz - MEHRABAD TOWER	GND - 121.70 MHz - MEHRABAD GROUND
GND - 121.90 MHz - MEHRABAD GROUND	CLD - 121.85 MHz - MEHRABAD CLEARANCE DELIVERY
APP - 119.70 MHz - MEHRABAD APPROACH	APP - 125.10 MHz - MEHRABAD APPROACH
APP - 119.70 MHz - MEHRABAD RADAR	APP - 125.10 MHz - MEHRABAD RADAR
DEP - 125.10 MHz - MEHRABAD RADAR	DEP - 119.70 MHz - MEHRABAD RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	131 ft	1,589 ft	88.24	CONCRETE	16 ft	75 ft
	40 m	484 m	83.13		5 m	23 m
27	131 ft	1,589 ft	268.24	CONCRETE	16 ft	194 ft
	40 m	484 m	263.13		5 m	59 m
11L	148 ft	13,087 ft	109.70	CONCRETE	0 ft	0 ft
	45 m	3,989 m	104.60		0 m	0 m
29R	148 ft	13,087 ft	289.73	CONCRETE	0 ft	0 ft
	45 m	3,989 m	284.62		0 m	0 m
11R	197 ft	13,379 ft	109.74	ASPHALT	0 ft	1,191 ft
	60 m	4,078 m	104.63		0 m	363 m
29L	197 ft	13,379 ft	289.76	ASPHALT	144 ft	141 ft
	60 m	4,078 m	284.66		44 m	43 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
29L	DME	ITHL	109.90 MHz	18 nm	-	-	3,804 ft
				33 km	-		3,804 m
29L	LOC-ILS	ITHL	109.90 MHz	18 nm	289.75	-	3,963 ft
				33 km	284.64		3,963 m
29L	GS	ITHL	109.90 MHz	10 nm	289.75	3.30	3,963 ft
				19 km	284.64		3,963 m

OIKB

Region: IRAN
Timezone: ASIA/TEHRAN
Runways: 2

Elevation: 21 ft / 6 m
Location: 27.218300 56.377800
Magnetic Var: 2.635 E

METAR

OIKB 090100Z 15004KT 5000 HZ NSC 26/22 Q1004 A2967

TAF

TAF OIKB 082300Z 0900/1006 03006KT 5000 HZ NSC BECMG 0906/0908 21008KT 7000 TEMPO 0908/0916 22020KT 4000 SA TEMPO

Frequencies

REC - 128.65 MHz - ATIS
APP - 353.80 MHz - BANDAR ABBAS APPROACH
TWR - 257.80 MHz - BANDAR ABBAS TOWER

APP - 124.20 MHz - BANDAR ABBAS APPROACH
TWR - 118.10 MHz - BANDAR ABBAS TOWER
GND - 121.90 MHz - BANDAR ABBAS GROUND

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03R	148 ft	12,022 ft	27.62	ASPHALT	0 ft	1,197 ft
	45 m	3,664 m	24.99		0 m	365 m
21L	148 ft	12,022 ft	207.63	ASPHALT	0 ft	1,197 ft
	45 m	3,664 m	204.99		0 m	365 m
03L	98 ft	11,356 ft	27.65	ASPHALT	0 ft	1,496 ft
	30 m	3,461 m	25.01		0 m	456 m
21R	98 ft	11,356 ft	207.66	ASPHALT	0 ft	0 ft
	30 m	3,461 m	205.02		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
21L	DME	IBND	109.90 MHz	18 nm	-	-	12 ft
				33 km	-		12 m
21L	LOC-ILS	IBND	109.90 MHz	18 nm	207.63	-	21 ft
				33 km	205.00		21 m
21L	GS	IBND	109.90 MHz	10 nm	207.63	3.00	21 ft
				19 km	205.00		21 m